

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family		Changes to name	Scientific Name	Common Name
<b>Trees</b>					
	BETULACEAE	Birch Family			
				<i>Alnus rubra</i>	red alder
				<i>Corylus cornuta</i>	beaked hazelnut
	CORNACEAE	Dogwood Family			
				<i>Cornus nuttallii</i>	western flowering dogwood
	CUPRESSACEAE	Cypress Family			
				<i>Juniperus maritima</i>	seaside juniper
				<i>Thuja plicata</i>	western red cedar
	ERICACEAE	Heather Family			
				<i>Arbutus menziesii</i>	arbutus
	FAGACEAE	Beech Family			
				<i>Quercus garryana</i>	Garry oak
	PINACEAE	Pine Family			
				<i>Abies grandis</i>	grand fir
				<i>Picea sitchensis</i>	Sitka spruce
				<i>Pinus contorta</i>	lodgepole pine, shore pine
				<i>Pinus monticola</i>	western white pine
				<i>Pseudotsuga menziesii</i>	Douglas-fir
				<i>Tsuga heterophylla</i>	western hemlock
	RHAMNACEAE	Buckthorn Family			
				<i>Rhamnus purshiana</i>	cascara
	ROSACEAE	Rose Family			
				<i>Malus fusca</i>	Pacific crab-apple
				<i>Prunus emarginata</i>	bitter cherry
				<i>Sorbus scopulina</i>	western mountain-ash
				<i>Sorbus sitchensis</i>	Sitka mountain ash
	SALICACEAE	Willow Family			
				<i>Populus tremuloides</i>	trembling aspen
				<i>Populus trichocarpa</i>	black cottonwood
				<i>Salix hookeriana</i>	Hooker's willow

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family		Changes to name	Scientific Name	Common Name
				<i>Salix lasiandra</i>	Pacific willow
				<i>Salix scouleriana</i>	Scouler's willow
				<i>Salix sitchensis</i>	Sitka willow
	SAPINDACEAE	Soapberry Family	(formerly ACERACEAE)		
				<i>Acer glabrum</i>	Douglas maple
				<i>Acer macrophyllum</i>	bigleaf maple
	TAXACEAE	Yew Family			
				<i>Taxus brevifolia</i>	western yew
<b>Flowering Plants</b>					
	ADOXACEAE	Elderberry Family	(formerly CAPRIFOLIACEAE)		
				<i>Sambucus cerulea</i>	blue elderberry
				<i>Sambucus racemosa</i>	red elderberry
	AGAVACEAE	Agave Family	(formerly part of LILIACEAE)		
				<i>Camassia leichtlinii</i>	great camas
				<i>Camassia quamash</i>	early camas
	ALISMATACEAE	Water Plantain Family			
				<i>Alisma triviale</i>	American water plantain
	AMARANTHACEAE	Amaranth Family	(now includes CHENOPODIACEAE)		
				<i>Atriplex gmelinii</i>	Gmelin's orache
				<i>Atriplex patula</i>	common orache
				<i>Chenopodium album</i>	lamb's quarters
				<i>Salicornia virginica</i>	American glasswort
	AMARYLLIDACEAE	Onion Family	(formerly part of LILIACEAE)		
				<i>Allium acuminatum</i>	Hooker's onion
				<i>Allium cernuum</i>	nodding onion
	APIACEAE	Carrot Family			
				<i>Anthriscus caucalis</i>	bur chervil

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family		Changes to name	Scientific Name	Common Name
				<i>Anthriscus sylvestris</i>	wild chervil
				<i>Cicuta douglasii</i>	Douglas' water hemlock
				<i>Conioselinum gmelinii</i>	Pacific hemlock-parsley
				<i>Daucus carota</i>	wild carrot; Queen Anne's lace
				<i>Daucus pusillus</i>	American wild carrot
				<i>Heracleum mantegazzianum</i>	giant cow-parsnip; hogweed
				<i>Heracleum maximum</i>	cow-parsnip
				<i>Lileopsis occidentalis</i>	western lileopsis
				<i>Lomatium nudicaule</i>	barestem desert parsley, Indian consumption plant
				<i>Lomatium utriculatum</i>	spring-gold
				<i>Oenanthe sarmentosa</i>	Pacific water-parsley
				<i>Osmorhiza berteroi</i>	mountain sweet cicely
				<i>Sanicula crassicaulis</i>	Pacific sanicle
				<i>Sium suave</i>	hemlock water-parsnip
	APOCYNACEAE	Milkweed Family			
				<i>Apocynum androsaemifolium</i>	spreading dogbane
				<i>Vinca major</i>	large periwinkle
	ARACEAE	Arum Family	(now includes LEMNACEAE)		
				<i>Lemna minor</i>	common duckweed
				<i>Lysichiton americanus</i>	skunk cabbage
	ARALIACEAE	Ivy Family			
				<i>Hedera helix</i>	English ivy
				<i>Oplopanax horridus</i>	devil's club
	ARISTOLOCHIACEAE	Birthwort Family			
				<i>Asarum caudatum</i>	wild ginger
	ASPARAGAEAE		(formerly part of LILIACEAE)		
				<i>Mianthemum dilatatum</i>	false lily-of-the-valley
				<i>Mianthemum racemosum</i>	false Solomon's-seal
				<i>Mianthemum stellatum</i>	star-flowered Solomon's-seal
	ASTERACEAE	Sunflower Family			

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family	Changes to name	Scientific Name	Common Name
			<i>Achillea millefolium</i>	yarrow
			<i>Adenocaulon bicolor</i>	pathfinder
			<i>Ambrosia chamissonis</i>	silver burweed
			<i>Anaphalis margaritacea</i>	pearly everlasting
			<i>Antennaria howellii</i>	Howell's pussytoes
			<i>Arctium minus</i>	common burdock
			<i>Artemisia campestris</i>	northern wormwood
			<i>Artemisia suksdorfii</i>	Suksdorf's mugwort
			<i>Aster subspicatus</i>	Douglas' aster
			<i>Bellis perennis</i>	English daisy
			<i>Bidens cernua</i>	nodding beggarticks
			<i>Cichorium intybus</i>	chicory
			<i>Cirsium avense</i>	Canada thistle
			<i>Cirsium vulgare</i>	bull thistle
			<i>Cotula coronopifolia</i>	brass buttons
			<i>Crepis capillaris</i>	smooth hawksbeard
			<i>Crocidium multicaule</i>	gold star
			<i>Eriophyllum lanatum</i>	woolly eriophyllum
			<i>Gnaphalium microcephalum</i>	slender cudweed
			<i>Gnaphalium palustre</i>	lowland cudweed
			<i>Grindelia stricta</i>	Oregon gumweed
			<i>Hieracium albiflorum</i>	white hawkweed
			<i>Hypochaeris radicata</i>	hairy cat's ear
			<i>Lactuca muralis</i>	wall lettuce
			<i>Lapsana communis</i>	nipplewort
			<i>Leontodon taraxacoides</i>	hairy hawkbit
			<i>Leucanthemum vulgare</i>	oxeye daisy
			<i>Luina hypoleuca</i>	silverback luina
			<i>Madia glomerata</i>	clustered tarweed
			<i>Matricaria discoidea</i>	pineapple weed
			<i>Packera macounii</i>	Macoun's groundsel
			<i>Petasites frigidus var. palmatus</i>	sweet coltsfoot

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family		Changes to name	Scientific Name	Common Name
				<i>Senecio vulgaris</i>	common groundsel
				<i>Solidago canadensis</i>	Canada goldenrod
				<i>Sonchus arvensis</i>	perennial sow thistle
				<i>Sonchus oleraceus</i>	common sow thistle
				<i>Symphyotrichum subspicatum</i>	Douglas' aster
				<i>Tanacetum vulgare</i>	common tansy
				<i>Taraxacum officinale</i>	common dandelion
				<i>Tragopogon porrifolius</i>	common salsify
	BALSAMINACEAE	Balsam Family			
				<i>Impatiens noli-tangere</i>	common touch-me-not
	BERBERIDACEAE	Barberry Family			
				<i>Achlys triphylla</i>	vanilla-leaf
				<i>Mahonia aquifolium</i>	tall Oregon-grape
				<i>Mahonia nervosa</i>	dull Oregon-grape
	BORAGINACEAE	Borage Family	(Includes HYDROPHYLLACEAE)		
				<i>Amsinckia spectabilis</i>	seaside fiddleneck
				<i>Myosotis discolor</i>	common forget-me-not
				<i>Myosotis laxa</i>	small-flowered forget-me-not
				<i>Nemophila parviflora</i>	small-flowered nemophila
				<i>Romanzoffia sitchensis</i>	Sitka mistmaiden
	BRASSICACEAE	Mustard Family			
				<i>Arabis hirsuta</i>	hairy rockcress
				<i>Barbarea orthoceras</i>	American winter cress
				<i>Brassica campestris</i>	field mustard
				<i>Brassica juncea</i>	Indian mustard
				<i>Cakile edentula</i>	American searocket
				<i>Capsella bursa-pastoris</i>	shepherd's purse
				<i>Cardamine nuttallii</i>	slender toothwort
				<i>Cardamine oligosperma</i>	little western bitter-cress
				<i>Draba verna</i>	common draba
				<i>Hesperis matronalis</i>	sweet rocket

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family	Changes to name	Scientific Name	Common Name
			<i>Lepidium campestre</i>	field pepper-grass
			<i>Lepidium heterophyllum</i>	Smith's pepper-grass
			<i>Lepidium virginicum</i> var. <i>menziesii</i>	Menzies' pepperweed
			<i>Raphanus raphanistrum</i>	wild radish
			<i>Sisymbrium officinale</i>	hedge mustard
			<i>Teesdalia nudicaulis</i>	shepherd's cress
			<i>Thlaspi arvense</i>	field pennycress
	CAMPANULACEAE	Bellflower Family		
			<i>Campanula rotundifolia</i>	common harebell
			<i>Campanula scouleri</i>	Scouler's harebell
	CAPRIFOLIACEAE	Honeysuckle Family		
			<i>Lonicera ciliosa</i>	western trumpet, orange honeysuckle
			<i>Lonicera hispidula</i>	hairy honeysuckle
			<i>Lonicera involucrata</i>	black twinberry
			<i>Symphoricarpos albus</i>	common snowberry
			<i>Symphoricarpos hesperius</i>	trailing snowberry
	CARYOPHYLLACEAE	Carnation Family		
			<i>Cerastium arvense</i>	field chickweed
			<i>Cerastium fontanum</i>	mouse-ear chickweed
			<i>Cerastium glomeratum</i>	sticky chickweed
			<i>Dianthus armeria</i>	Deptford pink
			<i>Honkenya peploides</i>	seabeach sandwort
			<i>Minuartia tenella</i>	slender sandwort
			<i>Meohringia macrophylla</i>	big-leaved sandwort
			<i>Sagina maxima</i>	coastal pearlwort
			<i>Sagina procumbens</i>	bird's eye pearlwort
			<i>Silene gallica</i>	small-flowered catchfly
			<i>Spergula arvensis</i>	corn-spurry
			<i>Spergularia canadensis</i>	Canadian sand-spurry
			<i>Spergularia rubra</i>	red sand-spurry

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family		Changes to name	Scientific Name	Common Name
				<i>Spergularia salina</i>	salt marsh sand-spurry
				<i>Stellaria media</i>	common chickweed
	CELASTRACEAE	Bittersweet Family			
				<i>Euonymus occidentalis</i>	western wahoo
				<i>Paxistima myrsinites</i>	falsebox
	CLUSIACEAE	St. John's-wort Family			
				<i>Hypericum anagalloides</i>	bog St. John's-wort
				<i>Hypericum perforatum</i>	common St. John's-wort
				<i>Hypericum scouleri</i>	western St. John's-wort
	COLCHICACEAE	Colchicum Family	(formerly part of LILIACEAE)		
				<i>Prosartes hookeri</i>	Hooker's fairy bells
				<i>Streptopus amplexifolius</i>	clasping twisted stalk
				<i>Streptopus lanceolatus</i>	rosy twisted stalk
	CONVALLARIACEAE		(formerly part of LILIACEAE)		
				<i>Maianthemum dilatatum</i>	false lily-of-the-valley
				<i>Maianthemum racemosum</i>	false Solomon's-seal
				<i>Maianthemum stellatum</i>	star-flowered Solomon's-seal
	CONVOLVULACEAE	Morning Glory Family	(now includes CUSCUTACEAE)		
				<i>Convolvulus arvensis</i>	field bindweed
				<i>Convolvulus sepium</i>	hedge bindweed
				<i>Cuscuta pacifica</i> var. <i>pacifica</i>	salt marsh dodder
	CORNACEAE	Dogwood Family			
				<i>Cornus canadensis</i>	bunchberry
				<i>Cornus stolonifera</i>	red-osier dogwood
	CRASSULACEAE	Stonecrop Family			
				<i>Sedum oreganum</i>	Oregon stonecrop
	DROSERACEAE				
				<i>Drosera rotundifolia</i>	round-leaved sundew

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family		Changes to name	Scientific Name	Common Name
	ERICACEAE	Heather Family	(now includes MONOTROPACEAE and PYROLACEAE and EMPETRACEAE)		
				<i>Allotropa virgata</i>	candystick
				<i>Arctostaphylos columbiana</i>	hairy manzanita
				<i>Arctostaphylos uva-ursi</i>	kinnikinnick
				<i>Arctostaphylos x media</i>	intermediate manzanita hybrid
				<i>Chimaphila menziesii</i>	Menzies' pipsissewa
				<i>Chimaphila umbellata</i>	prince's pine
				<i>Gaultheria shallon</i>	salal
				<i>Hemitomes congestum</i>	gnome-plant
				<i>Kalmia microphylla</i> ssp. <i>occidentalis</i>	western bog-laurel
				<i>Menziesia ferruginea</i>	false azalea
				<i>Monotropa hypopithys</i>	piresap
				<i>Monotropa uniflora</i>	Indian-pipe
				<i>Oxycoccus oxycoccus</i>	bog cranberry
				<i>Pterospora andromedea</i>	pinedrops
				<i>Pyrola asarifolia</i>	pink wintergreen
				<i>Pyrola picta</i>	white-veined wintergreen
				<i>Rhododendron groenlandicum</i>	Labrador tea
				<i>Vaccinium caespitosum</i>	dwarf blueberry
				<i>Vaccinium parvifolium</i>	red huckleberry
	EUPHORBIACEAE	Spurge Family			
				<i>Euphorbia peplus</i>	petty spurge
	FABACEAE	Pea Family			
				<i>Acmispon parviflorus</i>	small-flowered bird's-foot trefoil
				<i>Cytisus scoparius</i>	Scotch broom
				<i>Lathyrus japonicus</i>	beach pea
				<i>Lathyrus latifolius</i>	broad-leaved peavine
				<i>Lathyrus nevadensis</i>	purple peavine
				<i>Lathyrus palustris</i>	marsh peavine



## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family	Changes to name	Scientific Name	Common Name
			<i>Lotus corniculatus</i>	bird's-foot trefoil
			<i>Lotus micranthus</i>	small-flowered bird's-foot trefoil
			<i>Lupinus arboreus</i>	tree lupine
			<i>Lupinus bicolor</i>	two-colored lupine
			<i>Lupinus littoralis</i>	seashore lupine
			<i>Lupinus polyphyllus</i>	large-leaved lupine
			<i>Medicago lupulina</i>	black medic
			<i>Melilotus alba</i>	white sweet clover
			<i>Melilotus officinalis</i>	yellow sweet clover
			<i>Trifolium arvense</i>	hare's-foot clover
			<i>Trifolium campestre</i>	low hop-clover
			<i>Trifolium dubium</i>	small hop-clover
			<i>Trifolium hybridum</i>	alsike clover
			<i>Trifolium microcephalum</i>	small-headed clover
			<i>Trifolium pratense</i>	red clover
			<i>Trifolium repens</i>	white clover
			<i>Trifolium willdenowii</i>	tomcat clover
			<i>Ulex europaeus</i>	gorse
			<i>Vicia americana</i>	American vetch
			<i>Vicia cracca</i>	tufted vetch
			<i>Vicia hirsuta</i>	tiny vetch
			<i>Vicia nigricans</i>	giant vetch
			<i>Vicia sativa</i>	common vetch
	GERANIACEAE	Geranium Family		
			<i>Erodium cicutarium</i>	common stork's-bill
			<i>Geranium molle</i>	dovefoot geranium
			<i>Geranium robertianum</i>	Robert's geranium
	GROSSULARIACEAE	Currant Family		
			<i>Ribes bracteosum</i>	stink currant
			<i>Ribes divaricatum</i>	wild black gooseberry
			<i>Ribes lacustre</i>	black gooseberry
			<i>Ribes sanguineum</i>	red-flowering currant

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family		Changes to name	Scientific Name	Common Name
	IRIDACEAE	Iris Family			
				<i>Iris pseudacorus</i>	yellow iris
				<i>Sisyrinchium californicum</i>	golden-eyed grass
				<i>Sisyrinchium idahoense</i>	Idaho blue-eyed grass
	JUNCAGINACEAE	Arrow-grass Family			
				<i>Triglochin maritima</i>	seaside arrow-grass
	LAMIACEAE	Mint Family			
				<i>Clinopodium douglasii</i>	yerba Buena
				<i>Glechoma hederace</i>	ground-ivy
				<i>Lamium amplexicaule</i>	common dead nettle
				<i>Lamium galeobdolon</i>	yellow archangel
				<i>Lamium purpureum</i>	purple dead nettle
				<i>Lycopus uniflorus</i>	northern water horehound
				<i>Mentha arvensis</i>	field mint
				<i>Prunella vulgaris</i>	self heal
				<i>Scutellaria lateriflora</i>	blue skullcap
				<i>Stachys chamissonis</i>	Cooley's hedge nettle
	LILIACEAE	Lily Family			
				<i>Erythronium oregonum</i>	white fawn lily
				<i>Erythronium revolutum</i>	pink fawn lily
				<i>Fritillaria affinis</i>	chocolate lily
				<i>Fritillaria camschatcensis</i>	northern riceroot
				<i>Lilium columbianum</i>	tiger lily
	LINNAEACEAE	Linnaea Family			
				<i>Linnaea borealis</i>	twinline
	LYTHRACEAE	Loosestrife Family			
				<i>Lythrum salicaria</i>	purple loosestrife
	MALVACEAE	Mallow Family			
				<i>Malva neglecta</i>	dwarf mallow
				<i>Sidalcea hendersonii</i>	Henderson's checker-mallow

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family		Changes to name	Scientific Name	Common Name
	MELANTHIACEAE		(formerly part of LILIACEAE)		
				<i>Trillium ovatum</i>	western trillium
				<i>Zygadenus venenosus</i>	meadow death-camas
	MENYANTHACEAE				
				<i>Menyanthes trifoliata</i>	buckbean
	MYRICACEAE	Wax Myrtle Family			
				<i>Myrica gale</i>	sweet gale
	NYCTAGINACEAE	Four O'clock Family			
				<i>Abronia latifolia</i>	yellow sand-verbena
	NYMPHAEACEAE	Water Lily Family	(includes CABOMBACEAE)		
				<i>Brasenia schreberi</i>	water shield
				<i>Nuphar polysepala</i>	Rocky Mountain pond-lily
	ONOGRACEAE	Evening Primrose Family			
				<i>Circaea alpine</i>	enchanter's nightshade
				<i>Epilobium angustifolia</i>	fireweed
				<i>Epilobium brachycarpum</i>	tall annual willowherb
				<i>Epilobium ciliatum</i>	purple-leaved willowherb
				<i>Epilobium minutum</i>	small-flowered willowherb
	ORCHIDACEAE	Orchid Family			
				<i>Calypso bulbosa</i>	fairy-slipper
				<i>Corallorhiza maculata</i>	spotted coralroot
				<i>Corallorhiza mertensiana</i>	western coralroot
				<i>Goodyera oblongifolia</i>	rattlesnake-plantain
				<i>Listera cordata</i>	heart-leaved twayblade
				<i>Piperia elegans</i>	elegant rein orchid
				<i>Piperia transversa</i>	royal rein orchid
				<i>Platanthera dilatata</i>	white rein orchid
				<i>Platanthera stricta</i>	slender rein orchid
				<i>Spiranthes romanzoffiana</i>	hooded ladies' tresses

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family		Changes to name	Scientific Name	Common Name
	OROBANCHACEAE	Broomrape Family	(includes some formerly SCROPHULARIACEAE)		
				<i>Boschniakia hookeri</i>	Vancouver groundcone
				<i>Castilleja miniata</i>	common red paintbrush
				<i>Euphrasia subarctica</i>	arctic eyebright
				<i>Orobanche californica</i>	California broomrape
				<i>Orobanche uniflora</i>	naked broomrape
				<i>Parentucellia viscosa</i>	yellow parentucellia
				<i>Pedicularis racemosa</i>	sickle-top lousewort
				<i>Triphysaria pusilla</i>	dwarf owl clover
	OXALIDACEAE	Wood Sorrel Family			
				<i>Oxalis corniculata</i>	yellow oxalis
	PAPAVERACEAE	Poppy Family	(includes FUMERIACEAE)		
				<i>Dicentra formosa</i>	Pacific bleeding heart
	PHRYMACEAE	Lopseed Family	(formerly part of SCROPHULARIACEAE)		
				<i>Mimulus alsinoides</i>	chickweed monkey-flower
				<i>Mimulus guttatus</i>	yellow monkey-flower
				<i>Mimulus moschatus</i>	musk-flower
	PLANTAGINACEAE	Snapdragon Family	(includes many from SCROPHULARIACEAE)		
				<i>Collinsia grandiflora</i>	large-flowered blue-eyed Mary
				<i>Collinsia parviflora</i>	small-flowered blue-eyed Mary
				<i>Digitalis purpurea</i>	common foxglove
				<i>Linaria genistifolia</i>	Dalmatian toadflax
				<i>Linaria vulgaris</i>	butter-and-eggs
				<i>Penstemon serrulatus</i>	coast penstemon
				<i>Plantago lanceolata</i>	ribwort plantain
				<i>Plantago major</i>	common plantain
				<i>Plantago maritima</i>	sea plantain
				<i>Veronica arvensis</i>	wall speedwell

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family		Changes to name	Scientific Name	Common Name
				<i>Veronica beccabunga</i>	American speedwell
				<i>Veronica filiformis</i>	slender speedwell
				<i>Veronica officinalis</i>	common speedwell
				<i>Veronica peregrina</i>	purslane speedwell
				<i>Veronica scutellata</i>	marsh speedwell
				<i>Veronica serpyllifolia</i>	thyme-leaved speedwell
	POLEMONIACEAE	Phlox Family			
				<i>Collomia heterophylla</i>	vari-leaved collomia
				<i>Phlox gracilis</i>	pink twink
	POLYGONACEAE	Knotweed Family			
				<i>Fallopia convolvulus</i>	black bindweed
				<i>Fallopia japonica</i>	Japanese knotweed
				<i>Fallopia sachalinensis</i>	giant knotweed
				<i>Persicaria amphibia</i>	water smartweed
				<i>Persicaria hydropiper</i>	marshpepper smartweed
				<i>Persicaria lapathifolia</i>	willow weed
				<i>Persicaria maculosa</i>	lady's thumb
				<i>Persicaria wallichii</i>	Himalayan knotweed
				<i>Polygonum aviculare</i>	common knotweed
				<i>Polygonum douglasii</i>	Douglas' knotweed
				<i>Polygonum fowleri</i>	Fowler's knotweed
				<i>Polygonum paronychia</i>	black knotweed
				<i>Polygonum spergulariiforme</i>	spurry knotweed
				<i>Rumex acetosella</i>	sheep sorrel
				<i>Rumex crispus</i>	curled dock
				<i>Rumex maritimus</i>	golden dock
				<i>Rumex obtusifolius</i>	bitter dock
				<i>Rumex occidentalis</i>	western dock
				<i>Rumex transitorius</i>	willow dock
	PORTULACACEAE	Purslane Family			
				<i>Claytonia exigua</i>	pale springbeauty
				<i>Claytonia parviflora</i>	streambank springbeauty

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family	Changes to name	Scientific Name	Common Name
			<i>Claytonia perfoliata</i>	miner's-lettuce
			<i>Claytonia rubra</i>	redstem springbeauty
			<i>Claytonia sibirica</i>	Siberian miner's-lettuce
			<i>Lewisia columbiana</i>	Columbia lewisia
			<i>Montia fontana</i>	blinks
			<i>Montia linearis</i>	narrow-leaved montia
			<i>Montia parvifolia</i>	small-leaved montia
	POTAMOGETONACEA	Pondweed Family		
			<i>Potamogeton foliosus</i>	closed-leaved pondweed
			<i>Potamogeton natans</i>	floating-leaved pondweed
	PRIMULACEAE	Primrose Family		
			<i>Dodecatheon pulchellum</i>	pretty shootingstar
			<i>Glaux maritima</i>	sea-milkwort
			<i>Trientalis borealis</i>	broad-leaved starflower
	RANUNCULACEAE	Buttercup Family		
			<i>Actaea rubra</i>	baneberry
			<i>Anemone lyalli</i>	Lyall's anemone
			<i>Aquilegia formosa</i>	Sitka columbine
			<i>Delphinium menziesii</i>	Menzies' larkspur
			<i>Ranunculus acris</i>	meadow buttercup
			<i>Ranunculus flammula</i>	lesser spearwort
			<i>Ranunculus occidentalis</i>	western buttercup
			<i>Ranunculus orthorhynchus</i>	straight-beaked buttercup
			<i>Ranunculus repens</i>	creeping buttercup
			<i>Ranunculus uncinatus</i>	little buttercup
			<i>Thalictrum occidentale</i>	western meadowrue
			<i>Trautvetteria caroliniensis</i>	false bugbane
	RHAMNACEAE	Buckthorn Family		
			<i>Ceanothus sanguineus</i>	redstem ceanothus
	ROSACEAE	Rose Family		
			<i>Amelanchier alnifolia</i>	Saskatoon
			<i>Aphanes australis</i>	small-fruited parsley-piert

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

Group	Family	Changes to name	Scientific Name	Common Name
			<i>Aruncus dioicus</i>	goat's-beard
			<i>Comarum palustre</i>	marsh cinquefoil
			<i>Crataegus douglasii</i>	black hawthorn
			<i>Drymocallis glandulosa</i>	sticky cinquefoil
			<i>Fragaria chiloensis</i>	coastal strawberry
			<i>Fragaria vesca</i>	wood strawberry
			<i>Fragaria virginiana</i>	wild strawberry
			<i>Geum macrophyllum</i>	large-leaved avens
			<i>Holodiscus discolor</i>	oceanspray
			<i>Malus fusca</i>	Pacific crab-apple
			<i>Physocarpus capitatus</i>	Pacific ninebark
			<i>Potentilla anserina</i>	common silverweed
			<i>Rosa gymnocarpa</i>	baldhip rose
			<i>Rosa nutkana</i>	Nootka rose
			<i>Rubus armeniacus</i>	Himalayan blackberry
			<i>Rubus laciniatus</i>	cutleaf evergreen blackberry
			<i>Rubus leucodermis</i>	black raspberry
			<i>Rubus parviflorus</i>	thimbleberry
			<i>Rubus spectabilis</i>	salmonberry
			<i>Rubus ursinus</i>	trailing blackberry
			<i>Spiraea douglasii</i>	hardhack
	RUBIACEAE	Madder Family		
			<i>Galium aparine</i>	cleavers
			<i>Galium trifidum</i>	small bedstraw
			<i>Galium triflorum</i>	sweet-scented bedstraw
	SAXIFRAGACEAE	Saxifrage Family		
			<i>Heuchera micrantha</i>	small-flowered alumroot
			<i>Lithophragma glabrum</i>	smooth fringecup
			<i>Lithophragma parviflorum</i>	small-flowered fringecup
			<i>Micranthes ferruginea</i>	Alaska saxifrage
			<i>Micranthes integrifolia</i>	grassland saxifrage
			<i>Micranthes rufidula</i>	rusty-haired saxifrage

## HERBACEOUS PLANTS, SHRUBS AND TREES OF THE COMOX VALLEY

November 10th, 2013

excluding grasses, sedges, rushes & ferns

Sea level to approx. 150 m. elevation

Fanny Bay to Oyster River

<b>Group</b>	<b>Family</b>		<b>Changes to name</b>	<b>Scientific Name</b>	<b>Common Name</b>
				<i>Tellima grandiflora</i>	fringecup
				<i>Tiarella trifoliata</i>	foamflower
	THEMIDACEAE		(formerly part of LILIACEAE)		
				<i>Brodiaea coronaria</i>	harvest brodiaea
				<i>Triteleia hyacinthina</i>	white triteleia
	THYMELAEACEAE				
				<i>Daphne laureola</i>	spurge-laurel
	TOFIELDIACEAE				
				<i>Triantha glutinosa</i>	sticky false asphodel
	URTICACEAE	Nettle Family			
				<i>Urtica dioica</i>	stinging nettle
	VALERIANACEAE	Valerian Family			
				<i>Plectritis congesta</i>	sea blush
				<i>Valerianella locusta</i>	cornsalad
	VIOLACEAE	Violet Family			
				<i>Viola adunca</i>	early blue violet
				<i>Viola glabella</i>	stream violet
				<i>Viola palustris</i>	marsh violet
				<i>Viola sempervirens</i>	trailing yellow violet