




Basin	Elevation Band	5/13/24		5/20/24		5/13/24		5/20/24		5/20/24		5/13/24		5/20/24		5/20/24 %SD/24
		%S/13	%S/20	SWF (M)	SWF (M)	SWF (M)	SWF (M)	Area (sqm)	Flow (m3/s)	Flow (m3/s)	Area (sqm)	Flow (m3/s)	Area (sqm)	Flow (m3/s)		
Upper Sacramento	5000-6000	67	64	6.6	5.4	30.1	20.907	725	5.4 (1)	0.0 (1)	0.1					
	6000-7000	85	97	13.6	12.9	64.6	36.482	386	NA	NA	29.6					
	7000-8000	85	107	17.9	19.8	85.3	45.950	9.1	NA	NA	15.4					
	8000-9000	74	117	20.6	29.5	99.4	4.820	3.1	NA	NA	67.4					
	9000-10,000	63	45	21.1	-	-	-	-	NA	NA	68.3					
	10,000-11,000	62	138	28.1	-	-	-	1.3	NA	NA	59.4					
	> 11,000	57	134	24.8	-	-	-	3.2	NA	NA	66.5					
	5000-6000	83	49	6.9	3.3	11.4	18.891	395.9	NA	NA	7.4					
	6000-7000	86	104	12.8	13.1	75.3	30.610	43.7	NA	NA	32.5					
	7000-8000	83	144	19.1	29.2	95.1	22.188	14.2	NA	NA	61.4					
8000-9000	78	156	21.1	-	-	-	6.8	NA	NA	78.7						
9000-10,000	72	164	25.6	-	-	-	3.1	NA	NA	73.4						
10,000-11,000	57	155	32.1	-	-	-	2.2	NA	NA	69.9						
> 11,000	51	145	47.6	-	-	-	2.2	NA	NA	95.5						
McCloud	5000-6000	84	20	1.9	0.8	3.4	13.267	156.2	27.8 (1)	15.6 (1)	1.5					
	6000-7000	97	40	5.4	1.6	15.1	46.164	55.5	7.9 (2)	4.0 (2)	1.2					
	7000-8000	114	89	12.7	5.6	51.8	45.534	139.6	9.6 (1)	0.2 (1)	6.6					
	8000-9000	107	71	16.7	8.8	87.1	10.024	21.3	NA	NA	15.4					
	9000-10,000	96	118	23.0	21.7	100.0	2.039	1.7	NA	NA	23.7					
	> 10,000	89	128	3.9	0.8	5.6	7.206	59.9	NA	NA	3.8					
	6000-7000	82	103	11.1	10.5	43.1	36.723	65.3	NA	NA	7.8					
	7000-8000	79	157	18.7	-	-	-	16.5	NA	NA	21.5					
	8000-9000	81	157	28.2	-	-	-	4.6	NA	NA	35.4					
	> 9000	90	135	30.8	32.9	95.5	9.79	0.6	NA	NA	33.0					
Sac at Bend Bridge	5000-6000	68	20	1.9	0.8	3.4	13.267	156.2	27.8 (1)	15.6 (1)	1.5					
	6000-7000	97	40	5.4	1.6	15.1	46.164	55.5	7.9 (2)	4.0 (2)	1.2					
	7000-8000	114	89	12.7	5.6	51.8	45.534	139.6	9.6 (1)	0.2 (1)	6.6					
	8000-9000	107	71	16.7	8.8	87.1	10.024	21.3	NA	NA	15.4					
	9000-10,000	96	118	23.0	21.7	100.0	2.039	1.7	NA	NA	23.7					
	> 10,000	89	128	3.9	0.8	5.6	7.206	59.9	NA	NA	3.8					
	6000-7000	82	103	11.1	10.5	43.1	36.723	65.3	NA	NA	7.8					
	7000-8000	79	157	18.7	-	-	-	16.5	NA	NA	21.5					
	8000-9000	81	157	28.2	-	-	-	4.6	NA	NA	35.4					
	> 9000	90	135	30.8	32.9	95.5	9.79	0.6	NA	NA	33.0					
Feather	5000-6000	64	20	1.9	0.8	3.4	13.267	156.2	27.8 (1)	15.6 (1)	1.5					
	6000-7000	85	55	4.7	3.0	17.9	126.868	78.1	11.8 (4)	5.9 (4)	4.2					
	7000-8000	96	67	8.1	6.4	42.1	42.462	124.7	3.2 (1)	0.0 (1)	10.0					
	8000-9000	86	103	11.1	15.2	53.4	3.81	4.5	NA	NA	16.4					
	9000-10,000	80	18	4.4	1.0	6.7	10.772	20.2	NA	NA	3.0					
	10,000-11,000	107	121	7.0	7.0	48.4	48.414	351.9	24.8 (1)	147.1 (1)	18.0					
	7000-8000	97	87	12.7	12.8	79.3	80.073	117.6	54.9 (1)	49.1 (1)	22.6					
	8000-9000	90	91	37.6	18.0	10.6	4.278	4.5	NA	NA	43.5					
	9000-10,000	49	1	0.1	0.1	0.7	1.495	310.3	0.0 (1)	0.0 (1)	0.2					
	6000-7000	104	40	8.6	3.1	24.0	45.848	278.7	23 (2)	17.5 (2)	3.4					
7000-8000	102	62	14.2	6.2	42.0	78.509	176.4	11.2 (1)	10.1 (1)	6.0						
8000-9000	98	89	19.9	15.0	87.5	56.646	70.8	15 (2)	5.9 (2)	15.7						
9000-10,000	96	102	24.8	21.7	98.9	10.578	9.1	NA	NA	13.6						
10,000-11,000	90	90	0.0	0.0	0.0	0.0	62.5	NA	NA	0.0						
6000-7000	123	17	9.3	1.4	7.7	1.846	74.0	NA	NA	5.4						
7000-8000	110	78	16.2	16.2	56.2	3.826	7.0	NA	NA	24.4						
Mokelumne	5000-6000	0	0	0.0	0.0	0.0	0.0	0.0	NA	NA	0.0					
	6000-7000	102	23	6.0	1.6	9.8	5.888	67.6	NA	NA	5.2					
	7000-8000	106	116	13.6	7.8	59.8	14.541	91.2	NA	NA	14.4					
	8000-9000	99	85	17.9	13.1	86.9	55.996	80.1	22.1 (1)	15.9 (1)	15.4					
	9000-10,000	98	20	8.6	16.0	7.7	7.079	8.6	NA	NA	6.5					
	5000-6000	5	0	0.1	0.0	0.0	0.0	111.4	NA	NA	0.0					
	6000-7000	79	18	4.3	1.0	5.8	7.438	138.9	21.4 (1)	11.1 (1)	4.1					
	7000-8000	115	61	12.0	6.0	37.0	48.130	351.9	24.8 (1)	147.1 (1)	18.0					
	8000-9000	102	83	16.3	11.6	89.1	71.088	118.6	40.9 (1)	33.8 (1)	15.7					
	9000-10,000	97	102	20.1	17.8	82.1	10.216	53.8	24.8 (1)	20.5 (1)	18.1					
10,000-11,000	96	117	22.6	21.8	95.3	16.809	13.3	NA	NA	21.4						
> 11,000	91	139	22.0	-	-	-	0.3	NA	NA	23.0						
Tussock	5000-6000	0	0	0.0	0.0	0.0	0.0	0.0	NA	NA	0.0					
	6000-7000	55	9	2.2	0.3	2.6	2.232	146.5	0.0 (1)	0.0 (1)	1.2					
	7000-8000	110	65	6.0	3.9	49.961	157.2	16.4 (2)	2.0 (2)	8.2						
	8000-9000	100	95	17.5	14.7	65.4	136.483	171.1	14.3 (2)	10.8 (2)	15.4					
	9000-10,000	95	102	21.0	18.3	84.1	179.026	183.8	20.0 (2)	13.9 (2)	22.9					
	10,000-11,000	94	105	22.0	18.4	95.5	89.995	91.5	NA	NA	18.0					
	11,000-12,000	96	114	22.6	18.3	94.5	25.216	25.2	NA	NA	8.9					
	> 12,000	92	117	26.6	21.7	81.2	3.422	2.0	NA	NA	18.8					
	5000-6000	4	0	0.1	0.0	0.0	0.0	11	75.2	NA	0.0					
	6000-7000	37	2	1.1	0.1	0.4	0.93	82.9	NA	NA	0.1					
7000-8000	95	43	7.4	3.1	14.3	24.743	142.1	NA	NA	1.8						
8000-9000	99	88	14.2	10.2	49.7	67.877	124.7	0.0 (1)	7.0 (2)	11.1						
9000-10,000	98	90	18.9	14.1	81.9	65.999	87.9	NA	NA	19.6						
10,000-11,000	95	114	24.7	19.9	97.7	42.288	39.9	NA	NA	19.4						
11,000-12,000	93	139	28.0	27.7	98.7	17.440	11.8	NA	NA	13.7						
> 12,000	91	114	30.0	33.2	100.0	0.288	1.6	NA	NA	16.0						
5000-6000	31	0	0.3	0.0	0.0	0.0	22	142.5	NA	0.0						
6000-7000	42	2	1.1	0.1	0.4	7.15	186.3	2.6 (1)	0.0 (1)	0.1						
7000-8000	66	25	3.9	1.6	7.6	19.046	218.4	4.2 (2)	0.0 (2)	0.9						
8000-9000	88	87	10.9	8.9	38.4	95.878	202.3	NA	NA	5.5						
9000-10,000	92	105	16.0	13.4	68.8	148.408	207.4	8.4 (1)	10.1 (1)	11.5						
10,000-11,000	92	107	19.0	16.0	87.3	138.103	162.0	NA	NA	13.1						
11,000-12,000	91	118	21.2	19.1	86.3	122.042	118.0	NA	NA	10.1						
12,000-13,000	89	124	23.2	21.5	92.8	30.926	27.0	NA	NA							









The image shows a rectangular grid of graph paper. The grid is composed of small squares. A single vertical line runs down the center of the grid, dividing it into two equal halves. The grid is otherwise empty and contains no text or other markings.