	Source	execCommandP	getData	setData	async read	async write	copy/execCommandCopy	paste
html/text	`<html><head><meta http-equiv=Content-Type content=\"text/html; charset=utf-8\"><meta name=ProgId content=Excel.Sheet><meta name=Generator content=\" Microsoft Excel 15\" ><style>table {height=10px} </style></head><body link=\"#0563C1\" vlink=\" #954F72\"><div>text in html</div></body></html>`		doesn't sanitize	Version:0.9 StartHTML:0000000105 EndHTML:0000000509 StartFragment:0000000141 EndFragment:0000000473 `<html> <body> <!--StartFragment--><html><head><meta http-equiv=Content-Type content=" text/html; charset=utf-8"><meta name=ProgId content=Excel. Sheet><meta name=Generator content="Microsoft Excel 15" ><style>table {height=10px} </style></head><body link="#0563C1" vlink="#954F72"><p style='color: red; font-style: oblique;'>This text was copied using </p></body></html><!--EndFragment--> </body> </html>`	strips down headers and meta tags	Version:0.9 StartHTML:0000000105 EndHTML:0000000623 StartFragment:0000000141 EndFragment:0000000587 `<html> <body> <!--StartFragment--> text in html <!--EndFragment--> </body> </html>` meta tags are strippped down	Version:0.9 StartHTML:0000000174 EndHTML:0000000777 StartFragment:0000000210 EndFragment:0000000741 SourceURL:file:///C: /Users/glyuk/Downloads/alloutClipboardAPIs.html `<html> <body> <!--StartFragment-->test in html<!--EndFragment--> </body> </html>` meta tags are stripped down.	
custom/pickling				`text/setdatacustom↑┌<ht ml><head><metahttp-equ iv=Content-Typecontent= "text/html;charset=utf-8" ><metaname=ProgIdconte nt=Excel.Sheet><metana me=Generatorcontent="M icrosoftExcel15"><style>t able{height=10px}</style ></head><bodylink="#056 3C1"vlink="#954F72"><di v>textinhtml</div></bod y></html>` Doesn't have the header		`<html><head><metahttp-equ iv=Content-Typecontent="te xt/html;charset=utf-8"><met aname=ProgIdcontent=Excel. Sheet><metaname=Generato rcontent="MicrosoftExcel15" ><style>table{height=10px}< /style></head><bodylink="# 0563C1"vlink="#954F72"><di v>textinhtml</div></body>< /html>` Doesn't have the header		
text plain				N/A		N/A	plain text view of selected and copied text	

	Source	execCommandP	getData	setData	async read	async write	copy/execCommandCopy	paste
html/text	`<html><head><meta http-equiv=Content-Type content=\"text/html; charset=utf-8\"><meta name=ProgId content=Excel. Sheet><meta name=Generator content=\"Microsoft Excel 15\"><style>table {height=10px} </style></head><body link=\"#0563C1\" vlink=\" #954F72\"><div>text in html</div></body></html>`			Version:0.9 StartHTML:0000000105 EndHTML:0000000509 StartFragment:0000000141 EndFragment:0000000473 <html> <body> <!--StartFragment--><html><head><meta http-equiv=Content-Type content=" text/html; charset=utf-8"><meta name=ProgId content=Excel. Sheet><meta name=Generator content="Microsoft Excel 15" ><style>table {height=10px} </style></head><body link=" #0563C1" vlink="#954F72"><p style='color: red; font-style: oblique;'>This text was copied using </p></body></html><!-- EndFragment--> </body> </html>		Version:0.9 StartHTML:0000000105 EndHTML:0000000623 StartFragment:0000000141 EndFragment:0000000587 <html> <body> <!--StartFragment--> text in html <!--EndFragment--> </body> </html> meta tags are strippped down	Version:0.9 StartHTML:0000000174 EndHTML:0000000777 StartFragment:0000000210 EndFragment:0000000741 SourceURL:file:///C: /Users/glyuk/Downloads/alloutClipbo ardAPIs.html <html> <body> <!--StartFragment-->test in html<!--EndFragment--> </body> </html> meta tags are stripped down.	
custom/pickling				t e x t / s e t d a t a c u s t o m ↑┌ < h t m l > < h e a d > < m e t a h t t p - e q u i v = C o n t e n t - T y p e c o n t e n t = " t e x t / h t m l ; c h a r s e t = u t f - 8 " > < m e t a n a m e = P r o g I d c o n t e n t = E x c e l . S h e e t > < m e t a n a m e = G e n e r a t o r c o n t e n t = " M i c r o s o f t E x c e l 1 5 " > < s t y l e > t a b l e { h e i g h t = 1 0 p x } < / s t y l e > < / h e a d > < b o d y l i n k = " # 0 5 6 3 C 1 " v l i n k = " # 9 5 4 F 7 2 " > < d i v > t e x t i n h t m l < / d i v > < / b o d y > < / h t m l > Doesn't have the header		< h t m l > < h e a d > < m e t a h t t p - e q u i v = C o n t e n t - T y p e c o n t e n t = " t e x t / h t m l ; c h a r s e t = u t f - 8 " > < m e t a n a m e = P r o g I d c o n t e n t = E x c e l . S h e e t > < m e t a n a m e = G e n e r a t o r c o n t e n t = " M i c r o s o f t E x c e l 1 5 " > < s t y l e > t a b l e { h e i g h t = 1 0 p x } < / s t y l e > < / h e a d > < b o d y l i n k = " # 0 5 6 3 C 1 " v l i n k = " # 9 5 4 F 7 2 " > < d i v > t e x t i n h t m l < / d i v > < / b o d y > < / h t m l > Doesn't have the header		
text plain				N/A		N/A	plain text view of selected and copied text	

	Source	execCommandPaste	getData	setData	async read	async write	copy/execCommandCopy	paste
html/text	`<html><head><meta http-equiv=Content-Type content=\"text/html; charset=utf-8\"><meta name=ProgId content=Excel. Sheet><meta name=Generator content=\"Microsoft Excel 15\"><style>table {height=10px} </style></head><body link=\"#0563C1\" vlink=\"#954F72\" ><div>text in html</div></body></html>`			` text in html ` Strips down headers and meta tags. Adds Com.apple.Webkit.custom-pasteboard format) null:7be5760f-10a3-4dcf-a5e4-44d2a88efe96 text/html `<html><head><meta http-equiv=Content-Type content="text/html; charset=utf-8"><meta name=ProgId content=Excel.Sheet><meta name=Generator content="Microsoft Excel 15"><style>table {height=10px}</style></head><body link="#0563C1" vlink="#954F72"> text in html </body></html>` text/html		` text in html ` strips down headers and meta tags	`text from Grisha` strips down headers and meta tags	
custom/pickling	`text/setdatacustom <html><head><meta http-equiv=Content-Type content="text/html; charset=utf-8"><meta name=ProgId content=Excel.Sheet><meta name=Generator content="Microsoft Excel 15"><style>table {height=10px} </style></head><body link="#0563C1" vlink="#954F72"><div>text in html</div></body></html>`			) null:dee4ce9e-de6c-411a-9ef0-602c643367ba text/setdatacustom `<html><head><meta http-equiv=Content-Type content="text/html; charset=utf-8"><meta name=ProgId content=Excel.Sheet><meta name=Generator content="Microsoft Excel 15"><style>table {height=10px}</style></head><body link="#0563C1" vlink="#954F72"><div>text in html</div></body></html>` text/setdatacustom				
text plain				N/A		N/A	plain text view of selected and copied text	