ModeladS	solvidualiD (; pe StrainAnimal)	MetadataTo	emplate	gistryAbbreviation (zzainOfficialName (6	trainCommonName [3	aneticBackground (k	eneticMutations (5	modelType [10] Early-onset AD (EOAD) Late-onset AD (LOAD) Mixed-onset AD								
									Late-onset AD (LOAD)								
									Familial AD (FAD)								

omponent	[hdividualID	[ipecimenID (3)	lockNumber (4	igistryAbbreviation [TrainOfficialName (6	BrainCommonName [aneticBackground [leneticMutations	p modelType [10]								

omponent	[bdlvkdusliD]	[ipecimenID (3)	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [leneticMutations (p modelType [10]								

omponent [hdividualID (pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations [9 modelType [10]								

omponent [hdividualID (SpecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [1	eneticMutations (9 modelType [10]								

omponent [hdividualID (pecimenID (3)	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations (p modelType [10]								

omponent	[fdfvldusID]	[ipecimenID [3to	tockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [7	aneticBackground [1	leneticMutations (9 modelType [10]								

omponent	[tdividualID]	[pecimenID [3to	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [1	leneticMutations (9 modelType [10]								

omponent [(Newton)	[specimenID (3:	tockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations (9 modelType [10]								

omponent	[bdlvkdusliD]	[ipecimenID (3)	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [leneticMutations	p modelType [10]								

omponent [(tdividualID [SpecimenID (3:	lockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [7	meticBackground ()	meticMutations (5	modelType [10]								

omponent	[bdlvkdusliD [SpecimenID (3to	ockNumber (4	gistryAbbreviation [trainOfficialName (6	BrainCommonName [aneticBackground [1	leneticMutations (p modelType [10]								

							aneticBackground ()										
omponent [(tdividualID [pecimenID (3)	ockNumber (4	gistryAbbreviation [SnainOfficialName (6	trainCommonName [aneticBackground ()	eneticMutations (modelType [10]								

omponent [hdividualID [2	pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations [9 modelType [10]								

omponent [hdividualID (SpecimenID (3:	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations (9 modelType [10]								

omponent [[tdividualID]	SpecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations (9 modelType [10]								

omponent [hdividualID [2	pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations [modelType [10]								

omponent [(Newton)	[specimenID (3:	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations (9 modelType [10]								

omponent [(tdividualID)	[specimenID (3:	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations (9 modelType [10]								

omponent [hdividualID [2	pecimenID (3)	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [1	eneticMutations (9 modelType [10]								

omponent [(tdividualID)	[specimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (0	trainCommonName [7	aneticBackground [1	eneticMutations (9 modelType [10]								

omponent [hdividualID [2	pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations [9 modelType [10]								

omponent [hdividualID [2	pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations (9 modelType [10]								

omponent [hdividualID (i pe	cimenID (3toc	kNumber (4g	stryAbbreviation [trainOfficialName (6	trainCommonName [7	aneticBackground ()	eneticMutations (5	modelType [10]								

omponent [[tdividualID]	pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [1	eneticMutations (9 modelType [10]								

omponent [(hdividualID)	SpecimenID (3to	ockNumber (kg	sistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	[aneticBackground [b	leneticMutations [p modelType [10]								

omponent [[tdividualID]	[ipecimenID [3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations [9 modelType [10]								

omponent	[hdividualID]	[ipecimenID (3)	tockNumber (4	igistryAbbreviation [TrainOfficialName (6	BrainCommonName [eneticBackground [leneticMutations	p modelType [10]								

omponent [[hdividualID	[specimenID [3:	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations (9 modelType [10]								

omponent [hdividualID [2	pecimenID (3)	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations (modelType [10]								

omponent	[bdividualID [(SpecimenID (3)	lockNumber (4	igistryAbbreviation [trainOfficialName (6	BrainCommonName [eneticBackground [eneticMutations	p modelType [10]								

omponent [hdividualID [2	pecimenID (3)	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [1	eneticMutations (9 modelType [10]								

omponent [(hdividualID)	[specimenID [3to	lockNumber (4	pistryAbbreviation [5	trainOfficialName (0	trainCommonName [7	aneticBackground [I	eneticMutations (9 modelType [10]								

omponent [hdividualID (pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations (p modelType [10]								

omponent [[hdividualID	[specimenID [3:	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [1	eneticMutations (9 modelType [10]								

omponent [(tdividualID)	[ipecimenID [3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations (9 modelType [10]								

omponent [hdividualID [2	pecimenID (3)	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [1	eneticMutations (modelType [10]								

omponent [hdividualID (;	pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations [9 modelType [10]								

[bdlvldusIID	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [7	eneticBackground [I	eneticMutations [9 modelType [10]								

omponent	[hdividualiD	[specimenID [3:	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations (modelType [10]								

omponent [[tdividualID]	[ipecimenID [3to	lockNumber (4	gistryAbbreviation [trainOfficialName (6	BrainCommonName [aneticBackground [I	leneticMutations (p modelType [10]								

omponent [[hdividualID]	SpecimenID (3to	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [1	eneticMutations (9 modelType [10]								

omponent [[tdividualID]	pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [1	eneticMutations (9 modelType [10]								

omponent [hdividualID (SpecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations (modelType [10]								

omponent [hdividualID [pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations (p modelType [10]								

[bdlvldusIID	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [7	eneticBackground [I	eneticMutations [9 modelType [10]								

omponent [[tdividualID]	SpecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [1	eneticMutations (p modelType [10]								

omponent [(Manufacture)	[specimenID [3:	lockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [7	meticBackground (k	meticMutations (5	modelType [10]								

omponent [hdividualID [2	pecimenID (3)	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [1	eneticMutations (9 modelType [10]								

omponent [hdividualID [pecimenID (3)	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [7	meticBackground (k	meticMutations (5	modelType [10]								

omponent [1	hdividualID (pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [1	eneticMutations (p modelType [10]								

omponent	[bdlvkdusliD]	[ipecimenID (3)	lockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [1	leneticMutations	p modelType [10]								

omponent [(hdividualID (SpecimenID (3:	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations (p modelType [10]								

omponent [hdividualID [2	pecimenID (3)	ockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [1	eneticMutations (9 modelType [10]								

omponent [(Manufacture)	[specimenID [3:	lockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [7	meticBackground (k	meticMutations (5	modelType [10]								

omponent [[hdividualID]	[ipecimenID [3)	ockNumber (4	gistryAbbreviation [5	rainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations ()	modelType [10]								

omponent [(tdividualID (SpecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations (9 modelType [10]								

omponent [1	hdividualID (pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [1	eneticMutations (p modelType [10]								

omponent	[hdividualID]	[ipecimenID (3)	tockNumber (4	igistryAbbreviation [trainOfficialName (6	BrainCommonName [eneticBackground [leneticMutations	p modelType [10]								

omponent [(tdividualID)	[specimenID (3:	tockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations [p modelType [10]								

omponent	[hdividualID]	(ipecimenID (3)	lockNumber (4	AgistryAbbreviation [TrainOfficialName (6	BrainCommonName [[aneticBackground [eneticMutations	p modelType [10]								

omponent [1	hdividualID [pecimenID (3)	ockNumber (4	gistryAbbreviation [5	trainOfficialName (6	trainCommonName [7	aneticBackground [I	eneticMutations (p modelType [10]								

omponent [hdividualID (pecimenID (3:	lockNumber (4	gistryAbbreviation [trainOfficialName (6	trainCommonName [aneticBackground [I	eneticMutations [9 modelType [10]								

				eneticMutations (9 modelType [10]								

omponent [dividualID [3	pecimenID (3to	ockNumber (4	gistryAbbreviation [5	rainOfficialName (6	trainCommonName [7	aneticBackground (N	eneticMutations ()	modelType [10]								

- [1] TBD
- [2] Identifying string linked to the individual or animal being studied
- [3] Identifying string linked to a particular sample or specimen
- [4] JAX stock #
- [5] JR_004807
- [6] 000664 mouse is C57BL/6J
- [7] This is a brief and unique and more common identifier for the strains used. This string will match the Common Name field on JAX. For example, the common name for the C57BL/6J mouse is B6.
- [8] capitalization only and numbers. Examples
- [9] Trem2-R47H
- [10] A mouse model type that is designed to exhibit characteristics resembling neuropathology and behavioral deficits associated with human Alzheimers disease (AD).