

WARNINGS!

Only fill in one line for your school or institution.
Do not overwrite anyone else's data.
Do not edit or change the plots.

CMS only!

CMS only!

CMS Report Page

School or Institution	City	Country	Datasets (use id in ispy)	No. of events for each value of PHI:																No. of events for each value of opening angle $\Delta\phi = \phi_1 - \phi_2 $:					No. of events for each value of THETA:										
				10	30	50	70	90	110	130	150	170	190	210	230	250	270	290	310	330	350	10	30	50	70	90	110	130	150	170	10	30	50	70	90

WARNINGS!

Only fill in one line for your school or institution.
Do not overwrite anyone else's data.
Do not edit or change the plots.

CMS only!

CMS only!

CMS Report Page

School or Institution	City	Country	Datasets (use id in iSpy)	No. of events for each value of PHI:																No. of events for each value of opening angle $\Delta\phi = \phi_1 - \phi_2 $:					No. of events for each value of THETA:										
				10	30	50	70	90	110	130	150	170	190	210	230	250	270	290	310	330	350	10	30	50	70	90	110	130	150	170	10	30	50	70	90

WARNINGS!

Only fill in one line for your school or institution.

Do not overwrite anyone else's data.

Do not edit or change the plots in the plot tabs.

ATLAS Report Page

School or Institution	City	Country	Datasets (use id in HYPATIA) 4000 events: from 00event001 to 12event00	No. of events for each value of PHI:																No. of events for each value of opening angle $\Delta\phi = \phi_1 - \phi_2 $:						No. of events for each value of THETA:									
				10	30	50	70	90	110	130	150	170	190	210	230	250	270	290	310	330	350	10	30	50	70	90	110	130	150	170	10	30	50	70	90
Example	Privas	France		5	14	11	5	5	16	9	6	11	6	9	8	8	10	12	12	9	10	5	2	1	0	4					1	1	2	1	2

5 14 11 5 5 16 9 6 11 6 9 8 8 10 12 12 9 10 5 2 1 0 4 0 0 0 0 1 0 1 0 2 0 1 0 2
2 4

WARNINGS!
Only fill in one line for your school or institution.
Do not overwrite anyone else's data.
Do not edit or change the plots in the plot tabs.

ATLAS only!

ATLAS only!

ATLAS Report Page

School or Institution	City	Country	Datasets (use id in HYPATIA)	No. of events for each value of PHI:															No. of events for each value of opening angle $\Delta\phi = \phi_1 - \phi_2 $:					No. of events for each value of THETA:															
				10	30	50	70	90	110	130	150	170	190	210	230	250	270	290	310	330	350	10	30	50	70	90	110	130	150	170	10	30	50	70	90	110	130	150	170

WARNINGS!

Only fill in one line for your school or institution.

Do not overwrite anyone else's data.

Do not edit or change the plots in the plot tabs.

ATLAS only!

ATLAS only!

ATLAS Report Page

School or Institution	City	Country	Datasets (use id in HYPATIA)	No. of events for each value of PHI:																					No. of events for each value of opening angle $\Delta\phi = \phi_1 - \phi_2 $:						No. of events for each value of THETA:								
				10	30	50	70	90	110	130	150	170	190	210	230	250	270	290	310	330	350	10	30	50	70	90	110	130	150	170	10	30	50	70	90	110	130	150	170







WARNINGS!
Only fill in one line for your school or institution.
Do not overwrite anyone else's data.
Do not edit or change the plots in the plot tabs.

ATLAS only!

ATLAS only!

ATLAS Report Page

School or Institution	City	Country	Datasets (use id in HYPATIA)	No. of events for each value of PHI:																				No. of events for each value of opening angle $\Delta\phi = \phi_1 - \phi_2 $:					No. of events for each value of THETA:						
				10	30	50	70	90	110	130	150	170	190	210	230	250	270	290	310	330	350	10	30	50	70	90	110	130	150	170	10	30	50	70	90



Other plots: