

| Issue Key | Test Summary               | Step  | Test Data   | Expected Result   |
|-----------|----------------------------|---|---|---|
| NODK-1    | General Settings - Server  | User opens Server Settings User clicks on Type 3818   |   | User sees default Server Type "ODK" User doesn't see S          |
| NODK-1    | General Settings - Server  | User uses ODK Aggregate 3580  |   | User is able to set URL User is able to set Username a          |
| NODK-1    | General Settings - Server  | User tries to add unexpected sign before URL 1973   | <a href="https://opendatakit.appspot.com">https://opendatakit.appspot.com</a>                                   | User sees toast Dot is not saved even if user changes de        |
| NODK-1    | General Settings - Server  | User adds URL to Aggregate server which does not accept anonymous user User adds port nu  | <a href="https://nafundi-test.appspot.com:443">try.in.collect.https://nafundi-test.appspot.com:443.u</a>        | Username and password are remembered and user does              |
| NODK-1    | General Settings - Server  | User scans QR code from old version where Other type of server is selected (ex. kobo creden   | <a href="https://drive.google.com/file/d/1BBV72Osbyr2YwQ-">https://drive.google.com/file/d/1BBV72Osbyr2YwQ-</a> | User should not see a blind page Server type should be          |
| NODK-1    | General Settings - Server  | Click on Custom server paths Rotate devices screen Click on Form list path Rotate the screen  | Edit form list path and click on OK button Click on   | Custom server path titled view should display, Custom s         |
| NODK-1    | General Settings - Server  | Try multiclick on: Custom server path Form list path Submission path 3818   |   | The header should not disappear The view should not be          |
| NODK-213  | Image widget               | User adds photo in vertical/horizontal orientation 36   | NewAppearance.xml   | User should be able to add an image No crashes should           |
| NODK-213  | Image widget               | User starts form with image widget with appearance="new" 108  |   | Choose Image is not available for appearance="new"              |
| NODK-213  | Image widget               | User adds photo from Google Drive 2151  |   | User is able to add image from Google Drive                     |
| NODK-213  | Image widget               | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  |   | User sees permission dialog                                     |
| NODK-213  | Image widget               | The user starts a form with images The user chooses some image The user sees dialog "please wait a few moments" and changes device orientati            |   | ODK Collect does not crash and image is loaded                  |
| NODK-213  | Image widget               | User sets targetSdkVersion to 24. User makes a picture User opens added image 2604  |   | User should be able to add an image No crashes should           |
| NODK-213  | Image widget               | User starts form with ImageWebViewWidget and AlignedImageWidget 2800  | webAndAlign.xml All widgets   | AlignedImageWidget and ImageWebViewWidget are rem               |
| NODK-213  | Image widget               | User downloads some image via browser User opens the All widgets form User navigates to the ImageWidget User attaches a previously downloa              |   | Collect does not crash Image is added                           |
| NODK-213  | Image widget               | User changes default image size settings User attaches image with EXIF data User attaches rotated image with EXIF data 4177                             |   | EXIF data are still visible (in Photo Exif Editor) after attach |
| NODK-213  | Image widget               | User opens Image widget User takes a new photo and finishes submission User starts again this form and tries to attach image User opens RECEI           |   | Image created in the first submission is not visible in REC     |
| NODK-213  | Image widget               | Go to developer options Change Background process limit configuration to No background processes Go to Collect and open form with image wid             |   | After swiping backward or forward app should not crash          |
| NODK-214  | Selfie widget              | User adds photo to selfie widget in vertical and horizontal position 1551   | All widgets.xml   | User is able to add photo. App does not crash                   |
| NODK-214  | Selfie widget              | User adds photo to selfie widget in vertical and horizontal position 1552   |   | Added photos are in correct orientation                         |
| NODK-214  | Selfie widget              | User starts form with appearance="new-front".   | selfies.xml   | The user is able to take a picture via front camera. Questi     |
| NODK-214  | Selfie widget              | User tap on the screen multiple times 2360  |   | App is not crash  |
| NODK-214  | Selfie widget              | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  |   | User sees permission dialog                                     |
| NODK-214  | Selfie widget              | User clicks plenty of times on area where Take Picture button is 3790   |   | Crash does not occur  |
| NODK-219  | Spinner widget             | User starts form. User opens list with answers 1935 step automated  | selectOneMinimal.xml  | Spinner widget opens with start-of-list                         |
| NODK-220  | Audio widget               | User starts form with audio widget with appearance="new" 108  | NewAppearance.xml   | Choose Sound is not available for appearance="new"              |
| NODK-220  | Audio widget               | User records or adds sound. 2028  |   | User sees player. "Play Sound" button is not visible            |
| NODK-220  | Audio widget               | User adds audio file from Google Drive 2159   |   | Audio file is added   |
| NODK-220  | Audio widget               | User uses Collect with targetSdkVersion set to 23. User tries to add audio. 2366  |   | User sees permission dialog                                     |
| NODK-220  | Audio widget               | User tries to record audio via Sony Audio Recorder app 2342   |   | User is able to add audio correctly                             |
| NODK-220  | Audio widget               | User adds audio file from existing files on device (select Open from Audio option) User records new audio User opens hierarchy view 4067                |   | The dot between name and file extension is visible              |
| NODK-220  | Audio widget               | User goes to Audio widget 4164  |   | Margin for buttons is visible                                   |
| NODK-220  | Audio widget               | User starts form with audio widget User attaches longer than an hour audio file 4183  |   | File is attached and time is displayed as "hh:mm:ss:"           |
| NODK-220  | Audio widget               | Using external app for audio recording option is disabled User starts form User clicks on 'RecAllIQ4190.xml   |   | User is able to answer other questions Recording is cont        |
| NODK-220  | Audio widget               | Using external app for audio recording option is disabled User starts form User clicks on 'Record Sound' User switches to another app User sees         |   | User is moved back to Collect Recording is still in progr       |
| NODK-220  | Audio widget               | Using external app for audio recording option is disabled User starts form User clicks on 'RecAllIQ4190.xml   |   | User is asked to stop recording before changing screen          |
| NODK-220  | Audio widget               | User starts form User clicks on 'Record Sound' and scrolls to end User swipes backward UsrAllIQ4190.xml AllIQ4190withoutText.xml                        |   | Swipe backward -> user is not moved to the top of the p         |
| NODK-220  | Audio widget               | User starts form with quality="voice-only" and quality="normal" and quality="low" User records:AllIQ4222AudioQuality.xml                                |   | User sees that amr file is visible for quality="voice-only"     |
| NODK-220  | Audio widget               | User fills audio widget and records audio via internal recorder User clicks on pause and stop buttons at the same time 4275                             |   | Error message is visible  |
| NODK-220  | Audio widget               | User starts recording via internal recorder User clicks on pause and stop button in the same time 4291  |   | Collect should not crash Using pause and stop buttons           |
| NODK-220  | Audio widget               | Start recording using another audio recorder app Switch to Collect and open a form that an audio question (that has quality set to use the internal re  |   | Recording fails to start and the app does not crash. * Use      |
| NODK-220  | Audio widget               | External app for recording is used as a default App starts form where audio quality is set User records audio with audio quality defined 4316           |   | All audio widgets are blocked                                   |
| NODK-220  | Audio widget               | User uses form with "voice-only" quality User starts recording User pauses recording User stops recording 4365  |   | The app is not freeze Stop works when paused                    |
| NODK-220  | Audio widget               | User starts recording using an internal recorder with voice-only quality User taps on stop and pause at the same 4372                                   |   | Collect should not crash Using pause and stop buttons           |
| NODK-221  | Image-map widget           | User is on question with image-map widget (single select) 1764  | All widgets.xml   | User is able to select one part of image.                       |
| NODK-221  | Image-map widget           | User is on question with image-map widget (multi select)  |   | User is able to select few parts of image.                      |
| NODK-221  | Image-map widget           | User zooms on image   |   | Extra space is not visible. Zoom buttons are not visible        |
| NODK-221  | Image-map widget           | User is on question with image-map widget   |   | User sees that image takes 90% of screen.                       |
| NODK-221  | Image-map widget           | User removes response and confirm 1903  |   | Selected parts are removed                                      |
| NODK-221  | Image-map widget           | User is on question with image-mapp widget. User selects answer 1855  |   | Second click on answer does not unselect it for single se       |
| NODK-221  | Image-map widget           | User is on question with body. User clicks on corpus 2107   |   | Element is not clickable because it does not exist in the c     |
| NODK-221  | Image-map widget           | User opens form with readonly option in the selectMap widgets 2558  | selectMapReadOnly.xml   | readonly option is supported for single select and multi s      |
| NODK-223  | String widgets (String, Ex | User clicks on Launch button 1864 3630  | All widgets.xml   | The keyboard is visible just after showing an EditText field    |
| NODK-223  | String widgets (String, Ex | User adds values to widgets User moved back to all widgets 3346   | stringWidgets.xml   | Cursor is automatically moved to end of EditText                |
| NODK-223  | String widgets (String, Ex | User loads form User uses copy/paste to fill form 3346  |   | Copy/paste is possible in all string widgets                    |
| NODK-224  | Ex Integer widget          | User clicks on Launch button 3630   |   | The keyboard is visible just after showing an EditText field    |
| NODK-224  | Ex integer widget          | User adds value 3346  | stringsWidget.xml   | Thousands sep is available                                      |
| NODK-222  | Video widget               | User starts form with video widget with appearance="new" 108  | NewAppearance.xml   | Choose Video is not available for appearance="new"              |
| NODK-222  | Video widget               | User starts form 1985   | selfie-video.xml  | User is able to record video using front camera                 |
| NODK-222  | Video widget               | User adds video file from Google Drive 2159   |   | Video file is added   |
| NODK-222  | Video widget               | User tapa the screen multiple times 2360  |   | App is not crash  |
| NODK-222  | Video widget               | User sets targetSdkVersion to 24. User records the video User opens recorded video 2599   |   | Video should be recorded No crash should be visible Us          |
| NODK-222  | Video widget               | Microphone permissions are not selected User tries to record selfie video 2565  |   | Dialog appears where the user is able to allow the Micro        |
| NODK-222  | Video widget               | ODK data are migrated to internal storage User fills a form with Selfie video widget User records selfie video and finishes form 4274                   |   | Copy of selfie video is NOT visible in main ODK directory       |
| NODK-222  | Video widget               | User starts form with video widget (bug was visible on emulator with API 23/25) User tries to record video 4366   |   | User is able to save recorder video                             |
| NODK-225  | Ex decimal widget          | User clicks on Launch button 1864 3630  |   | The keyboard is visible just after showing an EditText field    |
| NODK-225  | Ex decimal widget          | User adds value 3346  | stringsWidget.xml   | Thousands sep is available                                      |
| NODK-797  | Exactly match server       | Set Google Drive as server Go to General Settings/ Form Management  |   | Blank form update mode should be set by default to Man          |
| NODK-797  | Exactly match server       | Set Aggregate as server Go to General Settings/ Form Management Click on Blank form update mode   |   | Blank form update mode dialog should appear it should c         |
| NODK-797  | Exactly match server       | Choose Exactly match server option  |   | You should be able to choose automatic update frequenc          |
| NODK-797  | Exactly match server       | Go to main menu Go to Admin Settings/Main menu settings   |   | Get Blank Form button should not be visible Get Blank F         |
| NODK-797  | Exactly match server       | Go back to main menu Go to Delete saved forms 4356  |   | Blank forms tab should not be visible Saved Forms tab s         |
| NODK-797  | Exactly match server       | Go to Fill blank Blank Form Go to server and add another form Click on refreshing arrow   |   | All forms available in server should be visible Next to Fill    |
| NODK-797  | Exactly match server       | Match exactly server from Aggregate to Google Drive Change server settings to Central. Choose match exactly in form management                          |   | Forms from newly chosen server should be downloaded.            |
| NODK-797  | Exactly match server       | Fill submission of form with defined version Fill submission of form without defined version Change project / Select server that doesn't have both of   |   | Form from server should be downloaded and visible in Fil        |
| NODK-797  | Exactly match server       | Go to Deletion of Forms Select both submission and click on Delete Selected button 4010   |   | Both submission should be successfully deleted Toast            |
| NODK-797  | Exactly match server       | Input server url Incorrectly Select match exactly Go to Fill Blank Form Click on refresh arrow 3986 4021  |   | Refresh arrow should have exclamation mark Notificator          |
| NODK-797  | Exactly match server       | Click on displayed notification Click on refresh arrow again Click on notification again Click on device back button 4000                               |   | Fill Blank Form should not open in new window Fill Blank        |
| NODK-797  | Exactly match server       | Input as a server one that requires credentials but do not input credentials Go to Fill Blank form and click on refresh arrow Input invalid credentials |   | Server Requires Authentication dialog should display Fo         |
| NODK-797  | Exactly match server       | Turn of internet connection In the middle of form update Click on refresh arrow 4020  |   | Form download should fail Notification should display'If        |
| NODK-797  | Exactly match server       | Restore internet connection Tap on refresh arrow Try to tap it while process is in progress and progress bar is visible                                 |   | When form update in progress refresh arrow should be di         |
| NODK-797  | Exactly match server       | Match exactly form update is enabled Change server from Aggregate to Google Drive Open form management Open Main menu Open Fill Blank F                 |   | In Form management: blank form update mode should be            |
| NODK-797  | Exactly match server       | Match exactly is enabled, forms from server has been already downloaded Make some changes on server: add and delete forms wait 15 minutes (d            |   | After 15 minutes forms on Collect should be matched to l        |
| NODK-797  | Exactly match server       | Default server is selected, match exactly is selected Open fill blank form Change server to other that has anonymous access not allowed, input cred     |   | Forms should be successfully downloaded After turning           |
| NODK-237  | General Settings - Form    | User selects Auto send - WiFi only  |   | User sees that finished forms are sent automatically wher       |
| NODK-237  | General Settings - Form    | User selects Auto send - Cellular only  |   | User sees that finished forms are sent automatically wher       |
| NODK-237  | General Settings - Form    | User selects Auto send - WiFi or Cellular   |   | User sees that finished forms are sent automatically wher       |
| NODK-237  | General Settings - Form    | User sees information in notification. User clicks on it. 2179  |   | Dialog is visible with results                                  |
| NODK-237  | General Settings - Form    | User selects 'Delete after send'  |   | User sees that form is deleted after send. User cannot re       |
| NODK-237  | General Settings - Form    | User selects 'Default to finalized' User turns off the Default to finalized checkbox User Fills form On the Save and Exit page user leaves checkbox u   |   | User sees that finalize checkbox is auto-selected at the e      |

|          |  |                   |  |
|----------|--|-------------------|--|
| NODK-237 | General Settings - Form i User selects 'Validate upon forward swipe' in 'Constraint processing behavior' AUTOMATED   | OnePageValid2.xml | User sees validation toast during filling form                 |
| NODK-237 | General Settings - Form i User selects 'Defer validation until finalized' in 'Constraint processing behavior' AUTOMATED  | OnePageValid2.xml | User is moved to the question with validation ONLY when        |
| NODK-237 | General Settings - Form i User is able to set an image size 1217   |                   | Photos are take in one of selected size. Original size from    |
| NODK-237 | General Settings - Form i User sets "Show guidance for questions" as Yes - always 2007 AUTOMATED   | hints.xml         | User sees guidance. The is not option to collapse and ex       |
| NODK-237 | General Settings - Form i User sets "Show guidance for questions" as Yes - collapsed 2007 AUTOMATED for text questi  | hints.xml         | User sees guidance. The is option to collapse and expans       |
| NODK-237 | General Settings - Form i User sees Hide old versions option 1694  |                   | Option is selected as default                                  |
| NODK-237 | General Settings - Form i User tries to autosend form when app is background User tries to autosend form when app is killed  |                   | Form should be sent successfully. Notification should dis      |
| NODK-237 | General Settings - Form i User tries autosend to Google sheet and doesn't input submission URL (in is not defined in the form as well) User tries to send that submission ma |                   | Form should not be sent, status should be failed and fail      |
| NODK-237 | General Settings - Form i 1. User input in server url of aggregate with anonymous access not allowed 2. User does not input aggregate's credentials                          |                   | Autosend should fail, notification should appear.              |
| NODK-237 | General Settings - Form i User fill a submission when airplane mode is on. User turns off airplane mode.   |                   | Submission should be sent when connection is recovere          |
| NODK-237 | General Settings - Form i User is in the middle of form, on Audio widget User goes to General Settings -> Form management User change setting for External recording app     |                   | Change is immediately applied and use ris able to fill form    |
| NODK-896 | Collect receives binary fill User has Collect-AnswerProvider app installed on device User starts form User generates all a Collect-AnswerProvider app exTestForm.xml         |                   | Collect is able receive binary files in field-list groups from |
| NODK-896 | Collect receives binary fill User opens Ex arbitrary file widget User clicks on Launch 4351  |                   | Answer is generated  |
| NODK-896 | Collect receives binary fill User opens Ex video widget User clicks on Launch 4379   |                   | Answer is generated  |
| NODK-896 | Collect receives binary fill User opens Ex image widget User clicks on Launch 4382   |                   | Answer is generated  |
| NODK-896 | Collect receives binary fill User opens Ex audio widget User clicks on Launch 4389   |                   | Answer is generated  |
| NODK-238 | General Settings - User a User opens Form Metadata Users rotates the screen 3915   |                   | Email address is validated and requires header should no       |
| NODK-238 | General Settings - User a User opens Form Metadata. User adds Email address AUTOMATED 1308   |                   | Email address is validated and requires @                      |
| NODK-238 | General Settings - User a Username is not set in server and form metadata. AUTOMATED   | Test.xml          | Question in form is empty                                      |
| NODK-238 | General Settings - User a General Settings -> Server -> Username is not set General Settings -> User and device identity -> Form metadata: Username is 'BBB' AUTOMATE        |                   | Username from Form metadata is visible in form                 |
| NODK-238 | General Settings - User a General Settings -> Server -> Username is 'AAA' General Settings -> User and device identity -> Form metadata: Username is not set AUTOMATE        |                   | Username from Server is visible in form                        |
| NODK-238 | General Settings - User a General Settings -> Server -> Username is 'AAA' General Settings -> User and device identity -> Form metadata: Username is 'BBB' AUTOMATED         |                   | Username from Form metadata is visible in form                 |
| NODK-238 | General Settings - User a User clicks on 'Phone number' 3640   |                   | Numeric keyboard appears                                       |
| NODK-238 | General Settings - User a User opens Form Metadata 3640  |                   | Blank options have default information added like: "Not s      |
| NODK-238 | General Settings - User a Open Form Metadata. 3632 3640  |                   | In the bottom of Form Metadata page there should be Ins        |
| NODK-238 | General Settings - User a User opens General Settings User clicks on User and device identity User clicks multi times on Form metadata 3719                                  |                   | Page is not opened two times                                   |
| NODK-238 | General Settings - User a User opens 'Form Metadata' User looks at Device-defined part 4191  |                   | Subscriber ID, SIM serial number, Install ID are not visible   |
| NODK-772 | Rotating screen when die Open Input method dialog on GeoTrace widget Choose input method placement by tapping/manual location recording rotate devices screen Repe           |                   | Dialog should not disappear Selected options should sta        |
| NODK-772 | Rotating screen when die Change the map settings to Mapbox or OSM and repeat all steps from the first point 3792   |                   | The results should be exactly the same                         |
| NODK-239 | Project Settings User opens Project Settings with targetSdkVersion=24 2533   |                   | App doesn't crash. Admin settings are not visible User s       |
| NODK-239 | Project Settings User changes device orientation on Project settings view. 1658  |                   | App doesn't crash and screen rotated properly. Header, i       |
| NODK-239 | Project Settings User opens Project Settings User clicks multi times on Set Admin password 3719 User rotates device when Admin password dialog is opened 3                   |                   | Admin password dialog is NOT opened two times dialog           |
| NODK-239 | Project Settings Admin password is set User clicks on Unlock protected settings Admin password dialog appears User minimize / lock screen / rotate the device U              |                   | User is able to continue using app Crash does not occur        |
| NODK-240 | Project management - Rt User goes to Project Settings/Project management User clicks on Reset User resets some data. 1269  |                   | In project management user should see options: Reconfi         |
| NODK-240 | Project management - Rt User unchecks a couple of settings in access control User resets all settings. 1067  |                   | All changed settings should be back to default configurat      |
| NODK-240 | Project management - Rt User changes the language in general settings. User resets all settings.   |                   | Language is updated immediately                                |
| NODK-240 | Project management - Rt User clicks on Reset in project management, Pop up appears 1836  |                   | Reset button is disabled when nothing is selected.             |
| NODK-240 | Project management - Rt User clicks on Reset, Pop up appears. User checks and unchecks options 3478  |                   | Focus on center is not visible User should see just one c      |
| NODK-240 | Project management - Rt Log to Aggregate with anonymous access not allowed Click on Get Blank Form Go to Admin Settings/Reset application, select Reset All Settings 3       |                   | List of the form should be visible                             |
| NODK-240 | Project management - Rt In General Settings, Server Settings input only URL of the same aggregate, do not input username and password Go to Get Blank form User should       |                   | List of form should not be displayed Server Requires Aut       |
| NODK-240 | Project management - Rt Multiclick on Reset  |                   | Dialog should not be displayed twice.                          |
| NODK-652 | Restoring the app from tt Open Add group dialog Minimize the app Restore app from the background 3592  |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open Add group dialog Extinguish the screen Restore app from the background  |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open remove group dialog Minimize the app Restore app from the background  |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open remove group dialog Extinguish the screen Restore app from the background   |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open exit form dialog Minimize the app Restore app from the background   |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open exit form dialog Extinguish the screen Restore app from the background  |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open large form loading dialog Minimize the app Restore app from the background  | ex. Nigeria wards | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open large form loading dialog Extinguish the screen Restore app from the background   |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open spinner widget, select multiple dialog Minimize the app Restore app from the background   |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open spinner widget, select multiple dialog Extinguish the app Restore app from the background   |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open bearing widget dialog Minimize the app Restore app from the background  |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open bearing widget dialog Extinguish the app Restore app from the background  |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open range picker integer widget dialog Minimize the app Restore app from the background   |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open range picker integer widget dialog Extinguish the app Restore app from the background   |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open date widget dialog Minimize the app Restore app from the background   |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open date widget dialog Extinguish the app Restore app from the background   |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open date widget dialog Extinguish the app Restore app from the background   |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open Sorry, location providers are disabled dialog Minimize the app Restore app from the background  |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Open Sorry, location providers are disabled dialog Extinguish the app Restore app from the background  |                   | Dialog should be visible, app should not crash                 |
| NODK-652 | Restoring the app from tt Rank widget dialog 3910  |                   | Dialog should be visible, app should not crash                 |
| NODK-241 | Access control - User Se User opens Project settings/Access control/ User settings. User does not see 'Type' option 1311   |                   | User sees 'Server' option All options on the list should st    |
| NODK-241 | Access control - User Se User opens 'User settings' User hides all options 2960 Set admin password Open Access control/User settings Uncheck some options Go bac             |                   | All options are not visible in Project Settings When adm       |
| NODK-241 | Access control - User Se User opens 'User settings' 2967   |                   | User is able to hide only Show guidance for questions op       |
| NODK-241 | Access control - User Se Go to Project Settings/User Settings Uncheck options: Theme, language, text font Go to Project Settings/User interface 4014                         |                   | Theme, language, text font options should not be visible i     |
| NODK-241 | Access control - User Se Go to Project Settings/User Settings Uncheck options: blank form update mode periodic form updates check automatic download hide old form           |                   | Options should not disappear from admin settings after d       |
| NODK-241 | Access control - User Se User goes to Project settings -> User settings User unchecks Automatic update frequency and (or) Automatic download User goes to General settir     |                   | Selected mode is applied. Collect does not crash               |
| NODK-241 | Access control - User Se User goes to Project settings -> User settings User unchecks 'Use external app for audio recording' User goes to General settings -> Form manage    |                   | Option is not visible in the user's Form management            |
| NODK-241 | Access control - User Se User goes to Project settings -> User settings User unchecks all options except 'Use external app for audio recording' User goes to General setting |                   | Option is visible  |
| NODK-241 | Access control - User Se User goes to Settings -> Access control -> User Settings User hides a few options, e.g. all except guidance User goes to Settings and opens Form    |                   | Form filling header is visible Other headers are not visibl    |
| NODK-234 | About User changes device orientation on About view 1402 3226 AUTOMATED  |                   | App does not crash even if user rotates the screen Scroll      |
| NODK-234 | About User opens About Activity 1802 AUTOMATED   |                   | User sees icons. Text is visible at whole.                     |
| NODK-234 | About User clicks on 'Open source libraries and licences' 1926 AUTOMATED   |                   | The view has a title 'Open Source Licenses' User sees t        |
| NODK-234 | About User clicks multi times on each option 1917  |                   | Views are not doubled  |
| NODK-234 | About User is on main menu User clicks on icon to open projects settings dialog User looks at the down and sees 'About' icon 4460  |                   | User lands on Collect's About menu The "About" menu i          |
| NODK-235 | General Settings - Server User edits Form list path and Submission path. AUTOMATED   |                   | Changes are updated immediately.                               |
| NODK-231 | Offline mode User opens 'Get Blank Form' when user is offline (Aggregate)  |                   | User sees message 'No network connection available'            |
| NODK-231 | Offline mode User opens 'Get Blank Form' when user is offline (Google)   |                   | User sees message 'No network connection available'            |
| NODK-231 | Offline mode User selects forms to send and clicks on 'Send Selected' when user is offline   |                   | User sees message 'No network connection available'            |
| NODK-231 | Offline mode User loses internet connection during sending forms   |                   | User sees message  |
| NODK-231 | Offline mode User loses internet connection during downloading new forms   |                   | User sees message  |
| NODK-232 | Preferences - QR code / There is no option to save collect.settings file anymore. Try to paste into files old .settings file   |                   | Import settings from collect.settings file should not work.    |
| NODK-232 | Preferences - QR code / User applies settings from QR code where Username is set 2326  |                   | User opens Preloads form and sees username                     |
| NODK-232 | Preferences - QR code / User scans QR code settings 2353   |                   | User is able to scan QR code                                   |
| NODK-232 | Preferences - QR code / User revoke camera permissions on Android>5 User clicks on dots in Main menu User clicks "Configure via QR Code" User accepts permission di          |                   | Camera permission dialog should display After acceptin         |
| NODK-232 | Preferences - QR code / User tried to add new project User scans invalid QR code 4742  |                   | Toast with message 'QR code does not contain valid sett        |
| NODK-796 | Form update - Google Dr Download form Ensure that you have another version of that form on Google Drive Choose Google Drive as server Go to Get Blank Form Downloa           |                   | This is and update to a for you have information should b      |
| NODK-796 | Form update - Google Dr Update media on Google Drive for the form Choose Google Drive as server Go to Get Blank Form Download form   |                   | This is and update to a for you have information should b      |
| NODK-796 | Form update - Google Dr Download form from Aggregate Upload updated version of form to another folder on drive than default one Download updated form                        |                   | Information about update should be visible Form update         |
| NODK-897 | Background recording User starts a form with background recording 4354   |                   | User can swipe between form pages (next/back) while rei        |
| NODK-897 | Background recording User starts a form with background recording User goes to Project Settings 4354   |                   | Trying to navigate to settings will prompt user to stop rec    |
| NODK-897 | Background recording User starts form with background recording User clicks on 3 dots icon User unchecks/checks 'Record audio' checkbox 4381                                 |                   | User is able to toggle background recording                    |
| NODK-897 | Background recording User starts form with background recording User unchecks 'Record audio' User rotates device or opens hierarchy view 4381                                |                   | Recording is not re-started 'Record audio' is not automa       |

|          |                         |  |  |   |
|----------|-------------------------|--|--|---|
| NODK-897 | Background recording    | User starts form with background recording User unchecks 'Record audio' User leaves form User starts form with background recording                    | 4381   | Recording is not started automatically If background recording is not started automatically                                   |
| NODK-897 | Background recording    | Microphone permission is not granted User starts form with background recording User sees dialog with message about missing permissions                | User   | User is able to allow permission without leaving app  |
| NODK-897 | Background recording    | User starts form with background recording with low and normal quality   | 4385   | User sees that low quality has .m4a file User sees that normal quality has .mp3 file  |
| NODK-897 | Background recording    | User sends form with background recording to Central   | 4385   | Audio is correctly represented on server  |
| NODK-897 | Background recording    | User starts form with background recording User disables background recording and finalizes form User sends form to Central                            | 4385   | Audio is NOT represented on server  |
| NODK-897 | Background recording    | User unchecks 'Recording audio' option Dialog appears  | 4404   | DISABLE RECORDING button is visible   |
| NODK-897 | Background recording    | User unchecks 'Recording audio' option Dialog appears -> user confirms User checks 'Recording audio' option  | 4395   | Disabling/Enabling is visible in audit event  |
| NODK-897 | Background recording    | User starts form with background recorder and audio widget User goes to audio widget   | 4396   | Audio widget is permanently disabled when background recording is disabled  |
| NODK-897 | Background recording    | User starts form with background recording User disabled background recording  | 4399   | User sees message: Recording disabled. Enable in (3 dots) menu  |
| NODK-897 | Background recording    | User starts form with background recording User finish form with recorded audio User edit saved form User finish form with recorded audio              | 4390   | Recording has audio from the first and the second time  |
| NODK-897 | Background recording    | User starts form with background recording User leaves and saves changes in the middle with recorded audio User edit saved (unfinished) form           | Us   | Recording has audio from the first and the second time  |
| NODK-897 | Background recording    | User starts form with background recording User clicks on device back button when recording is in progress   | 4392   | Save/Ignore changes dialog is visible User leaves and saves changes   |
| NODK-897 | Background recording    | Enable don't keep activities Open form with background recording Minimize app Disable microphone permissions in settings Go back to form and           |  | Microphone permissions should be enabled You should see a toast   |
| NODK-897 | Background recording    | User sees overlay waveform horizontal volume bar   | 4405 4446  | Sensitivity of overlay waveform is increased Waveform recording is visible  |
| NODK-897 | Background recording    | User sees question mark button next to volume bar User clicks on button  | 4446   | Dialog with scroll and margin appears   |
| NODK-619 | Tracking Reason Change  | Fill one instance of the form Go to Edit Saved Form Edit an answer, go to Save and Exit and (track- changes- reason- on- edit -2q.xml                  |  | Track Changes Reason page should display X button should be visible   |
| NODK-619 | Tracking Reason Change  | Input a reason Rotate the screen Click on Save button User is moved to main menu Open instance folder in odk folder Open created audit file            | 36   | The focus on Text Edit should be visible Keyboard should be visible   |
| NODK-619 | Tracking Reason Change  | Edit the submission again Click on hierarchy button Click on a question in hierarchy view  |  | The new answer should be visible in hierarchy view Question should be visible   |
| NODK-619 | Tracking Reason Change  | Click on Save button without input a reason  |  | Submission should not be saved, the button should not be disabled   |
| NODK-619 | Tracking Reason Change  | Input a reason Click on X button on the left Click on Save Form and Exit again Click on Save button  |  | Save and Exit page should display Track Changes Reason page should display  |
| NODK-619 | Tracking Reason Change  | Edit text in submission again Click on Save button from form view Minimize app and go back to app  |  | Track Changes Reason page should display Track Changes Reason page should display   |
| NODK-619 | Tracking Reason Change  | Input reason and click on Save button Click on Menu and General Settings Click on back button  |  | The question should be visible General Settings should be visible   |
| NODK-619 | Tracking Reason Change  | Edit form once again Rotate screen on question view Swipe to Save and Exit view  |  | Question should be visible not Track Changes Reason page should display   |
| NODK-242 | Project management - Rt | User installs Collect. User changes few settings. User exports settings to QR code and file. Other user imports settings from QR code and file         | 1523   | Settings are consistent with the set. There is no crash.  |
| NODK-242 | Project management - Rt | User installs Collect. User changes few settings. User resets all settings   |  | All settings are set as default   |
| NODK-242 | Project management - Rt | User installs Collect. User changes few settings. User exports settings to QR code without passwords. Other user imports settings from QR code         |  | Settings are consistent with the set  |
| NODK-242 | Project management - Rt | User opens 'Reconfigure via QR code' 1857 3628   |  | User sees Share icon Save Settings icon in not visible Form icon is visible   |
| NODK-242 | Project management - Rt | App to handle an image pick intent is not installed. User selects 'Select code form SC Card' 1932  |  | App does not crash. User sees toast.  |
| NODK-242 | Project management - Rt | User opens 'Configure via QR code' few times 1879  |  | QR code is not regenerated when settings were not changed   |
| NODK-242 | Project management - Rt | User sets targetSdkVersion to 24 User goes to Project Settings/Project management/Reconfigure with QR code User clicks on share icon                   | 2601   | An app should not crash. User should be able to share QR code   |
| NODK-242 | Project management - Rt | User scans QR code with invalid settings. https://github.com/odkcentral/collect/issues/2086>User set dark mode and scans invalid QR code again.        |  | User should see a toast *QR code does not contain valid settings  |
| NODK-242 | Project management - Rt | User goes to Project Settings/Project management/rnfigure via QR code' User clicks on Import QR code User chooses a big image (~16MB)                  | 298  | Collect does not crash  |
| NODK-242 | Project management - Rt | User scans QR code invalid chars   | 3422   | Toast with error is visible   |
| NODK-242 | Project management - Rt | User scans inverted QR code  | 3622 3835  | Settings are consistent with the set. There is no crash.  |
| NODK-242 | Project management - Rt | User opens QR code screen  | 3743   | QR Scanner is the first fragment Generated QR code is visible   |
| NODK-242 | Project management - Rt | User set Aggregate as a server Username and password to Aggregate are declared Admin password is NOT set User opens QR code - information              |  | Aggregate password is set only as a server password Admin password is not set   |
| NODK-242 | Project management - Rt | User opens QR code screen User scans incorrect QR code and sees the message "QR does not contain valid settings" User immediately scans other QR code  |  | Settings from QR code are applied   |
| NODK-242 | Project management - Rt | User set Aggregate as a server Username and password to Aggregate are declared Admin password is set User opens QR code User clicks on Collect         |  | Passwords are not saved   |
| NODK-242 | Project management - Rt | User opens Settings dialog and goes to Admin settings User clicks "Configure with QR code" User scans a QR code  | 4426   | Project settings match those in the QR code User can open Settings  |
| NODK-243 | Access Control - Form   | Form EI Go to Project Settings/Access Control/Form Entry Settings User unchecks "Moving backwards in forms" option. 1456 AUTOMATED                     |  | User is not able to move backwards when filling form.   |
| NODK-243 | Access Control - Form   | EI User selects "Defer validation until finalized" and then Admin unchecks "Allow moving backwards in forms" option. 1704 AUTOMATED                    |  | Constraint processing option is set as 'Validate upon form submission'  |
| NODK-243 | Access Control - Form   | EI User sees dialog with buttons: Yes/No 1456 AUTOMATED  |  | Edit Saved Form, Save Form, Go To Prompt, Constraint p User sees question on which he finished. User is not able to edit      |
| NODK-243 | Access Control - Form   | EI User unchecks "Allow moving backwards in forms" option. User starts form. User restarts a phone. 1675   |  | User is not able to edit  |
| NODK-599 | Likert widget           | User fills form, rotate screen, minimize an app. 3431 3630   | All widgets  | Lines are displayed correctly They should not have gaps   |
| NODK-599 | Likert widget           | Repeat step 1 for dark mode.   |  | The results should be the same. The text and lines should be the same.  |
| NODK-599 | Likert widget           | Repeat step 1 for dark/light mode and RTL language.  |  | The results should be the same. The scale should be reversed  |
| NODK-599 | Likert widget           | User fills form where Likert Widget is read only   | 3531   | Read-only option is respected Question is not editable  |
| NODK-496 | General Settings - Maps | User changes Mapping SDK to OpenStreetMap SDK  | 1856   | OSM Streets' is selected as the default Basemap OpenStreetMap is selected   |
| NODK-496 | General Settings - Maps | User adds offline basemaps   | 1610   | User is able to select it settings form both Mapping SDK. OpenStreetMap is selected   |
| NODK-496 | General Settings - Maps | User selects "Mapbox Maps SDK" (on 64bit devices)  | 3158   | App does not crash Error message is visible   |
| NODK-496 | General Settings - Maps | User selects Mapbox User selects Offline layer   | 3164   | Offline layers with Mapbox are supported Clicking on the file path is visible on Layer data file dialog but it is not visible |
| NODK-496 | General Settings - Maps | User selects Offline layer   | 3164   | Green areas are no longer visible (e.g. near to Eblag)  |
| NODK-496 | General Settings - Maps | User sets Mapbox, Dark style and selects countries.mbtiles offline layer User opens widget with map  | 3238   | Layers are sorted alphabetically  |
| NODK-496 | General Settings - Maps | User sees few layers on 'Layer data file' dialog   | 3242   | Correct offline layer path Correct path in lower message  |
| NODK-496 | General Settings - Maps | Storage was migrated User sees correct layers directory path   | 3746   | Crash does not occur Default map layer is opened  |
| NODK-496 | General Settings - Maps | Offline layer is selected Selected offline is deleted User starts form with Geo widgets User opens map view  | 3773   | Dialog should disappear after selection User should not be able to see dialog   |
| NODK-496 | General Settings - Maps | Open Offline layer dialog Choose any offline layer from the list Open offline layer dialog and rotate the screen Try to multiclick on layer data file  | 407  | Dialog should disappear after selection User should not be able to see dialog   |
| NODK-415 | Trigger Widget          | Guidances are always show User starts form User navigates to the hierarchy view User select guidance_hint_form.xml                                     |  | Unexpected error is not visible   |
| NODK-415 | Trigger Widget          | Guidances are collapsed User starts form User navigates to the hierarchy view User selects it guidance_hint_form.xml                                   |  | Unexpected error is not visible   |
| NODK-415 | Trigger Widget          | User opens Trigger widget  | 3645   | Text is slightly smaller than the text was before   |
| NODK-505 | odk:setlocation         | User fills form 3175   | setlocation-action-value-changed.xml               | Location value is autofilled  |
| NODK-505 | odk:setlocation         | User fills form 3175   | setlocation-action-with-repeats.xml                | Location value is added to every repeat   |
| NODK-505 | odk:setlocation         | User fills form 3175   | setlocation-action-instance-load.xml               | User is moved to page with 'Save Form and Exit' button  |
| NODK-505 | odk:setlocation         | User fills form 3175   | setlocation-and-audit-location.xml                 | Audit file is available. Location is set in background and in foreground  |
| NODK-505 | odk:setlocation         | User fills form 3175   | SetLocation_trackingChangesAndLocationTestForm.xml | Audit file tracks answer changes and location. Location is visible  |
| NODK-505 | odk:setlocation         | Turn off location in devices settings. Open at least one on those forms. 3575  |  | "Sorry. Location providers are disabled" dialog form is visible   |
| NODK-505 | odk:setlocation         | Click on Go to Settings button.  |  | Location Settings page should display. User should be able to go forward  |
| NODK-617 | Identify user support   | User uses form with odk:identify-user="true" added to XML User loads the form User sees the identify-user-audit.xml                                    |  | Only if user adds name he is able to go forward Status bar is visible   |
| NODK-617 | Identify user support   | User loads the form User sees the new page as a first User puts a few spaces   | 3439   | User is NOT able to go forward  |
| NODK-617 | Identify user support   | User loads the form User sees the new page as a first User clicks "enter"/"go" on the keyboard without entering anything                               | 3439   | User is NOT able to go forward  |
| NODK-617 | Identify user support   | User loads the form User sees the new page as a first User enters name with commas and quotes  | 3439   | User is able to go forward Audit file contains correct data   |
| NODK-617 | Identify user support   | User loads the form User sees the new page as a first User enters first name and surname with space between  | 3439   | User is able to go forward Audit file contains correct data   |
| NODK-617 | Identify user support   | User uses form with odk:identify-user="false" added to XML User loads the form User does not see the new page as a first                               | 3439   | User is able to fill form   |
| NODK-617 | Identify user support   | User loads the form User sees the new page as a first User needs to put a name to go forward User rotates device                                       | 3439   | Added value is not lost   |
| NODK-617 | Identify user support   | User loads the form User sees the new page as a first User needs to put a name to go forward User minimizes Collect                                    | 3439   | Added value is not lost   |
| NODK-617 | Identify user support   | User loads the form User sees the new page as a first User puts a name User uses copy-paste functionality  | 3439   | Copy-paste options do not cover the identity field  |
| NODK-349 | Rating widget           | User opens form with Rating widgets. User selects starts   | TestRatingWidget.xml                               | Selected stars should be highlighted. Not selected stars should be grayed-out   |
| NODK-349 | Rating widget           | User selects all stars visible User selects all minus 1 star   |  | All stars should be highlighted 1 star should be grayed-out   |
| NODK-349 | Rating widget           | User opens rating widget where stars are displayed in two lines. User rotate screen User rotates screen back   |  | In landscape view stars should not be wrapped. In portrait view stars should be visible in hierarchy view                     |
| NODK-349 | Rating widget           | User opens hierarchy view.   |  | Proper number of stars should be visible in hierarchy view  |
| NODK-326 | Form name - Replace ne  | User opens form. User inputs enter/newline into some of questions of the form. User goes to t instance_name_example.xml                                |  | Instance name should be present It should be grayed out   |
| NODK-326 | Form name - Replace ne  | User opens a random form. User goes to the last page of the form User tries to input enter/newline User minimizes an app User writes a text with enter |  | User should see Save Form and Exit button User should see a toast   |
| NODK-326 | Form name - Replace ne  | User has the saved forms User sees this form in one of the views: Edit Saved Form, Send Final instance_name_example.xml                                |  | Newlines are not visible  |
| NODK-289 | GET_ACCOUNT and SM      | User clicks on Google account option in Server Settings User revoke permissions and tries to get forms from Google Drive User revoke permission        |  | Permission window should display.   |
| NODK-289 | GET_ACCOUNT and SM      | User goes to Settings > Server > Type: Google Drive User kills the app User reopens the app User click Send Finalized Form User selects some fo        |  | User is moved to form list in Send Finalized Form   |
| NODK-289 | GET_ACCOUNT and SM      | User goes to Settings > Server > Type: Google Drive User kills the app User reopens the app User click Get Blank Form A dialog appears which is        |  | User is moved to main menu 2649   |
| NODK-259 | Get Blank Form - Aggreg | User clicks quickly on 'Get Blank Form' button in main menu several times  | 1630   | Get Blank Form list is not open two times   |
| NODK-259 | Get Blank Form - Aggreg | User opens view  | 2825 3777  | New icons are visible Buttons on the bottom are in one line   |
| NODK-259 | Get Blank Form - Aggreg | User opens sorting menu and select 'Name, A-Z'   | 1791   | Option 'Name, A-Z' does not have highlighted icon   |
| NODK-259 | Get Blank Form - Aggreg | User opens 'Get Blank Form' view.  | 1937   | Menu icon (3 dots) is not visible   |
| NODK-259 | Get Blank Form - Aggreg | User goes to Get Blank Form. User clicks on Refresh. User cancels  | 1805   | User sees empty form list. View contains Select All / Refresh   |
| NODK-259 | Get Blank Form - Aggreg | User has downloaded one form. User selects this form to download. User cancel downloading. User again downloads form                                   | 1692   | Form is downloaded with success. FileNotFoundExceptio   |

|          |  |  |   |
|----------|--|--|---|
| NODK-259 | Get Blank Form - Aggreg User opens 'Get Blank Form' and immediately cancels loading a list. 1919   |  | Select All' button is not active                                |
| NODK-259 | Get Blank Form - Aggreg Search for any form. Tap on Clear all. Tap on Select all. Tap back button or close the search. 2039  |  | Clear all' button displays                                      |
| NODK-259 | Get Blank Form - Aggreg User downloads all forms. User opens view again. 2131  |  | Forms are unselected. Select All button is active. Only no      |
| NODK-259 | Get Blank Form - Aggreg User goes to 'Get Blank Form'. User sees dialog 'Connecting to Server'. User changes device orientation 1741   |  | Dialog 'Connecting to Server' is closed automatically whe       |
| NODK-259 | Get Blank Form - Aggreg Log to http://perunama.berkeleyair.com/ username: sdelapena password: gostoves. Go to Get Blank Form. Click on Get Selected 3601                                 |  | Download Results dialog with error message should disp          |
| NODK-259 | Get Blank Form - Aggreg Download those forms from Aggregate 2.0. 3639  | neighbourhood last saved image.xml neighbourhood | Forms should be successfully downloaded and visible on          |
| NODK-259 | Get Blank Form - Aggreg User sets Aggregate server: https://valid-isrgrootk1.letsencrypt.org User goes to Get Blank Form 4226  |  | Form list download failed dialog is visible Dialog is visible   |
| NODK-260 | Get Blank Form - Google User uses Google Sheets. User opens Get Blank Form view. User downloads forms. 1591 4141 4040  |  | The form and corresponding media files are downloaded           |
| NODK-260 | Get Blank Form - Google User uses Google Sheets. User opens Get Blank Form view. User sees forms with long file name 1597  |  | User sees that file names do not cover checkboxes               |
| NODK-260 | Get Blank Form - Google User uses Google Sheets. User opens Get Blank Form, and scroll up and down 1604  |  | User sees that any new checkboxes do not show up next           |
| NODK-260 | Get Blank Form - Google User uses Google Sheets. User opens Get Blank Form. User selects few checkboxes and scroll up and down 2074  |  | Selection does not disappear                                    |
| NODK-260 | Get Blank Form - Google User uses Google Sheets. User selects first form and scrolls down quickly 1779   |  | Only the form selected by user is checked                       |
| NODK-260 | Get Blank Form - Google User uses Google Sheets. User opens 'Get Blank Form' list. User sees list of forms. User clicks on 'Shared with Me'. User sees a folder. User clicks             |  | User is moved back to view with folder                          |
| NODK-260 | Get Blank Form - Google User sees list of forms and folders. User clicks on 'Shared with me'. User sees folders and files. Click on folder. User sees content of the folder and t        |  | User is navigated to 'My Drive'                                 |
| NODK-260 | Get Blank Form - Google User uses Google Drive as a server. User adds text to search bar and then removes it 1909  |  | All available forms are visible                                 |
| NODK-260 | Get Blank Form - Google User uses Google Drive as a server. User adds text to search bar and then removes it 1944  |  | Dynamic search bar is visible for Google Drive                  |
| NODK-260 | Get Blank Form - Google User uses Google Drive as a server. User goes to Get Blank Form view. User taps on Download selected and immediately tap   |  | There is no crash. 'Do not keep activities' turned on > If u    |
| NODK-260 | Get Blank Form - Google User opens 'Get Blank Form' view OR User clicks on 'My Drive' / 'Shared with me' / 'Go back' 2951  |  | Progress dialog is visible during reading files from Google     |
| NODK-260 | Get Blank Form - Google User changes the language to Slovenian in the app settings User opens the list of forms from Google Drive 3008   |  | Crash does not occur when user opens Get Blank Form v           |
| NODK-260 | Get Blank Form - Google Download those forms from Google Drive. 3639   | neighbourhood last saved image.xml neighbourhood | Forms should be successfully downloaded and visible on          |
| NODK-249 | Fill Blank Form - Require User fills form with required questions AUTOMATED 1827   | All widgets required.xml, requiredOnePage.xml    | Red asterisk at the beginning is visible.                       |
| NODK-249 | Fill Blank Form - Require User starts form. User swipes on the first question. AUTOMATED   | requiredJS275.xml and attributes.xml             | User sees custom message  |
| NODK-249 | Fill Blank Form - Require Do not fill an answer to required question. Open hierarchy view Click on Save Form and Exit Click on Save icon 3576  |  | The required question should display, toast should be vis       |
| NODK-251 | Fill Blank Form - Validatic User starts form with question on one page and validation. User adds invalid answers. User skij OnePageFormValid.xml   |  | The user is no longer moved to view with only one questi        |
| NODK-251 | Fill Blank Form - Validatic User starts form with question on one page and validation. User adds invalid answers. User skips to end and clicks on Save Form and Exit 2118                |  | User sees that question is highlighted in red only in the fi    |
| NODK-251 | Fill Blank Form - Validatic User starts form with short label. User opens Index View AUTOMATED 1401  | OnePageFormShort.xml                             | User sees short forms   |
| NODK-253 | Fill Blank Form - SMS User fills form 2350   | send-sms.xml                                     | SMS app or default email app opens when user clicks on          |
| NODK-253 | Fill Blank Form - SMS User starts form 2385  | dial-number.xml                                  | Clicking on Launch button moves the user to phone app.          |
| NODK-253 | Fill Blank Form - SMS User fills form User clicks on 'Launch' on 'Click to email thanks' question User sends email   | send-sms.xml                                     | Collect does not crash Email is sent correctly 2832             |
| NODK-255 | Fill Blank Form - Cascadi User starts form and selects Washington -> Kings (first on list) -> Seattle/Redmond and Washin select_one_external.xml   |  | Options are not mixed   |
| NODK-255 | Fill Blank Form - Cascadi User starts form and selects Texas > Cameron > This is a test. User opens hierarchy view. 1758 cascading_select_external_itemsets2.xml                         |  | In hierarchy view 'This is a test' is visible instead of 'test1 |
| NODK-961 | Background jobs for null User sets up match exactly in a Project A User switches to Project B 4430   |  | Both background jobs continue to work as expected               |
| NODK-961 | Background jobs for null User sets up match exactly in two Projects 4430   |  | Both background jobs (from both projects) continue to w         |
| NODK-961 | Background jobs for null User sets up auto update in a Project 4430  |  | When user switches to another project then the auto upd         |
| NODK-961 | Background jobs for null User sets up auto update in two Projects 4430   |  | Then the auto update (in both projects) continue to work        |
| NODK-961 | Background jobs for null User sets up auto send in a project User has filled out some forms that hasn't sent yet User has disconnected from the connection that lets auto sen            |  | User reconnects to the connection for auto send then the        |
| NODK-961 | Background jobs for null User sets up auto update or match exactly in a previous version of Collect User upgrades 4430   |  | The jobs continue to work as expected                           |
| NODK-961 | Background jobs for null User sets up auto send in a previous version of Collect User has filled out some forms that hasn't sent yet User has disconnected from the connect              |  | User reconnects to the connection for auto send then the        |
| NODK-961 | Background jobs for null User sets up a project with auto update or match exactly User deletes the project 4430  |  | Those jobs don't continue to run in the background              |
| NODK-961 | Background jobs for null User sets up a project with auto send User has filled out some forms that hasn't sent yet User has disconnected from the connection that lets auto              |  | User reconnects to the connection for auto send then the        |
| NODK-961 | Background jobs for null User is launching the app for the first time User adds a project via a QR code Project config includes match exactly 4430                                       |  | The forms update as expected once the project is set up         |
| NODK-961 | Background jobs for null User is launching the app for the first time User adds a project via a QR code Project config includes auto update 4430   |  | Then the forms update as expected once the project is se        |
| NODK-961 | Background jobs for null User tries to download/upload data. These is an error during sync   |  | Errors only show for the current project                        |
| NODK-959 | Projects CRUD User is on Main Menu User sees the icon for project in the top right (instead of the icon) User clicks on dot to open Projects Setting dialog User                         |  | New project is listed in the Project Settings dialog            |
| NODK-959 | Projects CRUD User is adding a project by manually entering details User enters a URL, a username, password Server host should show without protocol, path or q                          |  | Auto focus on "URL" when adding project manually The            |
| NODK-959 | Projects CRUD User is adding a project by manually entering details User enters a URL User doesn't enter a username or password User clicks "Add" 4428                                   |  | The project shows the server host under the project nam         |
| NODK-959 | Projects CRUD User clicks on lately added project in the project settings dialog 4497  |  | User sees selected project at the top of the project settin     |
| NODK-959 | Projects CRUD User looks at Project Configuration area User changes project name User changes project icon (single character) User changes project color (hex c                          |  | User sees updated versions of Name, Icon and Color on           |
| NODK-959 | Projects CRUD User doesn't have any filled and unsent submissions User opens Admin Settings and looks at Project Configuration area User clicks on Delete proj                           |  | Delete project dialog should appear After choosing No u         |
| NODK-959 | Projects CRUD User has at least one unsent filled form User opens Admin Settings and looks at Project Configuration area User clicks on Delete project User sees                         |  | User is able to try delete project Project does not get del     |
| NODK-959 | Projects CRUD User is on the first launch screen User clicks "Configure with QR code" User scans a QR code A new project with the QR code settings is created                            |  | The profile name matches the server domain The profile          |
| NODK-959 | Projects CRUD User is on the Projects dialog User clicks "Add project" User scans a QR code A new project with the QR code settings is created 4427                                      |  | The profile name matches the server domain The profile          |
| NODK-959 | Projects CRUD User is on the Projects dialog User clicks "Add project" User clicks "Manually enter server details" 4427  |  | User can create a new project by entering the details mar       |
| NODK-959 | Projects CRUD User opens QR code with projects settings User clicks "Add project" on the second device User scans QR code from first device 4582   |  | A new project is added to the second device The project         |
| NODK-959 | Projects CRUD User opens QR code with projects settings User sees first launch screen on the second device User clicks "Configure with QR code" on the second                            |  | A project is set up to the second device The project da         |
| NODK-959 | Projects CRUD User opens QR code with projects settings User opens Admin Settings on the second device User clicks "Configure with QR code" on the second                                |  | The project is updated on the second device The project         |
| NODK-959 | Projects CRUD User uses some project User adds another project with the same server domain (path and protocol can be different) 4493   |  | The new project has the same icon color The color is on         |
| NODK-959 | Projects CRUD User uses some project User navigatea to Admin Settings User clicks on "Project color" User sees a dialog with a hex value and a preview of the c                          |  | The preview color changes                                       |
| NODK-959 | Projects CRUD User uses some project User navigatea to Admin Settings User clicks on "Project color" User sees a dialog with a color palette (of the project color                       |  | The hex value changes (along with the color preview)            |
| NODK-959 | Projects CRUD User clicks on "Add project" User clicks on "Manually enter project details" Under empty fields, user sees option to configure Google Drive User clic                      |  | Choose account" dialog appears User is able to select G         |
| NODK-959 | Projects CRUD User is on the Projects dialog User clicks on "Admin settings" User clicks "Reset project" and confirms 4425   |  | Project settings return to the Collect defaults                 |
| NODK-959 | Projects CRUD User has filled submissions User deletes submission from project folder User opens Collect and tries to open that submission User accepts dialog                           |  | Dialog should display "Filled form has been deleted!" Aft       |
| NODK-959 | Projects CRUD Add a lot of projects so scroll will be visible on Projects dialog. Add project with long URL Rotate device 4663   |  | URLs should not overlap scroll Last project on the list s       |
| NODK-959 | Projects CRUD Create shortcut to form from one project Open shortcut and fill submission Change project in l https://docs.getodk.org/collect-shortcut/                                   |  | User should be able to use shortcut and fill submission U       |
| NODK-959 | Projects CRUD Permissions aren't allowed User wants to add new project manually User clicks on ADD PROJECT User is asked about permission - User clicks on                               |  | User is able to deny camera permission and continue ad          |
| NODK-959 | Projects CRUD User has a few projects added (DEMO, Central, Aggregate, GD) User opens directories with added projects 4707   |  | User sees empty file with project name inside of each prc       |
| NODK-959 | Projects CRUD Select as project icon emoji from keyboard Edit icon using copy/paste Scan qr code of project with emoji selected as project icon on other device                          |  | emoji should be selected as project icon emoji should b         |
| NODK-960 | Switching between proje User uses project A User changes some settings (language, theme etc) User downloads and fills out some forms User navigates to the projects set                  |  | Project B has default settings configuration Configurator       |
| NODK-960 | Switching between proje User looks at directory structure 4417   |  | Directory structure looks like this: org.odk.collect.android    |
| NODK-960 | Switching between proje User downloads other forms, fills submission and sends to their servers  |  | Both background jobs (from both projects) continue to w         |
| NODK-618 | Display form submission! User downloads a form with Geopoint widget 3447   |  | Map button is shown in the fill blank form list for forms w     |
| NODK-618 | Display form submission! User downloads a form with Geopoint widget in REPEAT section 3447   |  | Map button is NOT shown in the fill blank form list for for     |
| NODK-618 | Display form submission! User clicks on new map icon User multi-clicks on new map icon 3447 4136   |  | Area near the map icon is clickable Map view does not a         |
| NODK-618 | Display form submission! User downloads a form with Geopoint widget User fills few submissions and adds answer to geopoint User has at least 4 submissions with differen                 |  | The markers are small balloons colored according to form        |
| NODK-618 | Display form submission! User opens new MapActivity User sees marker for each form instance User clicks on location button User clicks on "zoom to bounds" button Use                    |  | Buttons work as expected Offline layer dialog does not c        |
| NODK-618 | Display form submission! User opens new MapActivity User sees marker for each form instance User clicks on the new icon at the bottom User multi-clicks on the new icon                  |  | The "new instance" button on the map launches the Form          |
| NODK-618 | Display form submission! User opens new MapActivity User sees marker for each form instance User clicks on the new icon at the bottom User is moved to form User fills it                |  | When a form is completed, the app returns to the MapAc          |
| NODK-618 | Display form submission! User opens new MapActivity User sees marker for each form instance User clicks on some marker 3447  |  | Clicking a map marker navigates to viewing/editing the st       |
| NODK-618 | Display form submission! User opens new MapActivity User sees marker for each form instance User clicks on some marker User removes response for Geopoint widget U                       |  | When response for GeoPoint is removed, point disappear          |
| NODK-618 | Display form submission! User opens new MapActivity User sees marker for each form instance User leaves MapActivity One submission is deleted 3447                                       |  | If the instance is sent and deleted (auto-delete or manual      |
| NODK-618 | Display form submission! Edit Saved Form is unselected from Admin Settings User opens new MapActivity User sees marker for each form instance User clicks on some mark                   |  | If Edit Saved Form is made unavailable from the admin m         |
| NODK-618 | Display form submission! Moving backward is unselected from the Admin Settings User opens new MapActivity User sees marker for each form instance User clicks on mark                    |  | If Moving backward is unselected from the admin menu, i         |
| NODK-618 | Display form submission! 1. Open a form with a geopoint outside of any repeat (e.g. All Widgets) 2. Tap the save button 3. Collect a geopoint 4. Save and exit 5. Open the map view 3511 |  |   |
| NODK-618 | Display form submission! 1. When new instances are saved but not finalized, they appear on the map 2. When instances are encrypted-geopoint.xml  |  |   |
| NODK-618 | Display form submission! User fills form User adds a location to Geopoint question User leaves jobs (completed or not) All widgets   |  | Collect does not crash Especially Mapbox map opens pr           |
| NODK-618 | Display form submission! User opens new MapActivity User sees marker for each form instance User clicks on some marker BottomSheetDialogFragment appears 3778                            |  | It should be possible to see: the instance name the curr        |
| NODK-618 | Display form submission! User goes to the form instance map. User sees a few instances. User slides the map to put an instance above the form add button. User tries to ta               |  | Instances are tappable even if they're above the form ad        |
| NODK-618 | Display form submission! Tap on another place on the map, not on marker Tap on two markers in one by one sequence Click on devices back button 3864                                      |  | Marker should return to it's size and submission info sho       |
| NODK-618 | Display form submission! Tap on any marker on the map Rotate screen 3864   |  | Marker should be enlarged and instance info should be r         |
| NODK-618 | Display form submission! User opens Fill Blank Form User sees form with MapActivity available 4195   |  | Map icon has frame  |
| NODK-618 | Display form submission! User opens Fill Blank Form User clicks on Sort by icon User clicks on view map button User leaves the map using back button 4169                                |  | Sort by dialog is not visible                                   |
| NODK-618 | Display form submission! User opens Fill Blank Form User clicks on Search icon User clicks on view map button User leaves the map using back button 4169                                 |  | Sort by dialog is not visible                                   |

|          |                           |  |   |  |
|----------|---------------------------|--|---|--|
| NODK-618 | Display form submission!  | User uses Mapbox User fills a few forms with Geopoint widget User clicks on map icon next to form name Points are visible User tries to click on a point User is able to click on all available point on MapActivity           |   |  |
| NODK-252 | Languages                 | User opens Birds form on view with media on RTL language 2101  | Birds.xml   | View with media is mirrored from LTR.                          |
| NODK-252 | Languages                 | User opens 'All Widgets' form with RTL language. User opens Hierarchy view 1914  |   | Hierarchy view displays question list                          |
| NODK-252 | Languages                 | User changes forms language.   | (form in ticket <a href="https://github.com/opendatakit/collect">https://github.com/opendatakit/collect</a> ) | Arabic text should appear in right, English/Polish element     |
| NODK-252 | Languages                 | User sets the English language on Collect User downloads form - form has Added on ... information under the form name User sets the Spanish language on Collect Subtext is translated on the currently set language in Collect |   | Subtext is translated on the currently set language in Collect |
| NODK-252 | Languages                 | User sets the English language on Collect User fills some form User opens Edit Saved Form and sees subtext User sets the Spanish language on Collect Subtext is translated on the currently set language in Collect            |   | Subtext is translated on the currently set language in Collect |
| NODK-252 | Languages                 | User sets date in device Settings to 31st of July 2019 User open Collect and sets language to Spanish/Russian/Polish/Arabic language User chooses Error message is not visible List of forms to download is                    |   | Error message is not visible List of forms to download is      |
| NODK-252 | Languages                 | User opens Birds form on view with media on RTL language 4112  | Birds.xml   | Scroll bar does not overlap the text                           |
| NODK-252 | Languages                 | Spanish language is set on device English language is set on Collect 3029  |   | User fills form and clicks on Save icon -> Toast in English    |
| NODK-252 | Languages                 | User sets Collect's language to something other than English User enables auto send User fills out and finalize a form User sees notification 3988   |   | Notifications use the same language as the rest of the app     |
| NODK-252 | Languages                 | User uses ODK in some RTL language User opens 'Projects' dialog with a few projects 4736   |   | Margin is visible for inactive projects                        |
| NODK-248 | Fill Blank Form - Google  | User uses Google Sheets. User fills form with secondary instances, eg. Cascading Select Form 1444  | Cascading Select Form.xml   | Only primary instance are counted in the columns               |
| NODK-248 | Fill Blank Form - Google  | User sends finalized form using spreadsheet 753  |   | Unnecessary columns are removed                                |
| NODK-248 | Fill Blank Form - Google  | User sends finalized form with photo 442   |   | User is able to send photos to Google Sheets                   |
| NODK-248 | Fill Blank Form - Google  | User uses Google Sheets. User send form with repeated section 1385   | RepeatGoogleSheets.xml and fewRepeatGroupsGoc   | Repeat section is correctly represented in Sheets              |
| NODK-248 | Fill Blank Form - Google  | User uses Google Sheets and send form with nested repeat section 2063  | nested-indexed-repeat.xml and nRepeatsWithoutInst   | Repeat sections are correctly represented in Sheets. PAR       |
| NODK-248 | Fill Blank Form - Google  | Do not keep activities option is turned on. User sends finalized forms to Google Sheets. User sends OnePageFormSubmission.xml  | OnePageFormSubmission.xml   | Submission is not doubled on Google Sheets if the user r       |
| NODK-248 | Fill Blank Form - Google  | User uses Google Sheets and sends form with location. 1052   | GeolocationSheets.xml   | There are 3 columns for location: Point, altitude, accuracy    |
| NODK-248 | Fill Blank Form - Google  | User starts form and adds attachments. User sends form. 2221   | OnePageFormSubmission.xml   | Attachments are not represented as a hyperlink. Full URL       |
| NODK-248 | Fill Blank Form - Google  | User starts form and sends it to Google Sheet 2897   | mmr.xml rmf_validation_test.xml repeat_inside_regular   | Sheet for the repeated group is created and hyperlink shc      |
| NODK-248 | Fill Blank Form - Google  | User fills form in the first question selects options: 6, 2, 3 In the second question selects options SampleQuestions.xml  | SampleQuestions.xml   | Answers are not converted to date                              |
| NODK-248 | Fill Blank Form - Google  | User tries to send a form with attachment to Google Drive 'Submission' folder is duplicated on Google Drive User is informed that 'Multiple ... folders found'   |   | User is informed that 'Multiple ... folders found'             |
| NODK-248 | Fill Blank Form - Google  | User creates a spreadsheet using Excel (or a similar tool) User uploads it to GD User opens it using Google Sheets and generates a shareable URL Message: 'Failed. Records can only be submitted to spre                       |   | Message: 'Failed. Records can only be submitted to spre        |
| NODK-248 | Fill Blank Form - Google  | User fills form User adds few repeats group User sends form to Google Drive 3295   | repeatWithMedia.xml   | Clickable URL is available for media and for a sheet with      |
| NODK-229 | Basic criteria            | Open Collect app. User uses demo project/adds new one, user adds very long project name 3659   |   | Main Menu title should not be visible in the app head          |
| NODK-229 | Basic criteria            | User opens Collect app with added project User tries to open menu 4486   |   | User doesn't see an overflow menu Project dialog displa        |
| NODK-229 | Basic criteria            | Run automated tests What Android version?  |   | All automated tests finished with success                      |
| NODK-229 | Basic criteria            | User pre-load data into a new submission   | Sample-Preloading.xml Sample-SearchAndSelect.xn   | User is able to finish the form                                |
| NODK-229 | Basic criteria            | User uses external itemsets  | cascading_select_external_itemsets.xml  | User is able to finish the form                                |
| NODK-229 | Basic criteria            | User changes device orientation few times, quickly on views: Fill Blank Form, Edit Saved Form, View Sent Form, Get Blank Form 1412   | View Sent Form, Get Blank Form 1412   | App does not crash. User is able to continue work              |
| NODK-229 | Basic criteria            | User starts form with bunch of widgets on one page   | OnePageForm.xml   | User is able to add answer on all questions                    |
| NODK-229 | Basic criteria            | User starts form with bunch of widgets on one page with gps and image widget 1713  | OnePageForm.xml   | Selected image is always added even if location question       |
| NODK-229 | Basic criteria            | Verify that ODK Collect Intents Tester app works as expected   | collectTester   | Views and forms are opened correctly                           |
| NODK-229 | Basic criteria            | User opens external app like Tester app User is able to add URL and credentials (different than collectTester  | collectTester   | User is able to submit only finalized forms via Tester app     |
| NODK-229 | Basic criteria            | Fresh installations of the Collect and Collect Tester app are available on device User opens Col collectTester   |   | Sending form dialog is visible for a while Problem with m      |
| NODK-229 | Basic criteria            | User opens ODK Collect Intents Tester app. User opens DOWNLOAD FORM. User adds FORM_ID and clicks on DOWNLOAD FORM button 2339   |   | Form with added id is downloaded and visible in ODK Co         |
| NODK-229 | Basic criteria            | Verify form with back to back repeats  | repeatTest.xml  | Collect works as expected                                      |
| NODK-229 | Basic criteria            | Verify form with nested repeats User fills form and opens hierarchy view User rotates screen on nested-repeats.xml   | nested-repeats.xml  | Collect works as expected. The screen is not changing a        |
| NODK-229 | Basic criteria            | The app is closed in the middle of filling a form 4118   |   | User sees that autoseave is loaded and there is no data lo     |
| NODK-229 | Basic criteria            | User selects some form management settings and then updates collect version. 1660  |   | Option are NOT restored to default in updated collect ver      |
| NODK-229 | Basic criteria            | User uninstalls update of Google Play services and replaced the app with the factory version 2446  |   | User is able to fill form and send it                          |
| NODK-229 | Basic criteria            | User loads form in v1.22.0 User clears the form load cache from Admin Settings > Reset Appl nigeria_wards_internal.xml   |   | Loading was much faster both times                             |
| NODK-229 | Basic criteria            | User installs Kobo v1.14 which is older version of Collect User installs newest version of Collect User switch between both apps 3323  |   | Collect does not crash   |
| NODK-229 | Basic criteria            | Google Play services v12.5.27 is installed on device Newest Collect is installed 3329  |   | Form autoseed should work for both Aggregate and Geo           |
| NODK-229 | Basic criteria            | User opens any form on any text question User inputs text User clicks on Save icon User rota all widgets.xml   |   | Saving Form dialog should not show up and it should not        |
| NODK-229 | Basic criteria            | User opens external app like Tester app User does not add URL settings to CollectTester Use collectTester  |   | User is able to download form because CollectTester use        |
| NODK-229 | Basic criteria            | User downloads forms User downloads again the same forms 4357 4359   |   | Forms are available on Fill Blank Form list Behavior work      |
| NODK-229 | Basic criteria            | User adds/removes a few instances User opens screen, e.g.: Edit Saved, Send Finalized, View Sent and Delete Saved 4474   |   | Screen is updated Added/Removed instance is visible/n          |
| NODK-229 | Basic criteria            | User opens main screen User sees that Collect icon in the app bar at the top left is removed The app bar title with version (ODK Collect vx.y.z) is re   | The app bar title with version (ODK Collect vx.y.z) is re   | Mentioned changes are visible on version with projects         |
| NODK-229 | Basic criteria            | User looks at dialogs in app 4567  | Whole list of dialogs: <a href="https://github.com/getodk/collect">https://github.com/getodk/collect</a>      | New style of dialogs is visible One dialog style is implem     |
| NODK-217 | GeoPoint widget           | User opens GeoPoint question with no appearance. User adds location. 1859 2659   |   | After opening map view delete button should be disabled        |
| NODK-217 | GeoPoint widget           | User adds location   | All widgets.xml   | Put a value of accuracy and time needed to determine it.       |
| NODK-217 | GeoPoint widget           | User adds location. User sees 'Loading location' dialogs 2008  |   | User sees that Accuracy is < 10m                               |
| NODK-217 | GeoPoint widget           | User opens GeoPoint question with maps appearance 1615 2457  |   | User sees that option buttons occupy whole right area U        |
| NODK-217 | GeoPoint widget           | User clicks on crosshair button.   |   | The view zooms to show the whole area                          |
| NODK-217 | GeoPoint widget           | User opens map on Geopoint widget  |   | User notices: autozoom to the current location zoom to         |
| NODK-217 | GeoPoint widget           | User adds location 2940  |   | The user's location is displayed using a set of crosshairs     |
| NODK-217 | GeoPoint widget           | User selects 'Mapbox Maps SDK' 3074  |   | When APK is built with token, nice, smoothly zoomable v        |
| NODK-217 | GeoPoint widget           | User sets Mapbox as a map User opens Geopoint widget wit map appearance 3309   |   | 'null' is not visible in upper bar Location provider is recog  |
| NODK-217 | GeoPoint widget           | User sets OSM, USGS, Stamen or CARTO map User opens Geopoint widget User sees basemap attribution text at the bottom User zoom or rotate   |   | Basemap attribution text does not disappear                    |
| NODK-217 | GeoPoint widget           | User sets OSM map User opens map 3370  |   | Map is loaded  |
| NODK-217 | GeoPoint widget           | User opens offline layer dialog and rotates screen device 3786   |   | Dialog should not disappear after rotating the screen.         |
| NODK-217 | GeoPoint widget           | Open form Go to next question Click on View GeoPoint button 3977   | TestingGeoPointWidgetWithValues.xml   | GeoPoint Widget ReadOnly without maps and point shou           |
| NODK-217 | GeoPoint widget           | User starts form with GeoPoint widget with map User adds a point on map and saves answer on map User sees location in GeoPoint widget and cl   |   | User doesn't see map with previous point added                 |
| NODK-226 | Arbitrary widget          | User adds file 2135 3557   | arbitraryWidget.xml   | User is able to add: amr, ogg, m4a, mp3, 3gp, gif, jpeg, jr    |
| NODK-226 | Arbitrary widget          | User adds file from Google Drive 2258  |   | File is added  |
| NODK-226 | Arbitrary widget          | User opens form with readonly option in the ArbitraryWidget 2560   |   | readOnly option is supported in the ArbitraryWidget            |
| NODK-226 | Arbitrary widget          | User adds files from Downloads dir 2930  |   | User is able to add files Crash does not occur                 |
| NODK-227 | Rank widget               | User opens form with rank widget. 2180   | rank.xml filter-rank.xml  |  |
| NODK-227 | Rank widget               | User opens form with rank widget. 2334   |   | User sees "Rank items" button, after clicking on that user     |
| NODK-227 | Rank widget               | User opens form with rank widget. 2363   |   | Rank widget is visible as a dialog                             |
| NODK-227 | Rank widget               | User opens form with a few rank questions are in field-list 2552   |   | User is able to answer on all questions in form                |
| NODK-227 | Rank widget               | User opens form with readonly option in the Rank widget 2551   |   | ReadOnly option is supported in the Rank widget                |
| NODK-227 | Rank widget               | User rotates screen when ranking window opened. 2742   |   | App should not crash.  |
| NODK-227 | Rank widget               | User opens form User scrolls on the list 2983  | rank-field-list.xml   | Scroll on Rank list does not cause an unexpected disord        |
| NODK-227 | Rank widget               | User fills form User adds answer to rank widget 3487   | ranking_widget.xml  | Rank widget on field-list is supported                         |
| NODK-227 | Rank widget               | User opens question with rank widget User adds answer User edits answer User removes the answer 3663   |   | Answer should be added Answer should be updated imm            |
| NODK-227 | Rank widget               | Open rank widget question Click on Rank items button Minimize an app Restore it from the background 3910   |   | Rank dialog should display App should not crash Rank           |
| NODK-228 | SelectMultipleAutocompl   | User opens form with SelectMultipleAutocomplete widget. 2395   | SelectMultipleAutocomplete.xml  | User opens form with SelectMultipleAutocomplete widget         |
| NODK-3   | General Settings - User I | User uses User Interface view User rotates device 3915   |   | User interface header should not disappear after screen r      |
| NODK-3   | General Settings - User I | User changes language  |   | User is able to use Collect in selected language               |
| NODK-3   | General Settings - User I | User uses RTL language 1981  |   | User sees that Fill Blank Form, Edit Saved Form, Send Fi       |
| NODK-3   | General Settings - User I | User changes the text font size 3767   |   | User is able to use Collect in selected font size              |
| NODK-3   | General Settings - User I | User opens Navigation dialog in Dark Mode on Android 7. User changes navigation to 'Use forward/backward buttons' 2981   |   | Cancel button should be visible User is able to use only I     |
| NODK-3   | General Settings - User I | User changes navigation to 'Use swipe and buttons' 2981  |   | User is able to use buttons and swipes to navigate in form     |
| NODK-3   | General Settings - User I | User changes navigation to 'Use horizontal swipes'   |   | User swipes to navigate in form. Buttons are not visible       |
| NODK-3   | General Settings - User I | User chooses to shows splash screen when application starts user tries with default image user tries with his own image 3813   |   | User sees default or own image                                 |
| NODK-3   | General Settings - User I | User Maps preferences are not visible 3139   |   | Maps preferences are no longer part of User interface set      |
| NODK-3   | General Settings - User I | User changes language User closes app User reopens app 3776  |   | Language is not restored to default after reopen               |
| NODK-3   | General Settings - User I | User changes theme User closes app User reopens app 3776   |   | Theme is not restored to default after reopen                  |
| NODK-199 | Single Select Widget      | Open Select one Question. Select an answer Go forward Go backward 3664   | All widgets.xml ( be careful on Androids 5 and 6)   | Answer should be still selected after going backward           |
| NODK-199 | Single Select Widget      | User starts form with images with form="image" and form="big-image" attributes 1510  | select-icons.xml  | User is able to select an answer by clicking on an image       |

|          |                      |   |   |  |
|----------|----------------------|---|---|--|
| NODK-199 | Single Select Widget | User is on single select question with filtering, User adds filter. User changes device orientation   | 1427select.xml  | Filtering is still visible. Filter is not cleared.   |
| NODK-199 | Single Select Widget | User starts form. User selects options with space. User saves form. User opens saved form.  | 26 selectSpace2.xml   | Answers with space are visible   |
| NODK-199 | Single Select Widget | User starts form with question Select One Search Widget 1976  |   | User sees separator lines  |
| NODK-199 | Single Select Widget | User sees radio buttons. 2230   |   | Radio buttons are not black on a dark theme.   |
| NODK-199 | Single Select Widget | User sees few options 2241  |   | Options are separated by a light line on dark theme (check)  |
| NODK-199 | Single Select Widget | User opens TestColorChoices form. User goes to select one question. User chooses Yes/No   | TestColorChoices.xml  | An answer "Yes" should be green and answer "No" should be red  |
| NODK-199 | Single Select Widget | User starts form 3028   | selectTest3028.xml  | columns appearance - horizontal labels with buttons arranged   |
| NODK-199 | Single Select Widget | User starts form 3516   | selectTest3028.xml  | Padding is visible for select one widgets with appearance  |
| NODK-199 | Single Select Widget | User opens form. User goes to single select widget. User chooses Yes/No User swipes right   | style_example.xml   | An answer "Yes" should be green and answer "No" should be red  |
| NODK-199 | Single Select Widget | User opens form. User opens dropdown list. User chooses answer from the dropdown list.  | selectMinimal.xml   | Whole labels should be displayed on the dropdown list  |
| NODK-199 | Single Select Widget | User fills form with single select widgets 3413   |   | More space is visible between options Lines between options  |
| NODK-199 | Single Select Widget | User fills form. 3657   | selectTest.xml in selectTest folder on drive                    | There should not be much space between media and answers   |
| NODK-199 | Single Select Widget | User fills form 3725  | question-grid.xml   | Top margin is visible  |
| NODK-199 | Single Select Widget | User starts form 3752   | selectOne.xml   | Crash does not occur   |
| NODK-199 | Single Select Widget | Open select one widget with quick appearance Select one answer 3925   |   | Arrows should not be visible in the right side of the answer   |
| NODK-199 | Single Select Widget | Open select one appearance: compact no-buttons autocomplete Select one answer Rotate the screen   | selectTest3028.xml  | Only one, newly chosen answer should be selected.  |
| NODK-199 | Single Select Widget | Open select one type with minimal appearance question (spinner widget) Click on select answer   | selectAppearances.xml selectAppearancesWithMinimalTest.xml      | Spinner dropdown should not display New page should be displayed   |
| NODK-199 | Single Select Widget | Choose one answer Edit the answer Open view with answer Rotate the screen Rotate back to portrait minimize app get back to collect 3964   |   | The same answer should be selected after rotate and rotate back  |
| NODK-199 | Single Select Widget | Repeat steps 19 and 20 for all types of select one questions from both forms. 3964  |   | The results should be all the same.  |
| NODK-199 | Single Select Widget | Fill the answers Choose to edit any of chosen answers Click on back arrow Change previous answer  | nigeria_wards_internal_select_minimal.xml                       | User should be immediately back to questions It should be possible to edit answers                         |
| NODK-199 | Single Select Widget | Open Form Select answers Rotate device 4062   | search_and_select.xml nigeria_wards_internal_select_minimal.xml | None of answers should be doubled, none answers should be missing  |
| NODK-199 | Single Select Widget | User starts form User multi-clicks on field to open list 4201   | minimalTest4201.xml   | Opening multiple dialog with choices is not possible   |
| NODK-199 | Single Select Widget | User starts form with 'columns-pack' appearance 4203  | 4203selectColumns.xml   | Options in the first question are visible in a few columns, in the second question all options are visible |
| NODK-199 | Single Select Widget | User starts form User is able to fill form smoothly User opens last question Option list with irrelevant options  | 4232selectMinimalTest.xml                                       | Performance improvements is noticeable   |
| NODK-199 | Single Select Widget | 1. Open form, go through all questions 4270   | selects.xml form from drive and folder 4270selectSH             | questions with appearance: label should not have list of answers   |
| NODK-199 | Single Select Widget | User starts form with centered text in form 4371  | 4371centerText.xml  | Options are centered   |
| NODK-198 | Number Widget        | User fills form with appearance="thousands-sep" in integer, decima, stringNumber 1709   | thousands-separator.xml   | Thousands separator is visible in answer and in hierarchy  |
| NODK-198 | Number Widget        | User uses device in German/French/Dutch/English 1715  |   | Thousands separator is visible according to the locales  |
| NODK-197 | Range widget         | User fills Range Widget with type="xs:decimal" 105 3969   | range.xml   | Widget with decimal values   |
| NODK-197 | Range widget         | User fills Range Widget with type="xs:integer"  |   | Widget with integer values   |
| NODK-197 | Range widget         | User fills Range Widget with appearance not specified   |   | Widget in horizontal position with ticks is a default appearance   |
| NODK-197 | Range widget         | User fills Range Widget with appearance="no-ticks"  |   | Ticks are not visible  |
| NODK-197 | Range widget         | User fills Range Widget with appearance="picker"  |   | Dialog opens. User is able to select answer  |
| NODK-197 | Range widget         | User fills Range Widget with appearance="vertical" 1136   |   | Widget in vertical position with ticks   |
| NODK-197 | Range widget         | User fills Range Widget with appearance="vertical no-ticks"   |   | Widget in vertical position without ticks  |
| NODK-197 | Range widget         | User fills Range Widget with readonly="true"  |   | Axis should not be visible in readonly.  |
| NODK-197 | Range widget         | User starts form with Range Widget 1260   |   | Default value for range widget is null   |
| NODK-197 | Range widget         | User selects min value 1950   |   | Min value is visible   |
| NODK-197 | Range widget         | User uses RTL languages 1983  |   | RangeWidget works as expected on RTL languages   |
| NODK-197 | Range widget         | User adds some value different than min value 2115  |   | The min value is not visible for a moment  |
| NODK-197 | Range widget         | User sees vertical range widget 1262  |   | Blue bar is always visible   |
| NODK-197 | Range widget         | User starts form with RangeWidget with picker appearance User adds value 2481   |   | Values are bigger in medium size. It also reacts to change   |
| NODK-197 | Range widget         | User sees Range picker integer widget User opens dialog   |   | Number Picker dialog header can be translated to other languages   |
| NODK-197 | Range widget         | User fills all range widget modifications 3630  |   | Margin is visible on widgets   |
| NODK-200 | Multi Select Widget  | Open Select Multi Question. Select an answer Go forward Go backward 3664  | All widgets.xml ( be careful on Androids 5 and 6)               | Answer should be still selected after going backward   |
| NODK-200 | Multi Select Widget  | User fills Multi Select Widget with appearance="autocomplete" 1373  |   | User is able to filter options in multi select widget  |
| NODK-200 | Multi Select Widget  | User starts form with images with form="image" and form="big-image" attributes 1510   | select-icons.xml  | User is able to select an answer by clicking on an image   |
| NODK-200 | Multi Select Widget  | User is on multi select question with filtering, User adds filter. User changes device orientation  | 1427select.xml  | Filtering is still visible. Filter is not cleared.   |
| NODK-200 | Multi Select Widget  | User selects at least two options. User opens hierarchy view. 1839  |   | Selected options from select multiple questionnaire separator  |
| NODK-200 | Multi Select Widget  | User sees checkboxes 2230   | dark theme  | CheckBoxes are not black on a dark theme.  |
| NODK-200 | Multi Select Widget  | User sees few options 2241  |   | Options are separated by a light line on dark theme (check)  |
| NODK-200 | Multi Select Widget  | User fills form 4082  | multi-warning.xml   | User sees red warning  |
| NODK-200 | Multi Select Widget  | User starts form. User selects answer to first question 2284  | multi-warning.xml   | Toast does not appear  |
| NODK-200 | Multi Select Widget  | User is on select_multi type with autocomplete appearance. User selects one option and then searches other option 2681  |   | Unexpected options are not selected  |
| NODK-200 | Multi Select Widget  | User starts form 3028   | selectTest3028.xml  | columns appearance - horizontal labels with buttons arranged   |
| NODK-200 | Multi Select Widget  | User starts form 3516   | selectTest3028.xml  | Padding is visible for select multiple widgets with appearance   |
| NODK-200 | Multi Select Widget  | User opens form. User goes to multiple select widget. User chooses Yes/No/both User swipes right  | style_example.xml   | An answer "Yes" should be green and answer "No" should be red  |
| NODK-200 | Multi Select Widget  | User fills form with multi select widgets 3413  |   | More space is visible between options Lines between options  |
| NODK-200 | Multi Select Widget  | User selects item in no-button appearances User goes to next questions and navigates back User clicks again on selected icon 3927   |   | The orange frame disappears after clicking on a selected item  |
| NODK-200 | Multi Select Widget  | Open select multiple type with minimal appearance question (spinner widget) Click on select answer  | selectAppearances.xml selectAppearancesWithMinimalTest.xml      | Spinner dropdown should not display New page should be displayed   |
| NODK-200 | Multi Select Widget  | Choose one answer Edit the answer Open view with answer Rotate the screen Rotate back to portrait minimize app get back to collect 3964   |   | The same answer should be selected after rotate and rotate back  |
| NODK-200 | Multi Select Widget  | Repeat steps 18 and 19 for all types of select multi questions from both forms. 3964  |   | The results should be all the same.  |
| NODK-200 | Multi Select Widget  | User opens select multiple minimal type widget User selects 2 answers User goes back User edits answer to different - deselect at least one current answer  | minimalTest4201.xml   | Newly chosen answers should be visible, not old ones   |
| NODK-200 | Multi Select Widget  | User starts form User multi-clicks on field to open list 4201   |   | Opening multiple dialog with choices is not possible   |
| NODK-200 | Multi Select Widget  | Open any select multiple with minimal appearance Select 2 answers Go back to question Open select multiple with minimal appearance Select 2 answers Go back to question Open select multiple with minimal appearance Select 2 answers Go back to question | selectAppearancesWithMinimalTest in 3964-minimalTest            | All selected answers should be visible, nothing should be missing  |
| NODK-200 | Multi Select Widget  | Open any select multiple with minimal appearance Select 2 answers Go back to question Open select multiple with minimal appearance Select 2 answers Go back to question   | selectAppearancesWithMinimalTest                                | All selected answers should be visible, nothing should be missing  |
| NODK-201 | Date widget          | User quickly clicks the button several time 1624 1723   |   | User is not able to open two answer dialogs.   |
| NODK-201 | Date widget          | User starts form with Ethiopian calendar. 1330  | All widgets.xml or 1330ethiopian.xml                            | Ethiopian calendar is available User should be able to choose  |
| NODK-201 | Date widget          | User starts form with Coptic calendar 1576 2747   | All widgets.xml or 1576coptic.xml                               | Coptic calendar is available User should be able to choose   |
| NODK-201 | Date widget          | User starts form with Islamic calendar 1661   | All widgets.xml or islamic.xml                                  | Islamic calendar is available. User should be able to choose   |
| NODK-201 | Date widget          | User starts form with Gregorian calendar  | All widgets.xml   | Gregorian calendar is available. User should be able to choose   |
| NODK-201 | Date widget          | User starts form.   | ShowTime.xml  | User sees date and TIME  |
| NODK-201 | Date widget          | User sets only one value (date of time) to required date question and tries to go forward. 2054   | dateTimeTest.xml  | User is not able to go forward with only one value added.  |
| NODK-201 | Date widget          | User sets both values (date and time) to required date question and tries to go forward.  |   | User is able to go forward when both values are added.   |
| NODK-201 | Date widget          | User starts form with Nepali calendar 2620  | nepali.xml  | Nepali calendar is available.  |
| NODK-201 | Date widget          | User opens Islamic/Coptic/Ethiopian or Nepali widget. User clicks on select date. User chooses a date (but do not click on OK button) Select date   |   | Chosen date should be displayed on Select date window  |
| NODK-201 | Date widget          | User goes to Date time widget User clicks on both buttons 3032  |   | Only one dialog is visible   |
| NODK-201 | Date widget          | User starts form with Myanmar calendar 2662 3777  | myanmar.xml   | Myanmar calendar is available. Crash does not occur User   |
| NODK-201 | Date widget          | User starts form with Persian calendar 3131   | PersianForm.xml   | Persian calendar is available. User should be able to choose   |
| NODK-201 | Date widget          | User opens calendar with no appearance 3750   |   | Calendar has blue elements on light mode Calendar has  |
| NODK-201 | Date widget          | User opens Date time widget User opens dialog to remove response in a line with added date or time 3770   |   | Remove response option is not doubled  |
| NODK-202 | Time widget          | User adds time to question. User changes device time zone. User returns to time question. 130 All widgets.xml   |   | User opens time picket and sees a correct, default time  |
| NODK-202 | Time widget          | Open any form with the TimeWidget Click on the current hour/minute to open the keyboard Edit the value and click ok (without clicking ok/accept)  |   | Time should be updated properly even if a user clicks just   |
| NODK-203 | Location widgets     | User search a location 1336   | All widgets.xml   | User is able to find location in 'GPS Only' mode. User sees  |
| NODK-203 | Location widgets     | User is on view with map. User scrolls icons. 1181  |   | There is no extra space between grey header and icons. I   |
| NODK-203 | Location widgets     | User opens location dialog 54   |   | User sees information about number of available satellite  |
| NODK-203 | Location widgets     | User sees map with dark theme 2241  |   | Location icon is black (check all Location widgets with m  |
| NODK-203 | Location widgets     | User starts form. User goes to 3rd question. 2081   | placement-map.xml   | Question is opened with map User is able to add location   |
| NODK-203 | Location widgets     | User starts form with GeoPointWidget with placement-map appearance 2457   |   | User selects location  |
| NODK-203 | Location widgets     | Language other than English is set on device. User starts form with GeoTrace widget. User selects 'Automatic Mode' 2264   |   | User sees that 'seconds' and 'minutes' words are translated  |
| NODK-203 | Location widgets     | User opens some Geo Widget with Google map User immediately changes device orientation 2982   |   | User is able to continue work Collect does not crash   |
| NODK-203 | Location widgets     | User LOGCAT User opens widget with map Location is set User saves location and close map Check GeoPoint, GeoTrace and GeoShape Check App does not try to find better location - location is not updated   |   |  |

|          |   |   |   |   |
|----------|---|---|---|---|
| NODK-203 | Location widgets  | OSM is set as a Source User opens widget with map 3254  |   | OpenStreetMap displays correctly Offline layers are able      |
| NODK-203 | Location widgets  | User opens map on GeoPoint / GeoTrace / GeoShape User clicks on Offline Layer icon 3442 3777  |   | Dialog with offline layers appears Crash does not occur       |
| NODK-203 | Location widgets  | User uses Mapbox Some offline layer is set User fills the form with some Geo widget with map User opens layers dialog User selects None 3482  |   | The offline layer is disabled                                 |
| NODK-203 | Location widgets  | User goes to General Settings -> Maps User sets Google map style as Streets or Satellite User sets some offline layer User goes to form and opens: Google labels are not visible when offline layer is set Ma |   | Accuracy is always 0 Fake accuracy is not visible on Ma       |
| NODK-203 | Location widgets  | Offline map is set Internet connection is not available User opens Geo widget with map as a first time 3804   |   | The set Offline layer is applied even if Geo widget wasn't    |
| NODK-203 | Location widgets  | User opens Select Layer Dialog on Geo widget User rotates device orientation 3786   |   | Dialog does not disappear                                     |
| NODK-203 | Location widgets  | User installs the fresh app without internet connection. User selects Mapbox in General Settings -> Maps. User goes to All widgets form and opens   |   | Crash does not occur  |
| NODK-203 | Location widgets  | User opens Geopoint with placement-map / maps appearance User opens Geotrace widget User opens Geoshape widget 3772   |   | Google Maps - Provider location: fused; OSM - Location        |
| NODK-203 | Location widgets  | User uses Fake GPS location app User fills form with all Geo widgets User adds location to all Fake GPS location app is needed  |   | Accuracy is always 0 Fake accuracy is not visible on Ma       |
| NODK-203 | Location widgets  | User opens OSM Widget 4033  | buildings_example.xml all widgets                     | User sees padding for the Launch OpenMapKit button U          |
| NODK-208 | URL widget  | User starts form with URL Widget 1221   | All widgets.xml                                       | User is able to open URL Widget. App does not crash.          |
| NODK-208 | URL widget  | User starts form with URL Widget 4025   |   | Website address is not visible under the button               |
| NODK-209 | Draw widget   | User clicks on device back button during creating a draw AUTOMATED 1494   |   | User sees Save/Ignore dialog with icons User should be        |
| NODK-209 | Draw widget   | User want to change color AUTOMATED 1907  |   | User sees new color picker                                    |
| NODK-209 | Draw widget   | User clicks on the '+' icon to extend the menu. Options have icons User clicks again on '+' to collapse menu User clicks on '+' once again AUTOM.   | Options have icons 2858                               | Options have icons 2858                                       |
| NODK-211 | Signature widget  | User clicks on device back button during creating a signature AUTOMATED 1494  | All widgets.xml                                       | User sees Save/Ignore dialog with icons                       |
| NODK-211 | Signature widget  | User clicks on the '+' icon to extend the menu. Options have icons User clicks again on '+' to collapse menu User clicks on '+' once again AUTOM.   | Options have icons 2858                               | Options have icons 2858                                       |
| NODK-211 | Signature widget  | User opens form with default image defined (path described: jr://images/photo) Click on Gather defaultImage_pictures.xml  |   | Image should be displayed in the form as chosen by defa       |
| NODK-211 | Signature widget  | Fill another submission and do not use Gather Signature button.   |   | Media file should not be visible in the instance folder       |
| NODK-211 | Signature widget  | User opens form with default image defined, path defined incorrectly 3579   | defaultImage_nopictures.xml                           | Image should not be displayed in the form.                    |
| NODK-207 | Cascading Select  | User starts form with cascading select where column headers start with a number AUTOMATED numberInCSV.xml   |   | User is able to fill this form. User does not see unexpect    |
| NODK-212 | Barcode widget  | User opens Barcode Scanner 1304 4032  |   | User sees a button which turn on a flashlight in barcode s    |
| NODK-212 | Barcode widget  | User opens front camera Barcode scanner 4087  | barcodes.xml  | User is able to use barcode scanner in front camera.          |
| NODK-212 | Barcode widget  | User scans inverted QR code 3622  | https://drive.google.com/open?id=12qHwU5rDyE7xR       | User is able to scan inverted QR code                         |
| NODK-212 | Barcode widget  | User scans inverted QR code via front camera 3622   | https://drive.google.com/open?id=12qHwU5rDyE7xR       | User is able to scan inverted QR code                         |
| NODK-212 | Barcode widget  | User goes to Barcode widget 4164  |   | Margin for buttons is visible                                 |
| NODK-210 | Annotate widget   | User clicks on device back button during marking on a photo 1494  | NewAppearance.xml                                     | User sees Save/Ignore dialog with icons                       |
| NODK-210 | Annotate widget   | User edits photo in horizontal/vertical orientation 1558  |   | Widget recognizes photo orientation and editing view is fi    |
| NODK-210 | Annotate widget   | User starts form with image widget with appearance="annotate new" 108   |   | Choose image is not available for appearance="annotate        |
| NODK-210 | Annotate widget   | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  |   | User sees permission dialog                                   |
| NODK-210 | Annotate widget   | User clicks on the '+' icon to extend the menu. Options have icons User clicks again on '+' to collapse menu User clicks on '+' once again  |   | Options have icons 2858                                       |
| NODK-210 | Annotate widget   | User opens form with default image defined (path described: jr://images/photo) Click on Marku defaultImage_pictures.xml   |   | Image should be displayed in the form as chosen by defa       |
| NODK-210 | Annotate widget   | Fill another submission and do not use Markup button.   |   | Media file should not be visible in the instance folder       |
| NODK-210 | Annotate widget   | User opens form with default image defined, path defined incorrectly 3579   | defaultImage_nopictures.xml                           | Image should not be displayed in the form.                    |
| NODK-210 | Annotate widget   | User opens Annotate widget with default image described Default media are deleted User sees annotate widget with default image 3701   |   | Markup Image button is inactive. Markup Image button s        |
| NODK-215 | GeoTrace Widget   | User opens map view 2659 3922   |   | After opening map view delete button should be disabled       |
| NODK-215 | GeoTrace Widget   | User adds locations manually (Google Maps/OSM (go to step 2 first) 1459 User opens OSM n  | All widgets.xml                                       | Altitude and accuracy are 0.0 when location is added ma       |
| NODK-215 | GeoTrace Widget   | User uses GeoTrace automatic mode.  |   | User is able to zoom and save results of automatic mode       |
| NODK-215 | GeoTrace Widget   | User selects offline basemaps 1610 User rotates the screen 2647   |   | Offline basemaps is selected in Layer Choice of offline b     |
| NODK-215 | GeoTrace Widget   | User uses Collect with targetSdkVersion set to 23. User tries to add location. 2321   |   | User sees permission dialog                                   |
| NODK-215 | GeoTrace Widget   | User chooses View or Change GeoTrace button.  |   | Saved feature should be zoomed.                               |
| NODK-215 | GeoTrace Widget   | User deletes added features. User adds new features.  |   | User should be able to delete added feature and create a      |
| NODK-215 | GeoTrace Widget   | User adds the feature using manual mode. (using Google maps) User rotate the screen User adds points User pauses recording of the point User r  |   | None recorded data are lost after rotating the screen         |
| NODK-215 | GeoTrace Widget   | User deletes saved feature User rotates the screen 2492   |   | Recorded data shouldn't be restored.                          |
| NODK-215 | GeoTrace Widget   | User starts automatic mode of recording points. User rotates the screen User pauses automatic mode User rotates the screen User continues autk  |   | None of recorded data are lost after screen rotation.         |
| NODK-215 | GeoTrace Widget   | User deletes saved feature User rotates the screen  |   | Deleted feature is not restored after screen rotation         |
| NODK-215 | GeoTrace Widget   | User repeats steps from 10-13 for OSM maps.   |   | The results should be the same                                |
| NODK-215 | GeoTrace Widget   | User opens map on Geotrace widget   |   | User notices: autozoom to the current location the first p    |
| NODK-215 | GeoTrace Widget   | User opens map 2904   |   | Right scroll bar for buttons is visible only when it is neede |
| NODK-215 | GeoTrace Widget   | User rotates device many times quickly 2856   |   | Collect does not crash  |
| NODK-215 | GeoTrace Widget   | User adds few points User clicks on Backspace button to remove the last point 2890  |   | Backspace button is visible Backspace button is active v      |
| NODK-215 | GeoTrace Widget   | User adds few points User clicks on Trash icon and confirmed clearing 2890  |   | Backspace button is inactive                                  |
| NODK-215 | GeoTrace Widget   | User adds point User clicks on Pause User clicks on 'Zoom' button User clicks to add point 2896   |   | Pause button is visible                                       |
| NODK-215 | GeoTrace Widget   | User starts tracking location 2891  |   | GPS feedback and collection feedback are visible User s       |
| NODK-215 | GeoTrace Widget   | User starts tracking location in automatic mode 2891  |   | User is able to set accuracy User is able to set NONE ac      |
| NODK-215 | GeoTrace Widget   | User opens map on Geotrace widget 2933 2976   |   | New Input method dialog with Placement by tapping opti        |
| NODK-215 | GeoTrace Widget   | User adds location 2940   |   | The user's location is displayed using a set of crosshairs    |
| NODK-215 | GeoTrace Widget   | User sets input method to "Placement by tapping" User moves the map and the current position isn't on the screen 2973   |   | The map stays where the user has moved it unless the cr       |
| NODK-215 | GeoTrace Widget   | User adds location 3078   |   | Save geotrace as polygon is not available                     |
| NODK-215 | GeoTrace Widget   | User selects 'Mapbox Maps SDK' 3074   |   | When APK is built with token, nice, smoothly zoomable v       |
| NODK-215 | GeoTrace Widget   | User opens widget User plays around with Input methods (setting them, deleting them, changing them) User recenters the map User saves geoloc  |   | GPS location accuracy should always have number with :        |
| NODK-215 | GeoTrace Widget   | User opens map on User selects Automatic location recording option User opens Accuracy requirement options 3378   |   | Scroll is available and the user is able to select None easi  |
| NODK-215 | GeoTrace Widget   | Open Geotrace widget on Android 5.1 Open Input method dialog Click on Automatic location recording Rotate screen 3609   |   | The whole dialog should be visible. Scroll should be visit    |
| NODK-215 | GeoTrace Widget   | Open GeoTrace widget Start Automatic location recording 3976  |   | Record a point button should not be visible                   |
| NODK-215 | GeoTrace Widget   | Open GeoTrace widget Select Automatic location recording 4049 Select automatic mode again Set recording interval to 1 second and accuracy r   |   | First point should be recorded immediately                    |
| NODK-215 | GeoTrace Widget   | User opens map view for widget User selects Manual location recording as a Input method 4172  |   | Record a point is visible as a button                         |
| NODK-215 | GeoTrace Widget   | User opens GeoTrace/GeoShape widget readonly with points User opens map view User clicks back button to leave map 4470  |   | Discard changes dialog is not visible for read-only Geo w     |
| NODK-215 | GeoTrace Widget   | User goes to Geotrace widget User records and saves points and moves back to Geotrace widget screen User can see no space between points U  |   | User does NOT see spaces between points in Geotrace v         |
| NODK-215 | GeoTrace Widget   | User goes to Geotrace widget User records and saves points and moves back to Geotrace widget screen 4470  |   | The semicolon at the end is not visible                       |
| NODK-215 | GeoTrace Widget   | User installs Collect User downloads form with Geotrace widget User clicks on Start GeoTrace button User is asked about location permission Usi   |   | User is moved to view with map Map appears when perm          |
| NODK-662 | Get Blank Form - Central  | Download those forms from Central. (ex. project 70) ! Use all forms ! 3639 3666   | neighbourhood last saved image.xml neighbourhood      | Forms should be successfully downloaded and visible on        |
| NODK-662 | Get Blank Form - Central  | User uses Central as a server User fills all question in form User sends submission 3038 353 media.xml  |   | All attachments are available on Central                      |
| NODK-662 | Get Blank Form - Central  | User scans the code with Central access User downloads Form with external CSV files.xml U: Central, project 271   |   | Error is not visible User is able to download form            |
| NODK-662 | Get Blank Form - Central  | User scans QR code User downloads form Form with external CSV file User goes to the main QR codes in issue https://github.com/getodk/collect  |   | Information about the form update is NOT visible              |
| NODK-662 | Get Blank Form - Central  | User tests a draft version on Central New version of form is added to Central - with the same formId/version 4281   |   | User is able to download this form                            |
| NODK-662 | Get Blank Form - Central  | User downloads form with media During downloading this form -> airplane mode is turned on Downloading fails 4333  |   | Form is not available on Fill Blank Form list                 |
| NODK-377 | External/Internal second; Open external_select_10 form. AUTOMATED                                     |   | forms from External secondary instances folder        | User should be able to open and fill the form.                |
| NODK-377 | External/Internal second; Open internal_select_10 form.   |   | forms from External secondary instances folder        | User should be able to open and fill the form.                |
| NODK-377 | External/Internal second; User fills form that has a select from internal secondary instance in v1.30 | User upgrades to v21 select-one-instance.xml  |   | When upgrading from v1.30, select questions continue to       |
| NODK-377 | External/Internal second; User downloads a form on v1.30.1  | User saves filled form User upgrades to current version 4 fasteExternalltemsets   |   | Choices are visible   |
| NODK-318 | Read-only questions   | User goes through all-widgetsReadOnly.xml form.   |   | Widgets like: BearingWidget ImageWidget DrawWidget A          |
| NODK-318 | Read-only questions   | User fills form 3105  | all-widgets3105.xml                                   | RatingWidget is not editable                                  |
| NODK-318 | Read-only questions   | User fills form 3105  | selectTest3105.xml                                    | Answers not editable  |
| NODK-318 | Read-only questions   | User starts a form with read-only questions User opens Select one/multi widget with image-map appearance 3697   |   | User is not able to add an answer                             |
| NODK-318 | Read-only questions   | User fills form 4228  | 4228all-widgets-read-only-field-list.xml 4228all-widg | Read-only binary questions have no spacing below the q        |
| NODK-318 | Read-only questions   | User starts form 4228all-widgets-read-only.xml User goes to read-only Select one widget or Select multi widget with autocomplete appearance Use   |   | The keyboard is not opened when the search field is not i     |
| NODK-245 | Fill Blank Form - Auto Se   | User uses form with auto-send attribute 1952  |   | Only auto-send attribute causes sending form. auto-send       |
| NODK-245 | Fill Blank Form - Auto Se   | User fills form with configuration: Auto Send - Off; Delete after send - Off; auto-delete="true"; auto-send="true" 791 1750   |   | Form is auto sent and removed from device. There is no c      |
| NODK-245 | Fill Blank Form - Auto Se   | User fills form with configuration: Auto Send - On; Delete after send - On; auto-delete="false"; auto-send="false" 791 1750   |   | Form need to be manually selected to send. User can opi       |
| NODK-245 | Fill Blank Form - Auto Se   | User fills form with configuration: Auto Send - On; Delete after send - Off; auto-delete="true"; auto-send="false" 791 1750   |   | Form need to be manually selected to send. There is no c      |
| NODK-245 | Fill Blank Form - Auto Se   | User fills form with configuration: Auto Send - Off; Delete after send - On; auto-delete="false"; auto-send="true" 791 1750   |   | Form is auto sent. User can open form in 'View Sent Form      |
| NODK-246 | Fill Blank Form - Audit fil   | User loads form with audit 1340   | audit-test-orx.xml                                    | ODK does not crashes. User is able to use this form           |

|          |                             |   |   |  |
|----------|-----------------------------|---|---|--|
| NODK-246 | Fill Blank Form - Audit fil | User starts form, user jumps to other question 2113   | Audit.xml   | end time is included in the jump event                         |
| NODK-246 | Fill Blank Form - Audit fil | User adds string longer than 2 characters in text question 2111   |   | end screen event shows end time when followed by cons          |
| NODK-246 | Fill Blank Form - Audit fil | User starts filling form and saves it. User opens the saved form 2136   |   | jump event is logged after opening saved form                  |
| NODK-246 | Fill Blank Form - Audit fil | User fills and sends form. User opens the form from View Sent Form list 2134  |   | audit.csv file is NOT affected when opening a sent form fr     |
| NODK-246 | Fill Blank Form - Audit fil | User starts form Form logs location coordinates in the background 2772  | AuditTestLocationBackground   | Track Location option in menu is visible only when expect      |
| NODK-246 | Fill Blank Form - Audit fil | User starts form Form logs location coordinates in the background 2772  |   | Events are logged location tracking enabled location track     |
| NODK-246 | Fill Blank Form - Audit fil | User starts form Form logs location coordinates in the background 2772  |   | Logs contains END date for first question Latitude Long        |
| NODK-246 | Fill Blank Form - Audit fil | User disables/enables gps in devices settings when filling the forms. 3210  | AuditTest.xml   | location tracking enabled and location tracking disabled       |
| NODK-246 | Fill Blank Form - Audit fil | User starts form Form logs location coordinates in the background 2772  |   | User is informed that location is tracked User sees bar w      |
| NODK-246 | Fill Blank Form - Audit fil | User starts form Form logs location coordinates in the background Location provider is turned off 2772  |   | User is informed that location provider is disabled User s     |
| NODK-246 | Fill Blank Form - Audit fil | User fills all answers User changes responses 3072  | trackingChangesAndLocationTestForm.xml.txt  | Answers are track in Audit file Changing responses are re      |
| NODK-246 | Fill Blank Form - Audit fil | User starts the form: User fills all questions User clicks on Save Form and Exit button User g  | trackingChangesAndLocationTestForm.xml.txt  | Audit file shows proper information                            |
| NODK-246 | Fill Blank Form - Audit fil | User fills text question User adds new lines, comma and text in quotes after the comma 3113   | trackingChangesAndLocationTestForm.xml.txt  | Value in text question is represented in one cell in Audit fi  |
| NODK-246 | Fill Blank Form - Audit fil | User fills form Tracking location is disabled 3102  | trackingChangesAndLocationTestForm.xml.txt  | Answers (old-value, new-value) are added in correct plac       |
| NODK-246 | Fill Blank Form - Audit fil | User fills form User adds few groups User analyzes Audit file 3231  | 3231nested-repeats-for-audit.xml 3231audit-group-   | Groups do not have [...]. Repeat groups contain informa        |
| NODK-246 | Fill Blank Form - Audit fil | User starts form User clicks on save icon and then adds answer User finishes form and opens   | 3231test_audit_repeats.xml  | Audit file contains changes for question if edited after sav   |
| NODK-246 | Fill Blank Form - Audit fil | User adds values on quotes in string field, e.g. Mars "the Red Planet" 4472   | trackingChangesAndLocationTestForm.xml  | Values in quotes are visible in audit file                     |
| NODK-288 | Counter external app        | User uses counter external app. User clicks on launch button.   | <a href="https://github.com/opedatakit/counter/blob/master/https://github.com/opedatakit/counter/blob/master/">https://github.com/opedatakit/counter/blob/master/</a> | Each click on launch button is counted properly.               |
| NODK-288 | Counter external app        | 1. User starts form 2. User opens counter app 3. User sees full message 3120  | counter3120.xml Message: /^[a-z0-9_\-]*/@([da-z   | Full message is visible even if comma is in parameter          |
| NODK-2   | General Settings - Server   | User opens Server Settings and chooses Google Drive and deny permissions in Dark Mode o Android 7 1801  | User chooses Google Drive, Google   | "Get accounts permission" dialog message should displa         |
| NODK-2   | General Settings - Server   | User clicks on Ok button. User chooses Google account User clicks on back button User clicks multiple times on Google account User rotates scr          | User is able to go back to General Settings. Google acc   | User is able to go back to General Settings. Google acc        |
| NODK-2   | General Settings - Server   | User uses Google Drive, Google Sheets   | User is able to go back to Google account and fallback submiss  | Add Account' option is visible                                 |
| NODK-2   | General Settings - Server   | User sees pop up to select Google account 1386  | Add Account' option is visible  | Add Account' option is visible                                 |
| NODK-2   | General Settings - Server   | User creates new Google account. User sends form to Sheets  | User sees permission request User allows and form is se   | User sees permission request User allows and form is se        |
| NODK-2   | General Settings - Server   | User sets Google Sheets as a server and selects a Google account. User goes device's settings and then navigate to the Google account manager.          | ODK Collect does not crash The dialog 'Google Account   | ODK Collect does not crash The dialog 'Google Account          |
| NODK-2   | General Settings - Server   | User goes to Settings, Server User chooses type Google Drive, Google Sheets User clicks on Google account User clicks on Deny in the permissio          | Google account window displays  | Google account window displays                                 |
| NODK-230 | Fresh run                   | User installs Collect 1.30.1, user sets server, and some other settings. User upgrades with the newest version with multiple project support from Pla   | Settings are still set after the upgrade. Project is created i  | Settings are still set after the upgrade. Project is created i |
| NODK-230 | Fresh run                   | User uses Collect with targetSdkVersion set to 23. Google Drive is set as a server The user opens some view like eg.Get Blank Form. Permission is       | Collect does not crash. User is able to continue work   | Collect does not crash. User is able to continue work          |
| NODK-230 | Fresh run                   | User opens Collect first time after installation User is not asked about storage permission 4297  | Storage permission is not needed when scoped storage i  | Storage permission is not needed when scoped storage i         |
| NODK-233 | Update / Downgrade          | User updates 1708   | User sees that 'Moving backwards' option is checked aft   | User sees that 'Moving backwards' option is checked aft        |
| NODK-233 | Update / Downgrade          | User installs version with old database. User updates to current version  | User is able to use app with updated database.  | User is able to use app with updated database.                 |
| NODK-233 | Update / Downgrade          | User is using an older version of Collect User upgrades to the version with projects User open  | <a href="https://test.getodk.org/v1/key/fkdksajfaicehfnelsajfk/">https://test.getodk.org/v1/key/fkdksajfaicehfnelsajfk/</a>   | User never sees a page offering to create a new project c      |
| NODK-262 | Delete Saved Form           | User clicks quickly on 'Delete Saved Form' button in main menu several times 1630   | Quickly click on Delete Saved Form button and then click quick  | Delete Saved Form list is not opened two times Delete S        |
| NODK-262 | Delete Saved Form           | 1769 Switch tabs from Saved Forms to Blank Forms 3919   | Progress bar is visible. Saved Forms and Blank Forms ta   | Progress bar is visible. Saved Forms and Blank Forms ta        |
| NODK-262 | Delete Saved Form           | User sees list of forms 1489  | New icons are visible Delete Saved Form / Saved Forms:  | New icons are visible Delete Saved Form / Saved Forms:         |
| NODK-262 | Delete Saved Form           | User sees list of forms 2825  | Forms are sorted alphabetically even if form names starts   | Forms are sorted alphabetically even if form names starts      |
| NODK-262 | Delete Saved Form           | User has a lot of saved forms. User selects all forms and deletes them. 1258  | User sees progress dialog   | User sees progress dialog                                      |
| NODK-262 | Delete Saved Form           | User opens 'Blank Forms' tab. User taps on Search icon. User searches for any form. User selects checkbox. User taps on "Clear All" and clicks on :     | Unselected form stays unselected  | Unselected form stays unselected                               |
| NODK-262 | Delete Saved Form           | User opens 'Blank Forms' tab. User taps on Search icon. User searches for any form. User selects checkbox. User sees "Clear All" button but clicks      | User sees all form list. User sees 'Select All' button  | User sees all form list. User sees 'Select All' button         |
| NODK-262 | Delete Saved Form           | User opens Blank Forms view. User clicks on search icon and adds text. User sees searched forms and clicks Select All button. User clicks on X or <     | Forms are selected on view with all forms   | Forms are selected on view with all forms                      |
| NODK-262 | Delete Saved Form           | User opens 'Blank Forms' tab. 1273  | User sees information about version   | User sees information about version                            |
| NODK-262 | Delete Saved Form           | Dark mode is set User goes to Delete Saved Form view User sees the line under Saved Forms and Blank Forms 3760  | Color of the line under the Saved Forms and Blank Forms   | Color of the line under the Saved Forms and Blank Forms        |
| NODK-262 | Delete Saved Form           | Delete all Saved Forms Delete all Blank Forms 3843 4521   | Progress dialog should display Deleted forms and submi  | Progress dialog should display Deleted forms and submi         |
| NODK-262 | Delete Saved Form           | Don't keep activities is turned on Go to Delete Saved Forms/Blank Forms Select All Click on Delete Selected Minimize an app Go back to App 3f           | Progress dialog should be visible Progress bar on progre  | Progress dialog should be visible Progress bar on progre       |
| NODK-262 | Delete Saved Form           | Download any form from any server (Aggregate/Central) Fill submission Send submission Delete saved form and blank form Go to form folder 402f           | Form should not be visible in form folder   | Form should not be visible in form folder                      |
| NODK-262 | Delete Saved Form           | Go back to Collect/Fill Blank Form list and Go to Get Blank form Download the same form once again Fill the form 4028                                   | Fill Blank form should be empty (deleted form should not  | Fill Blank form should be empty (deleted form should not       |
| NODK-262 | Delete Saved Form           | User uses Google Drive as a server User downloads form User fills downloaded form User goes to Delete Saved Form and removes the form User              | The form is visible, user is able to fill it  | The form is visible, user is able to fill it                   |
| NODK-258 | View Sent Form              | User clicks quickly on 'View Sent Form' button in main menu several times 1630  | Quickly click on View Sent Form button and then click quickly aga   | View Sent Form list is not open two times View Sent For        |
| NODK-258 | View Sent Form              | 1769  | Progress bar is visible.  | Progress bar is visible.                                       |
| NODK-258 | View Sent Form              | User sees list of forms 1489  | Forms are sorted alphabetically even if form names starts   | Forms are sorted alphabetically even if form names starts      |
| NODK-258 | View Sent Form              | User opens view 2825  | New icons are visible for visible and deleted forms   | New icons are visible for visible and deleted forms            |
| NODK-258 | View Sent Form              | User sees a long list of forms -> scroll is visible A few forms are deleted User scrolls 2957   | Forms that were sent and not deleted should not be gray   | Forms that were sent and not deleted should not be gray        |
| NODK-258 | View Sent Form              | User sets the Czech language in the device Deleted submissions are visible in View Sent Forms list User clicks on some deleted submission 3006          | Collect does not crash Toast is visible in the Czech langu  | Collect does not crash Toast is visible in the Czech langu     |
| NODK-258 | View Sent Form              | User fills submission User sends it User waits a few minutes User deletes submission User opens View Sent Form 4530                                     | Time for send action and delete action are different  | Time for send action and delete action are different           |
| NODK-256 | Edit saved form             | User clicks quickly on 'Edit Saved Form' button in main menu several times 1630   | Quickly click on Edit Saved form button and then click quickly aga  | Edit Saved Form list is not open two times Edit Saved Fo       |
| NODK-256 | Edit saved form             | 1769  | Progress bar is visible.  | Progress bar is visible.                                       |
| NODK-256 | Edit saved form             | User sees list of forms 1489  | Forms are sorted alphabetically even if form names starts   | Forms are sorted alphabetically even if form names starts      |
| NODK-256 | Edit saved form             | User opens view 2825  | New icons are visible for saved, finalized forms  | New icons are visible for saved, finalized forms               |
| NODK-256 | Edit saved form             | Language other than English is set on Collect User clicks on Sort by icon Options dialog appears 3031   | Options are translated Icons are visible  | Options are translated Icons are visible                       |
| NODK-256 | Edit saved form             | User start form with constraint User fills it and saves it User edits saved form User puts in a single Q.xml Test_Collect_v1.xml                        | User is not able to swipe to next question  | User is not able to swipe to next question                     |
| NODK-256 | Edit saved form             | User fills some form and finalizes it - pay attention to the finalization time User waits few minutes and edits finalized form 4530                     | User sees that finalization time is updated (also on Send   | User sees that finalization time is updated (also on Send      |
| NODK-256 | Edit saved form             | User sends submission Sending failed and submission has failed a status 4698  | Submission with failed status is not visible on EDIT view   | Submission with failed status is not visible on EDIT view      |
| NODK-250 | Fill Blank Form - Form wi   | User opens form with audio. User clicks on speaker icon. 1975 3365  | Birds.xml   | Text is highlighted but there is no background of question     |
| NODK-250 | Fill Blank Form - Form wi   | User opens Birds form. User clicks on play audio button. Speaker icon is not visible. User immediately clicks on some other audio play button. 1999     |   | Currently playing sound is paused when some other spee         |
| NODK-250 | Fill Blank Form - Form wi   | Audio media is played User swipes to last view or minimizes app 3229  | Birds.xml   | After tapping audio play button, stop button should be vis     |
| NODK-250 | Fill Blank Form - Form wi   | Audio media is played User rotates device 3229  |   | Media is continued on Android 8.1, 9.0 Media is stopped        |
| NODK-250 | Fill Blank Form - Form wi   | Add invalid audio file to media folder. Open text question with audio autoplay option 3326 33   | test.xml in 3229-autoplay folder on google drive  | Toast informing that audio file is invalid should display      |
| NODK-250 | Fill Blank Form - Form wi   | Swipe to the next question with audio autoplay option 3326  | test.xml in 3229-autoplay folder on google drive  | Audio file should be autoplayed when going forward in t        |
| NODK-250 | Fill Blank Form - Form wi   | Swipe to select one question with audio play option.  |   | Toast informing about invalid media file should display an     |
| NODK-250 | Fill Blank Form - Form wi   | Delete the second one of media files and go through the whole form again 3229   |   | Both Toasts informing about invalid and missing file sho       |
| NODK-250 | Fill Blank Form - Form wi   | Download form with media once again, edit media files so both would be valid go through the whole form.   |   | Both audio files should be autoplayed on the right page i      |
| NODK-250 | Fill Blank Form - Form wi   | Delete the first media file and go through the whole form.  |   | Toast informing about missing file should display only on      |
| NODK-250 | Fill Blank Form - Form wi   | Add to form media folder invalid media file. Open select one grid question and select answer v gridwidget.xml in gridwidget folder on drive             |   | Toast informing about invalid media file should display, ne    |
| NODK-250 | Fill Blank Form - Form wi   | Delete second media file Open select one grid question and choose answer with invalid media file Next, choose second answer 3377                        |   | Firstly, toast informing about invalid media file should dis   |
| NODK-250 | Fill Blank Form - Form wi   | Open select one grid question and select one of the answers, then select another answer ( edit gridwidget.xml in gridwidget folder on drive             |   | audio file should be played another audio file should be p     |
| NODK-250 | Fill Blank Form - Form wi   | Add to form media folder invalid media file. Open select multiple grid question and select ans v gridwidget_select_multiple.xml in gridwidget folder o  |   | Toast informing about invalid media file should display, ne    |
| NODK-250 | Fill Blank Form - Form wi   | Delete second media file Open select multiple grid question and choose answer with invalid media file Next, choose second answer 3377                   |   | Firstly, toast informing about invalid media file should dis   |
| NODK-250 | Fill Blank Form - Form wi   | Open select multiple grid question and select answers one by one. 3358  | gridwidget_select_multiple.xml in gridwidget folder o   | audio file should be played one by one                         |
| NODK-250 | Fill Blank Form - Form wi   | User checks single and multi gridwidget 4065  | gridwidget.xml in gridwidget folder on drive grid-mu  | Audio is played after selecting an answer Toasts informir      |
| NODK-261 | Form and media update       | User downloads from aggregate different version of the same form. User downloads from aggregate the same form but with other media files. 165f          | User sees information about form updates. Form is updat   | User sees information about form updates. Form is updat        |
| NODK-261 | Form and media update       | User downloads from aggregate the same forms with different versions and different order of the same questions.   | User sees information about form updates. Form is updat   | User sees information about form updates. Form is updat        |
| NODK-261 | Form and media update       | User downloads from aggregate forms with different version and with different content of text question.   | User sees information about form updates. Form is updat   | User sees information about form updates. Form is updat        |
| NODK-261 | Form and media update       | User downloads a form with media. User removes media folder. User opens 'Get Blank Form' list 1737 4107   | User sees information about update.   | User sees information about update.                            |
| NODK-261 | Form and media update       | User clicks on Get Blank form. Forms to download displays and the green message "This is an update to a form you have" is present. User goes bac        | The green message "This is an update to a form you have"  | The green message "This is an update to a form you have"       |
| NODK-261 | Form and media update       | User uses Sample-preloading-form, form with external items, form with simple media files 1720   | User sees information about update only when it is expect   | User sees information about update only when it is expect      |
| NODK-261 | Form and media update       | User sets 'Every fifteen minutes' for 'Period form update check'. Few forms are updated on ser 15 min   | User sees information in notification that new versions ar  | User sees information in notification that new versions ar     |
| NODK-261 | Form and media update       | User selects Automatic Download. Few forms are updated on server Media is updated on ser 15 min   | User sees information in notification that new versions w   | User sees information in notification that new versions w      |
| NODK-261 | Form and media update       | User sees notifications 2200  | Notification headers: ODK auto-send results / ODK auto-   | Notification headers: ODK auto-send results / ODK auto-        |
| NODK-261 | Form and media update       | Notification appears User clicks on notification 1753 2179  | New notification icon is visible. The same icon is visible o  | New notification icon is visible. The same icon is visible o   |
| NODK-261 | Form and media update       | User sees 2 notifications. Older notification is about auto send. Newest notification is about downloaded form version. User clicks on older notificati | User sees correct full message  | User sees correct full message                                 |
| NODK-261 | Form and media update       | Few versions of the same form is available on device. 1694  | Only the newest version is visible. Old versions are hidde  | Only the newest version is visible. Old versions are hidde     |
| NODK-261 | Form and media update       | User unselect Form Management-Hide old form versions 3228   | Every form versions are visible on 'Fill Blank Form' view (   | Every form versions are visible on 'Fill Blank Form' view (    |



|          |                           |   |   |
|----------|---------------------------|---|---|
| NODK-261 | Form and media update     | Download form from server versions of the form (i have tried for Aggregate) Log to another server where you have version2/ upload version2 to the s | After 15 minutes notification about automatic download c  |
| NODK-261 | Form and media update     | adb push form with same formid/version and same filename Collect should replace no matter the contents Can get in a bad state if you have filled f  | Dialog with error is visible  |
| NODK-247 | Fill Blank Form - Repeats | User fills attached form. User sees next/prev navigation buttons. User does not add groups. 14  | TestRepeats.xml<br>User sees last info view only once   |
| NODK-247 | Fill Blank Form - Repeats | User uses forward/backward buttons to navigate in TestRepeat form. User is on first view of this form 1722  | Backward button is not able to use on first page of forms   |
| NODK-247 | Fill Blank Form - Repeats | User starts form with defined title of repeats 183  | 1648.xml<br>User sees that repeating section titles are changed   |
| NODK-247 | Fill Blank Form - Repeats | User starts nested-repeater and adds few groups. User goes to index view. 1670  | 28 repeat_group.xml<br>User sees that group headers are the same as in form an  |
| NODK-247 | Fill Blank Form - Repeats | User fills form with nested groups with 'field-list' appearance 1255 AUTOMATED  | #1255/form'.xml<br>User is able to fills form with nested groups with 'field-list   |
| NODK-247 | Fill Blank Form - Repeats | User starts form. User does not add group. 1798 AUTOMATED   | RepeatGroupAndGroup.xml<br>User is able to clicks backward button. Backward button  |
| NODK-247 | Fill Blank Form - Repeats | User starts form, adds few repeats. User is at the end of form. User swipes back. JR 278 AUT  | repeat_group_new.xml<br>User is able to swipes back. Previous view appears  |
| NODK-247 | Fill Blank Form - Repeats | User fills for with repeat groups User opens jump screen 2762 AUTOMATED   | 28 repeat_group.xml<br>Repeat groups paths are represented with '>' or '<1.' inste  |
| NODK-247 | Fill Blank Form - Repeats | User starts form where question has empty label in FormHierarchy Question is read only User   | Test-2836.xml RepeatGroup.xml<br>User sees this question in jump screen 2840  |
| NODK-247 | Fill Blank Form - Repeats | User fills form and adds few groups User opens hierarchy view User clicks on Group 1 2876   | groupTestNav.xml<br>Repeat Group '1' is not visible under 'Group 1'   |
| NODK-247 | Fill Blank Form - Repeats | User fills both questions User hits Jump button 2876 AUTOMATED  | basic.xml<br>Both answers are visible   |
| NODK-247 | Fill Blank Form - Repeats | User is on last view with 'Save Form and Exit' and user clicks on Jump icon 28  | repeat_group_form.xml<br>Dialog with error message IS NOT visible   |
| NODK-247 | Fill Blank Form - Repeats | User adds few repeat groups User fills form User reduces number of repeats User opens hier  | testRepeatCount.xml<br>Current number of repeats is visible   |
| NODK-247 | Fill Blank Form - Repeats | User adds few repeat groups User fills form User goes to one of repeat groups (but not the las  | repeat_groups.xml<br>Chosen repeat group should be deleted The next repeat  |
| NODK-247 | Fill Blank Form - Repeats | User starts form User adds new repeat 3656  | nested-repeats.xml<br>When user adds new repeat by new + button user sees a   |
| NODK-247 | Fill Blank Form - Repeats | User starts form User declares number of repeats 3656   | testRepeatCount.xml<br>#ERROR!  |
| NODK-247 | Fill Blank Form - Repeats | 'Don't keep Activities' is enabled in Developer Settings User opens any form with repeats   | User opens Hierarchy view and navigates to the repeat g<br>Crash does not occur Repeat group is created   |
| NODK-247 | Fill Blank Form - Repeats | User opens form User swipe fast twice Click on ADD button on displayed dialog 3898  | repeatGr.xml<br>User should see Add Group dialog on form background   |
| NODK-247 | Fill Blank Form - Repeats | User opens form User uses + button and swipe fast twice 3898  | repeatGr.xml<br>User should see Add Group dialog on form background   |
| NODK-247 | Fill Blank Form - Repeats | User opens form Add group Jump to hierarchy view Click on trash icon Choose Remove Group on   | nested-repeats.xml<br>Group should be successfully removed Empty hierarchy  |
| NODK-247 | Fill Blank Form - Repeats | User opens form Add group Jump to hierarchy view Click on trash icon Click on Cancel button Cli   | nested-repeats.xml<br>App should not crash Group should be successfully rem   |
| NODK-247 | Fill Blank Form - Repeats | User opens form Add group Open Edit Prompt Click on Remove Group Click on Cancel button Op  | nested-repeats.xml<br>App should not crash Group should be successfully rem   |
| NODK-247 | Fill Blank Form - Repeats | User opens Remove Group Dialog Minimize app Go back to app  | Go back to app<br>App should not crash  |
| NODK-247 | Fill Blank Form - Repeats | User uses any form with repeat groups Add some groups Delete the last one Click on + in the hierarchy   | 3981<br>App should not crash  |
| NODK-247 | Fill Blank Form - Repeats | User opens repeat group form In form view try to multiclick on + button 4003  | 4003<br>App should not crash User should not be able to multicli  |
| NODK-247 | Fill Blank Form - Repeats | User opens form "Turtle Track or Nest 1.0" User captures location and swipes forward User sv  | Turtle Track or Nest 1.0.xml<br>User sees page with 'Save Form and Exit' button The for   |
| NODK-247 | Fill Blank Form - Repeats | User starts form with repeat group User multi-clicks on hierarchy button User sees + on hierarchy view User multi-clicks on +                       | 4120<br>Multiclick on hierarchy button is not allowed Multiclick or   |
| NODK-247 | Fill Blank Form - Repeats | User loads the form, swipes to the next question and adds a new group error is visible bad-instance-name.xml  | bad-instance-name.xml<br>All cases work as described  |
| NODK-247 | Fill Blank Form - Repeats | User starts form with repeat groups User takes a look at icons: trash, +, save, hierarchy 4175  | 4175<br>Icons are smaller than in v1.27   |
| NODK-247 | Fill Blank Form - Repeats | User starts form User adds repeat group 4187  | 4187<br>-4 is visible after first number  |
| NODK-247 | Fill Blank Form - Repeats | User starts form 4243   | 4243<br>User friendly error message is visible  |
| NODK-216 | GeoShape widget           | User adds points in map 2238 2659 3922  | All widgets.xml<br>After opening map view delete button should be disabled  |
| NODK-216 | GeoShape widget           | User adds one/two points in map 1124  | 1124<br>User sees toast   |
| NODK-216 | GeoShape widget           | User clicks on crosshair button. User clicks on Save button. User clicks on "View of Change GeoShape" button. User adds new points and movet        | View of Change GeoShape" button. User adds new points and movet<br>The view zoom to show the whole area After Saving, map   |
| NODK-216 | GeoShape widget           | User clicks on crosshair button   | Zoom of current location should be visible.   |
| NODK-216 | GeoShape widget           | User adds shape points to the map User does not click on Save button. User uses back button. User chooses Discard                                   | Discard button<br>Dialog message "Discard changes and return to ODK?" v   |
| NODK-216 | GeoShape widget           | User Starts Geoshape again and do not adds points. User doesn't click on Save button. User chooses back button                                      | Discard changes and return to ODK?" v<br>Dialog message "Discard changes and return to ODK?" v  |
| NODK-216 | GeoShape widget           | User clicks on View or Change GeoShape button. User clicks on Clear button. User clicks on Clear on confirmation dialog. User clicks on Save bu     | Clear button. User clicks on Clear on confirmation dialog. User clicks on Save bu<br>Clear confirmation window should appear. User s                                    |
| NODK-216 | GeoShape widget           | Repeat all the steps for OSM maps   | OSM maps<br>The results should be all the same.   |
| NODK-216 | GeoShape widget           | Add geoshape on Google maps. Rotate device's screen 2310  | 2310<br>Data should not be lost after screen rotation.  |
| NODK-216 | GeoShape widget           | Delete saved feature. Rotate the screen again. 2492   | 2492<br>Deleted feature should not be restored.   |
| NODK-216 | GeoShape widget           | Repeat last two steps for OSM maps.   | OSM maps<br>The results should be all the same.   |
| NODK-216 | GeoShape widget           | User opens map on Geoshape widget   | Geoshape widget<br>User notices: autozoom to the current location zoom to   |
| NODK-216 | GeoShape widget           | User rotates device many times quickly 2856   | 2856<br>Collect does not crash  |
| NODK-216 | GeoShape widget           | User adds few points User clicks on Trash icon and confirmed clearing 2890  | 2890<br>Backspace button is inactive  |
| NODK-216 | GeoShape widget           | User adds few points User clicks on Backspace button to remove the last point 2890  | 2890<br>Backspace button is visible Backspace button is active v  |
| NODK-216 | GeoShape widget           | User opens map on Geoshape widget 2933 2976   | 2933 2976<br>New Input method dialog with Placement by tapping opti   |
| NODK-216 | GeoShape widget           | User adds 2 points and tries to save 2933   | 2933<br>User sees message "Must have at least 3 points to create  |
| NODK-216 | GeoShape widget           | User adds location 2940   | 2940<br>The user's location is displayed using a set of crosshairs  |
| NODK-216 | GeoShape widget           | User sets input method to "Placement by tapping" User moves the map and the current position isn't on the screen 2973                               | 2973<br>The map stays where the user has moved it unless the cr   |
| NODK-216 | GeoShape widget           | User sets the mapping SDK to "Google Maps" in settings User opens a geoshape or geotrace question User sets the point collection mode to "plac      | In "placement by tapping" mode, tapping within the loc<br>When APK is built with token, nice, smoothly zoomable v   |
| NODK-216 | GeoShape widget           | User selects "Mapbox Maps SDK" 3074   | 3074<br>When APK is built with token, nice, smoothly zoomable v   |
| NODK-216 | GeoShape widget           | User opens widget User plays around with Input methods (setting them, deleting them, changing them) User recenters the map User saves geoloc        | GPS location accuracy should always have number with ;<br>Scroll is available and the user is able to select None easi  |
| NODK-216 | GeoShape widget           | User selects Automatic location recording option User opens Accuracy requirement options 3378   | 3378<br>Accuracy requirement options 3378   |
| NODK-216 | GeoShape widget           | Open Geotrace widget on Android 5.1 Open Input method dialog Click on Automatic location recording Rotate screen 3609                               | 3609<br>The whole dialog should be visible. Scroll should be visit  |
| NODK-216 | GeoShape widget           | Install app offline Select Mapbox in Map Settings Open GeoTrace/GeoShape widget Immediately click on back button 3869                               | 3869<br>Collect should not crash/freeze User should be able to cl   |
| NODK-216 | GeoShape widget           | 1. Select Mapbox 2. Open GeoTrace/GeoShape widget 3. Add some points using one of input methods 4. Click on any on added points 3879                | 3879<br>Collect should not crash User should be able to click on  |
| NODK-216 | GeoShape widget           | Choose placement by tapping Add 3 points Stops recording Click on trash icon Confirm clear on displayed dialog Start placement by tapping ag        | 3 points Stops recording Click on trash icon Confirm clear on displayed dialog Start placement by tapping ag<br>Created polygon is closes In the second try the polygon |
| NODK-216 | GeoShape widget           | Open GeoTrace widget Start Automatic location recording 3976  | 3976<br>Record a point button should not be visible   |
| NODK-216 | GeoShape widget           | Open GeoShape widget Select Automatic location recording 4049 Select automatic mode again Set recording interval to 1 second and accuracy           | 4049 Select automatic mode again Set recording interval to 1 second and accuracy<br>First point should be recorded immediately  |
| NODK-216 | GeoShape widget           | User opens map view for widget User selects Manual location recording as a Input method 4172  | 4172<br>Record a point is visible as a button   |
| NODK-216 | GeoShape widget           | Select Mapbox Open GeoTrace/GeoShape widget Choose Placement by tapping input method Add some points Click on Pause Try to move any                 | GeoShape widget Choose Placement by tapping input method Add some points Click on Pause Try to move any<br>Added points should be moveable Collect should not cre       |
| NODK-257 | Send Finalized Form       | User clicks quickly on 'Send Finalized Form' button in main menu several times 1630   | 1630 Quickly click on Send Finalized form button and then click qui<br>Send Finalized Form list is not open two times. Send Fin   |
| NODK-257 | Send Finalized Form       |   | 1769<br>Progress bar is visible.  |
| NODK-257 | Send Finalized Form       | User sees list of forms 1489  | 1489<br>New icons are visible for saved, finalized, failed forms  |
| NODK-257 | Send Finalized Form       | User opens view 2825  | 2825<br>Forms are sorted alphabetically even if form names starts   |
| NODK-257 | Send Finalized Form       | User sends 1000 forms to ODK Aggregate 1231   | 1231<br>All forms were uploaded with success  |
| NODK-257 | Send Finalized Form       | User sends 1000 forms to Google Sheets 1231   | 1231<br>All forms were uploaded with success  |
| NODK-257 | Send Finalized Form       | User sends 1000 forms to Google Sheets and Aggregate 3308   | 3308<br>All forms were uploaded with success Dialog with status   |
| NODK-257 | Send Finalized Form       | Auto-sends and auto delete options are set User sends 1000 forms to Google Sheets and Aggregate 3308  | 3308<br>Apk does not crash  |
| NODK-257 | Send Finalized Form       | The user sends to Google Sheet ~150 submissions 3178  | 3178<br>User sees a meaningful limit error during sending about 1   |
| NODK-257 | Send Finalized Form       | User uses ODK Aggregate. User fills form with specified submission URL 576  | OnePageSubmissionGO.xml<br>User sees dialog asking for credentials to specified Aggre   |
| NODK-257 | Send Finalized Form       | User sees 'Server Required Authentication' dialog. User does not put credentials and clicks OK OnePageSubmissionGO.xml                              | OnePageSubmissionGO.xml<br>User is moved to 'Send Finalized Form' page and form is  |
| NODK-257 | Send Finalized Form       | User tries to send submission again. User inputs credentials on displayed dialog and send submission 3470   | 3470<br>Server Required Authentication dialog should be visible.  |
| NODK-257 | Send Finalized Form       | User send finalized form 1961   | 1961<br>Additional 'Device ID' parameter has no negative influenc   |
| NODK-257 | Send Finalized Form       | The user opens Send Finalized Form. Select All button is active. The user clicks on the search icon 2153  | 2153<br>Select All button is not changed  |
| NODK-257 | Send Finalized Form       | The user opens Send Finalized Form. The user clicks on Select All button. The user clicks on the search icon 2171                                   | 2171<br>Previously selected forms are still selected even if the use  |
| NODK-257 | Send Finalized Form       | User fills few forms User creates a filter to show only records with age 24 User sends few form filtered data.xml                                   | 24 User sends few form filtered data.xml<br>User is able to send form to sheet with filter Data are not   |
| NODK-257 | Send Finalized Form       | User chooses Google sheet as server and Google account and do not input submission url. (form should not have defined url submission as well) U     | User should see dialog message about missing submissi<br>Submission is sent correctly   |
| NODK-257 | Send Finalized Form       | User sends a form with a lot of attachments Submission takes more than 10 MB 2795   | 2795<br>Submission is sent correctly  |
| NODK-257 | Send Finalized Form       | User chooses Google sheet as server User fills form User goes to Send Finalized Form page   | CascadingSelect.xml<br>User sees dialog with message: Error: instance XML file c  |
| NODK-257 | Send Finalized Form       | User chooses Google sheet as server User fills encrypted form User goes to Send Finalized Fc  | Encrypted_form_1.xml<br>User sees dialog with message: Encrypted forms can't be   |
| NODK-257 | Send Finalized Form       | User chooses Google sheet as server User fills form User goes to Send Finalized Form page   | OneThousandQuestions.xml mr.xml<br>Form is sent with success  |
| NODK-257 | Send Finalized Form       | User sees submissions with all statuses 2898  | 2898<br>Progress bar is not visible   |
| NODK-257 | Send Finalized Form       | User fills and sends form to Google Sheet 2919  | sheetTitleTest.xml<br>Form is sent with success even if title is too long   |
| NODK-257 | Send Finalized Form       | User fills and sends form to Aggregate and Google Sheet 3282  | ReunionRecuperacion.xml<br>Form is sent with success  |
| NODK-257 | Send Finalized Form       | User fills all questions and sends submission to Google sheet. 3462   | All widgets.xml<br>Submission should be successfully sent to Sheet. Text, i   |
| NODK-257 | Send Finalized Form       | User download and fills some form Accept Submissions is unselected on Aggregate User tries to send filled submission 3765                           | 3765<br>User sees friendly message: Failed to upload. Please ma   |
| NODK-257 | Send Finalized Form       | User fills and tries to send form Error is visible 4230   | 4230external_widgets.xml<br>Message: Failed to send to * uri + *. Is this an OpenRo   |
| NODK-257 | Send Finalized Form       | User successfully sends submission 4521   | 4521<br>Submission disappears   |

|          |                     |  |  |  |
|----------|---------------------|--|--|--|
| NODK-257 | Send Finalized Form | User sends submission with error User closes dialog with error message 4521  |  | Submission state is immediately changed to state with re   |
| NODK-257 | Send Finalized Form | User sends submission and cancel it or sends to invalid server User opens Edit saved form User sends the same submission again 4655                    |  | Sending submission should fail, status should be visible   |
| NODK-257 | Send Finalized Form | User fills submission with geo widget User fails sending submission User opens submission view on map User clicks on red pin User clicks on view       |  | Failed submission should be visible on the map After clic  |
| NODK-958 | First launch dialog | User opens fresh installation of Collect app 4531  |  | User sees logo User sees version User sees button to c   |
| NODK-958 | First launch dialog | User uses Android device with large font size User is able to navigate on page in vertical and horizontal orientation 4439 4737                        |  | Scroll on view is available  |
| NODK-958 | First launch dialog | User clicks on 'Configure with QR code' Click on Cancel button   |  | User is moved to QR scanner Permission dialog should c   |
| NODK-958 | First launch dialog | You should return to main screen User clicks on 'Manually enter project details' User clicks on Cancel button User chooses Manually enter project      |  | User is moved to view with URL, username and passwor   |
| NODK-958 | First launch dialog | User clicks on 'Try Collect and configure later' 4417  |  | User is moved to main menu with demo project Project i   |
| NODK-958 | First launch dialog | User launched the app for the first time When user add a project, user forces-stop the app and restarts it User navigates to the list of projects 450  |  | Added project is still visible   |
| NODK-958 | First launch dialog | Don't keep activities' is turned on User clicks on 'Configure with QR code' User minimize app User opens Android settings and grants the camera        |  | Check the same case for adding project Crash does not  |
| NODK-244 | Fill Blank Form     | User clicks quickly on 'Fill Blank Form' button in main menu several times Quickly click on Fill Blank Form button and then click quickly again on dis |  | Fill Blank Form list is not opened two times Fill Blank For  |
| NODK-244 | Fill Blank Form     | User opens 'Fill Blank Form' view 2825 3010  |  | New icons are visible Subtext 'Added on ...' is visible  |
| NODK-244 | Fill Blank Form     | User downloaded new forms from Aggregate and Google Drive User clicks on 'Fill Blank Form' button in main menu 2807                                    |  | Fill Blank Form page opens New forms are visible   |
| NODK-244 | Fill Blank Form     |  | 1769   | Progress bar is visible.   |
| NODK-244 | Fill Blank Form     | User clicks quickly on some form several times 1630  |  | Form is not open two times   |
| NODK-244 | Fill Blank Form     | User saves/ignores changes or finish form 2229 AUTOMATED   |  | User is always moved to main menu view   |
| NODK-244 | Fill Blank Form     | User sees list of all forms 1264   |  | Forms are sorted alphabetically even if form names starts  |
| NODK-244 | Fill Blank Form     | User sorts forms by the newest date 1555   |  | Forms are sorted correctly. The most recent forms are vis  |
| NODK-244 | Fill Blank Form     | User clicks on device back button during filling form (AUTOMATED) User rotates devices screen when dialog is displayed. 3782                           |  | User sees ODK Collect dialog with Save/Ignore options a  |
| NODK-244 | Fill Blank Form     | User manually changes something in xml file of loaded form 1357  |  | User is able to open second version of this form and fills   |
| NODK-244 | Fill Blank Form     | User fills form where widgets are read-only 1319   |  | Read-only strings have black color   |
| NODK-244 | Fill Blank Form     | User clicks on search icon on header (magnifier) 1287 AUTOMATED  |  | Search view is in the app bar itself. Additional space is nc   |
| NODK-244 | Fill Blank Form     | User is on view with 'Save Form and Exit' button. User edits name and changes device orientation. 1219 AUTOMATED                                       |  | Name changed by user is visible even if user changes de  |
| NODK-244 | Fill Blank Form     | User turns on navigation buttons when filling the form. User is on first question. User changes device orientation. AUTOMATED                          |  | Navigation buttons should be visible right after going bac   |
| NODK-244 | Fill Blank Form     | User doesn't see form which contains invalid URL address on form list. 1672 currently broken   |  | Form which contains invalid URL address is not displayed   |
| NODK-244 | Fill Blank Form     | User uses swipe to fill form. User adds navigation button during filling form. 4727 1574 AUTOMATED   |  | User sees navigation button even if buttons were turned c  |
| NODK-244 | Fill Blank Form     | User opens specific forms where value has a different type than expected 1560 AUTOMATED  | 1560_DateData.xml 1560_IntegerData_instanceID.xml      | App does not crashes   |
| NODK-244 | Fill Blank Form     | User opens big form AUTOMATED  | nigeria-wards and elMCI                                | Form is loaded correctly   |
| NODK-244 | Fill Blank Form     | User fills form with images on group with appearance="field-list". User removes added image. 1   | blankSpace.xml   | Blank space is not visible   |
| NODK-244 | Fill Blank Form     | User starts form. User fills K050003, 05. User goes to next view. 1695   | test1695.xml   | User sees California   |
| NODK-244 | Fill Blank Form     | User starts form with random(). User fills it few times and sends. 2144 AUTOMATED  | random.xml randomTest_broken.xml                       | User sees that values are really random for the same dev   |
| NODK-244 | Fill Blank Form     | User starts form. User is on n1 question. User opens Index View. 2147 AUTOMATED  | manyQ.xml  | n1 question is visible as a first  |
| NODK-244 | Fill Blank Form     | User fills form and adds some media - video, photo, audio. User saves form. User edits form and update media. User ignore last changes. User           |  | Media files added as a first in form are still visible. Media  |
| NODK-244 | Fill Blank Form     | User fills predicate-warning form AUTOMATED 2524   | predicate-warning.xml                                  | User should not see any dialogs when filling the form  |
| NODK-244 | Fill Blank Form     | User fills different-search-appearances.xml form 2501 2502 AUTOMATED   | different-search-appearances.xml                       | Search textbox is not displayed if search() appearance is  |
| NODK-244 | Fill Blank Form     | User fills form where search() expression contains other appearance name 2590 AUTOMATED  | CSVErrorForm.xml                                       | User is able to select one option  |
| NODK-244 | Fill Blank Form     | User fills form with empty field-list group 1833 AUTOMATED   | metadata2.xml  | User is able to finish form  |
| NODK-244 | Fill Blank Form     | User starts form with Groups User goes to jump screen 2764 AUTOMATED   |  | All widgets fewRepeatsGroups nested-repeats-com  |
| NODK-244 | Fill Blank Form     | User starts form User does not add repeat groups User opens 'Jump Screen' User clicks on 'r  | repeat_group_form.xml                                  | User is still on the same view 2816  |
| NODK-244 | Fill Blank Form     | User starts form User does not add repeat groups User opens 'Jump Screen' User clicks on 'r  | repeat_group_form.xml                                  | User is moved to view with only 'Group Name' 2816  |
| NODK-244 | Fill Blank Form     | User starts form User opens 'Jump Screen'  | repeat_group_form.xml                                  | "up" icon is always first on the right. 2816   |
| NODK-244 | Fill Blank Form     | User fills forms AUTOMATED   | g6Error.xml g6Error2.xml emptyGroupFieldList.xml       | App does not crash 2829  |
| NODK-244 | Fill Blank Form     | Fill the form, text and numeric questions, finalize it. Go to odk folder Open last_save.xml Go b   | All widgets_save.xml                                   | Formname-media folder should be created. In the folder,  |
| NODK-244 | Fill Blank Form     | Delete the last saved.xml Go back to collect, fill the form. Go to odk folder, media folder  |  | Answers should not be suggested, form should be empty  |
| NODK-244 | Fill Blank Form     | Fill the form, save not finalize. Open new submission Finalize the submission 2882 3375  | All widgets_save_encrypted.xml                         | You should be able to edit the submission and view the c   |
| NODK-244 | Fill Blank Form     | User fills form 2845 (currently broken)  | selectTest.xml   | value next to SelectOneWidget external: is visible   |
| NODK-244 | Fill Blank Form     | Language other than English is set on Collect User clicks on Sort by icon Options dialog appears 3031 AUTOMATED  |  | Options are translated Icons are visible   |
| NODK-244 | Fill Blank Form     | User fills form 3052   | all-widgets-fieldlist-noosm.xml                        | Next question appears only if visible questions have ans   |
| NODK-244 | Fill Blank Form     | User answers Cascading Select type questions of fieldlist-updates.xml form. User fills form. 32  | fieldlist-updates.xml                                  | User is able to answer questions and finish the submissi   |
| NODK-244 | Fill Blank Form     | The user selects Plante/Aminal/Champignon The user adds 3 letters on the second question   | L formulaire_adherent.xml                              | New options are visible, options follow the new search   |
| NODK-244 | Fill Blank Form     | User starts form 3197 (PROBABLY broken) AUTOMATED  | dont-show-options-selected-in-other-instances.xml      | User is able to fill this form User does not see error 'Dep  |
| NODK-244 | Fill Blank Form     | User fills form User adds value <18, value >110, value >=110 and <110 to the second/third ques   | 121257.xml   | User sees toast only if for first and second value   |
| NODK-244 | Fill Blank Form     | User fills form User selects more than one checkbox User goes to next question User backs t  | test_multiselect_cleared.xml                           | Answers are not lost   |
| NODK-244 | Fill Blank Form     | User fills form User starts filling questions with multiple widget User adds answers by clicking   | SelectTest3028.xml                                     | Answers are not lost   |
| NODK-244 | Fill Blank Form     | User loads form (pay attention to the loading time) User fills one question Collect is closed  | Us nigeria_wards_internal.xml                          | Loading time is reduced for both   |
| NODK-244 | Fill Blank Form     | User fills encrypted form with no-instanceId. User opens Edit Saved Form 3265 AUTOMATED  | Encrypted.xml  | After clicking on "Save Form and Exit" button User should  |
| NODK-244 | Fill Blank Form     | User opens form User removes year value User swipes to next question 3375 AUTOMATED  | validate.xml   | Error message is visible Error contains information "The v   |
| NODK-244 | Fill Blank Form     | User adds time and saves form User opens saved form User sees view index with the same tir   | OnlyTimeTest.xml                                       | Opening saved form multiple times does not cause adding 1  |
| NODK-244 | Fill Blank Form     | User fills form 3375 AUTOMATED   | event-odk-new-repeat.xml                               | Questions have auto filled, calculated values  |
| NODK-244 | Fill Blank Form     | User fills form 3375 AUTOMATED   | multiple-events.xml                                    | Questions have pre-filled values   |
| NODK-244 | Fill Blank Form     | User fills form User selects Gilnet or Seinenet User goes to next question 3375 AUTOMATED  | CalcTest.xml   | Selected option is copied to other questions   |
| NODK-244 | Fill Blank Form     | User loads forms - check all forms! 3396 AUTOMATED   | asasas.xml invalid-events.xml setlocation-action-in    | Forms do not crash Error message is visible  |
| NODK-244 | Fill Blank Form     | User opens form User adds answer to first question User adds answer to second question   | 33403.xml  | First question is visible Questions do not disappear   |
| NODK-244 | Fill Blank Form     | Download the form Delete CSV files from media folders Fill forms. 3449 AUTOMATED   | search and select.xml select one external.xml fieldlis | When filling the form user should see red message inform   |
| NODK-244 | Fill Blank Form     | User starts to fill the form. User changes font size in the middle of filling the form. User goes back to the form. 3608                               |  | Font size should be updated immediately after choosing i   |
| NODK-244 | Fill Blank Form     | Start filling a form Click on devices back button Click on Save Changes Go to Edit Saved Form 3578   |  | Exit Form Dialog should display The status of the submi  |
| NODK-244 | Fill Blank Form     | User goes to Fill Blank Form User clicks on some form User immediately clicks on the header (with icons save / jump to )                               |  | User is NOT able to leave form by clicking on header imr   |
| NODK-244 | Fill Blank Form     | User fills form User is on the view with Save Form and Exit User clicks multi times on the button  |  | User got stuck on this view Save icon does not work  |
| NODK-244 | Fill Blank Form     | User fills both questions User removes answer from second question 3755  | ft.xml   | Only second question has removed answer  |
| NODK-244 | Fill Blank Form     | User starts form User adds answer to first question 3745   | visible_calculate.xls                                  | User sees a number of added signs in the first question c  |
| NODK-244 | Fill Blank Form     | Collapsed guidance is set User starts form 3764  | hints.xml  | User sees the 'i' icon and text separately   |
| NODK-244 | Fill Blank Form     | User downloads form User goes to Fill Blank Form view 3753   | internal_empty_select.xml                              | User sees error which contains question name without of  |
| NODK-244 | Fill Blank Form     | User starts form 3753  | count-non-empty.xml                                    | Error does not appear User is able to add group On Oth   |
| NODK-244 | Fill Blank Form     |  | 3753   | indefinite.xml   |
| NODK-244 | Fill Blank Form     | User starts form 3753  | indexed-repeat-nested.xml nestedTest.xml               | Error does not appear Questions have auto-filled answe   |
| NODK-244 | Fill Blank Form     | User starts form User adds random value to second or third question 3753   | dynamic-digest.xml                                     | Error contains more information  |
| NODK-244 | Fill Blank Form     | User starts form 3753  | predicate-trigger-change.xml                           | The sum is not re-counted dynamically after removing req   |
| NODK-244 | Fill Blank Form     | User starts form 3753  | predicate-current.xml                                  | There are always exactly 5 items that come from an exter   |
| NODK-244 | Fill Blank Form     | User starts form User clicks on device back button to open Exit form dialog User changes device orientation 3782                                       |  | Exit form dialog does not disappear after rotation.  |
| NODK-244 | Fill Blank Form     | Input text into the first field Remove response using Edit prompt dialog 3904  | field-list.xml   | It should be also visible in second question The answer  |
| NODK-244 | Fill Blank Form     | Open form 3925   | SelectsTestColumnsPack.xml                             | Both select one and select multiple question should not b  |
| NODK-244 | Fill Blank Form     | Open form Rotate the screen  | columns-pack.xml                                       | Answers should be displayed in columns with the same c   |
| NODK-244 | Fill Blank Form     | Open the same form in RTL language   |  | The scroll should not be divided into parts Answers shou   |
| NODK-244 | Fill Blank Form     | User starts form User multi-clicks on jump icon to open hierarchy view User multi-clicks on 'Go To Start' icon 4136                                    |  | Hierarchy view does not appear twice User is moved to l  |
| NODK-244 | Fill Blank Form     | User starts form User clicks on Launch buttons 4208  | tst.xml  | User is able to launch HP Smart app User is able to laun   |
| NODK-244 | Fill Blank Form     | Open form 4321   | 4321search_and_select.xml                              | Error message is visible as a warning  |
| NODK-244 | Fill Blank Form     | User tries to download a few forms with media and mentioned form 4334  | 4334select-one-file                                    | Mentioned form is not available on Fill Blank Form list Ot   |
| NODK-244 | Fill Blank Form     | User starts form Form has applied field-list appearance 4350   | 4350example.xml  | field-list can combine with other appearances  |
| NODK-244 | Fill Blank Form     | User loads External 52 k split form User goes from district to settlement and check the time   | U: External 52 k split                                 | Compare results with <a href="https://github.com/getodk/collect/">https://github.com/getodk/collect/</a> |
| NODK-244 | Fill Blank Form     | User starts some form, fills a few questions User kills the app User removes .cache directory in a project OR file in .cache directory User comes ba   |  | Crash does not occur Savepoint is not available so ans   |
| NODK-244 | Fill Blank Form     | User starts form User tries to give answer on select widget 4758   | 4758minimal-select-field-list.xml                      | Dialog with error is visible User is moved to main menu  |
| NODK-218 | Bearing widget      | User enters manually bearing reading on device without compass. 1655 4042  |  | Bearing reading is entered manually when device doesn't  |

| Issue Key | Test Summary            | Step   | Test Data  | Expected Result  |
|-----------|-------------------------|--|--|--|
| NODK-201  | Date widget             | User quickly clicks the button several time 1624 1723  |  | User is not able to open two answer dialogs.   |
| NODK-201  | Date widget             | User starts form with Ethiopian calendar. 1330   | All widgets.xml or 1330ethiopian.xml               | Ethiopian calendar is available. User should be able to choose the date On the date selection window today's d   |
| NODK-201  | Date widget             | User starts form with Coptic calendar 1576 2747  | All widgets.xml or 1576coptic.xml                  | Coptic calendar is available. User should be able to choose the date On the date selection window today's da     |
| NODK-201  | Date widget             | User starts form with Islamic calendar 1661  | All widgets.xml or islamic.xml                     | Islamic calendar is available. User should be able to choose the date On the date selection window today's dt    |
| NODK-201  | Date widget             | User starts form with Gregorian calendar   | All widgets.xml                                    | Gregorian calendar is available. User should be able to choose the date On the date selection window today's d   |
| NODK-201  | Date widget             | User starts form.  | ShowTime.xml                                       | User sees date and TIME  |
| NODK-201  | Date widget             | User sets only one value (date of time) to required date question and tries to go forward. 2054  | dateTimeTest.xml                                   | User is not able to go forward with only one value added.  |
| NODK-201  | Date widget             | User sets both values (date and time) to required date question and tries to go forward.   |  | User is able to go forward when both values are added.   |
| NODK-201  | Date widget             | User starts form with Nepali calendar 2620   | nepali.xml   | Nepali calendar is available.  |
| NODK-201  | Date widget             | User opens Islamic/Coptic/Ethiopian or Nepali widget. User clicks on select date. User chooses a date (but do not click on OK button) Select date win      |  | Chosen date should be displayed on Select date window. None date should be saved. After choosing OK butt         |
| NODK-201  | Date widget             | User goes to Date time widget User clicks on both buttons 3032   |  | Only one dialog is visible   |
| NODK-201  | Date widget             | User starts form with Myanmar calendar 2662 3777   | myanmar.xml  | Myanmar calendar is available. Crash does not occur User should be able to choose the date On the date sel       |
| NODK-201  | Date widget             | User starts form with Persian calendar 3131  | PersianForm.xml                                    | Persian calendar is available. User should be able to choose the date On the date selection window today's d     |
| NODK-201  | Date widget             | User opens calendar with no appearance 3750  |  | Calendar has blue elements on light mode Calendar has green elements on dark mode                                |
| NODK-201  | Date widget             | User opens Date time widget User opens dialog to remove response in a line with added date or time 3770  |  | Remove response option is not doubled  |
| NODK-202  | Time widget             | User adds time to question. User changes device time zone. User returns to time question. 130 All widgets.xml  |  | User opens time picket and sees a correct, default time  |
| NODK-202  | Time widget             | Open any form with the TimeWidget Click on the current hour/minute to open the keyboard Edit the value and click ok (without clicking ok/accept/don        |  | Time should be updated properly even if a user clicks just on the ok button from the dialog.                     |
| NODK-207  | Cascading Select        | User starts form with cascading select where column headers start with a number AUTOMATED numberinCSV.xml  |  | User is able to fill this form. User does not sees unexpected error  |
| NODK-203  | Location widgets        | User search a location 1336  | All widgets.xml                                    | User is able to find location in 'GPS Only' mode. User sees lower battery consumption.                           |
| NODK-203  | Location widgets        | User is on view with map. User scrolls icons. 1181   |  | There is no extra space between grey header and icons. Padding is removed.                                       |
| NODK-203  | Location widgets        | User adds location and uses GPS. 2156  |  | User sees 'gps' capitalized  |
| NODK-203  | Location widgets        | User opens location dialog 54  |  | User sees information about number of available satellites and time elapsed in location dialog                   |
| NODK-203  | Location widgets        | User sees map with dark theme 2241   |  | Location icon is black (check all Location widgets with map). While polyline icon is visible                     |
| NODK-203  | Location widgets        | User starts form. User goes to 3rd question. 2081  | placement-map.xml                                  | Question is opened with map User is able to add location   |
| NODK-203  | Location widgets        | User starts form with GeoPointWidget with placement-map appearance 2457  |  | User selects location  |
| NODK-203  | Location widgets        | Language other than English is set on device. User starts form with GeoTrace widget. User selects 'Automatic Mode' 2264                                    |  | User sees that 'seconds' and 'minutes' words are translated  |
| NODK-203  | Location widgets        | User opens some Geo Widget with Google map User immediately changes device orientation 2982  |  | User is able to continue work Collect does not crash   |
| NODK-203  | Location widgets        | User LOGCAT User opens widget with map Location is set User saves location and close map Check GeoPoint, GeoTrace and GeoShape Check G                     |  | App does not try to find better location - location is not updated in LOGCAT                                     |
| NODK-203  | Location widgets        | OSM is set as a Source User opens widget with map 3254   |  | OpenStreetMap displays correctly Offline layers are able to be applied on OpenStreetMap Check GeoPoint, C        |
| NODK-203  | Location widgets        | User opens map on GeoPoint / GeoTrace / GeoShape User clicks on Offline Layer icon 3442 3777   |  | Dialog with offline layers appears Crash does not occur Check GeoPoint, GeoShape, GeoTrace None is not d         |
| NODK-203  | Location widgets        | User uses Mapbox Some offline layer is set User fills the form with some geo widget with map User opens layers dialog User selects None 3482 368           |  | The offline layer is disabled  |
| NODK-203  | Location widgets        | User goes to General Settings -> Maps User sets Google map style as Streets or Satellite User sets some offline layer User goes to form and opens i        |  | Google labels are not visible when offline layer is set Map is zoomed (offline layer disappeared), labels are no |
| NODK-203  | Location widgets        | Offline map is set Internet connection is not available User opens Geo widget with map as a first time 3804  |  | The set Offline layer is applied even if Geo widget wasn't opened when the internet connection was available     |
| NODK-203  | Location widgets        | User opens Select Layer Dialog on Geo widget User rotates device orientation 3786  |  | Dialog does not disappear  |
| NODK-203  | Location widgets        | User installs the fresh app without internet connection. User selects Mapbox in General Settings -> Maps. User goes to All widgets form and opens G        |  | Crash does not occur   |
| NODK-203  | Location widgets        | User opens Geopoint with placement-map / maps appearance User opens Geotrace widget User opens Geoshape widget 3772  |  | Google Maps - Provider location: fused; OSM - Location provider: fused; Mapbox - Provider location: fused * A    |
| NODK-208  | URL widget              | User starts form with URL Widget 1221  | All widgets.xml                                    | User is able to open URL Widget. App does not crash.   |
| NODK-208  | URL widget              | User starts form with URL Widget 4025  |  | Website address is not visible under the button  |
| NODK-209  | Draw widget             | User clicks on device back button during creating a draw AUTOMATED 1494  |  | User sees Save/Ignore dialog with icons User should be able to use both dialog options.                          |
| NODK-209  | Draw widget             | User want to change color AUTOMATED 1907   |  | User sees new color picker   |
| NODK-209  | Draw widget             | User clicks on the '+' icon to extend the menu. Options have icons User clicks again on '+' to collapse menu User clicks on '+' once again AUTOMA          |  | Options have icons 2858  |
| NODK-210  | Annotate widget         | User clicks on device back button during marking on a photo 1494   | NewAppearance.xml                                  | User sees Save/Ignore dialog with icons  |
| NODK-210  | Annotate widget         | User edits photo in horizontal/vertical orientation 1558   |  | Widget recognizes photo orientation and editing view is fitted to this orientation.                              |
| NODK-210  | Annotate widget         | User starts form with image widget with appearance="annotate new" 108  |  | Choose Image is not available for appearance="annotate new"  |
| NODK-210  | Annotate widget         | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263   |  | User sees permission dialog  |
| NODK-210  | Annotate widget         | User clicks on the '+' icon to extend the menu. Options have icons User clicks again on '+' to collapse menu User clicks on '+' once again                 |  | Options have icons 2858  |
| NODK-210  | Annotate widget         | User opens form with default image defined (path described: jr://images/photo) Click on Markup defaultImage_pictures.xml                                   |  | Image should be displayed in the form as chosen by default. That media file should be visible in the instance f  |
| NODK-210  | Annotate widget         | Fill another submission and do not use Markup button.  |  | Media file should not be visible in the instance folder  |
| NODK-210  | Annotate widget         | User opens form with default image defined, path defined incorrectly 3579  | defaultImage_noPictures.xml                        | Image should not be displayed in the form.   |
| NODK-210  | Annotate widget         | User opens Annotate widget with default image described Default media are deleted User sees annotate widget with default image 3701                        |  | Markup image button is inactive. Markup image button should be active only when the picture is added/ path i     |
| NODK-211  | Signature widget        | User clicks on device back button during creating a signature AUTOMATED 1494   | All widgets.xml                                    | User sees Save/Ignore dialog with icons  |
| NODK-211  | Signature widget        | User clicks on the '+' icon to extend the menu. Options have icons User clicks again on '+' to collapse menu User clicks on '+' once again AUTOMA          |  | Options have icons 2858  |
| NODK-211  | Signature widget        | User opens form with default image defined (path described: jr://images/photo) Click on Gather defaultImage_pictures.xml                                   |  | Image should be displayed in the form as chosen by default. That media file should be visible in the instance f  |
| NODK-211  | Signature widget        | Fill another submission and do not use Gather Signature button.  |  | Media file should not be visible in the instance folder  |
| NODK-211  | Signature widget        | User opens form with default image defined, path defined incorrectly 3579  | defaultImage_noPictures.xml                        | Image should not be displayed in the form.   |
| NODK-213  | Image widget            | User adds photo in vertical/horizontal orientation 36  | NewAppearance.xml                                  | User sees that added photo is in correct orientation   |
| NODK-213  | Image widget            | User starts form with image widget with appearance="new" 108   |  | Choose Image is not available for appearance="new"   |
| NODK-213  | Image widget            | User adds photo from Google Drive 2151   |  | User is able to add image from Google Drive  |
| NODK-213  | Image widget            | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263   |  | User sees permission dialog  |
| NODK-213  | Image widget            | The user starts a form with images The user chooses some image The user sees dialog "please wait a few moments" and changes device orientation             |  | ODK Collect does not crash and image is loaded   |
| NODK-213  | Image widget            | User sets targetSdkVersion to 24. User makes a picture User opens added image 2604   |  | User should be able to add an image No crashes should be visible User is able to prevent added image.            |
| NODK-213  | Image widget            | User starts form with ImageWebViewWidget and AlignedImageWidget 2800   | webAndAlign.xml All widgets                        | AlignedImageWidget and ImageWebViewWidget are removed so if we use web or align appearance an ordin              |
| NODK-213  | Image widget            | User downloads some image via browser User opens the All widgets form User navigates to the ImageWidget User attaches a previously downloade               |  | Collect does not crash Image is added  |
| NODK-218  | Bearing widget          | User enters manually bearing reading on device without compass. 1655 4042  |  | Bearing reading is entered manually when device doesn't have compass.  |
| NODK-214  | Selfie widget           | User adds photo to selfie widget in vertical and horizontal position 1551  | All widgets.xml                                    | User is able to add photo. App does not crash  |
| NODK-214  | Selfie widget           | User adds photo to selfie widget in vertical and horizontal position 1552  | selfies.xml  | Added photos are in correct orientation  |
| NODK-214  | Selfie widget           | User starts form with appearance="new-front".  |  | The user is able to take a picture via front camera. Questions with appearance="selfie" also works correctly.    |
| NODK-214  | Selfie widget           | User tap on the screen multiple times 2360   |  | App is not crash   |
| NODK-214  | Selfie widget           | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263   |  | User sees permission dialog  |
| NODK-214  | Selfie widget           | User clicks plenty of times on area where Take Picture button is 3790  |  | Crash does not occur   |
| NODK-219  | Spinner widget          | User starts form. User opens list with answers 1935 step automated   | selectOneMinimal.xml                               | Spinner widget opens with start-of-list  |
| NODK-219  | Spinner widget          | User uses dark theme. User opens popup dialog of Spinner widget 2213   |  | User sees that dialog is lighter   |
| NODK-224  | Ex integer widget       | User clicks on Launch button 3630  |  | The keyboard is visible just after showing an EditText field Margin is visible on widgets                        |
| NODK-224  | Ex integer widget       | User adds value 3346   | stringsWidget.xml                                  | Thousands sep is available   |
| NODK-225  | Ex decimal widget       | User clicks on Launch button 1864 3630   |  | The keyboard is visible just after showing an EditText field Margin is visible on widget                         |
| NODK-225  | Ex decimal widget       | User adds value 3346   | stringsWidget.xml                                  | Thousands sep is available   |
| NODK-260  | Get Blank Form - Google | User uses Google Sheets. User opens Get Blank Form view. User downloads form. 1591 4141 4040   |  | The form and corresponding media files are downloaded  |
| NODK-260  | Get Blank Form - Google | User uses Google Sheets. User opens Get Blank Form view. User sees forms with long file name 1597  |  | User sees that file names do not cover checkboxes  |
| NODK-260  | Get Blank Form - Google | User uses Google Sheets. User opens Get Blank Form, and scroll up and down 1604  |  | User sees that any new checkboxes do not show up next to folders when user scrolls                               |
| NODK-260  | Get Blank Form - Google | User uses Google Sheets. User opens Get Blank Form. User selects few checkboxes and scroll up and down 2074  |  | Selection does not disappear   |
| NODK-260  | Get Blank Form - Google | User sees pop up to select Google account 1386   |  | Add Account' option is visible when Google Sheets are selected in server   |
| NODK-260  | Get Blank Form - Google | User sees pop up to select Google account 1626   |  | Pop up dialog has white background for light theme and dark background for dark theme                            |
| NODK-260  | Get Blank Form - Google | User sees pop up to select Google account 1786   |  | First option is selected automatically   |
| NODK-260  | Get Blank Form - Google | User uses Google Sheets. User selects first form and scrolls down quickly 1779   |  | Only the form selected by user is checked  |
| NODK-260  | Get Blank Form - Google | User uses Google Sheets. User opens 'Get Blank Form' list. User sees list of forms. User clicks on 'Shared with Me'. User sees a folder. User clicks o     |  | User is moved back to view with folder   |
| NODK-260  | Get Blank Form - Google | User sees list of forms and folders. User clicks on 'Shared with me'. User sees folders and files. Click on folder. User sees content of the folder and bi |  | User is navigated to 'My Drive'  |
| NODK-260  | Get Blank Form - Google | User uses Google Drive as a server. User adds text to search bar and then removes it 1909  |  | All available forms are visible  |
| NODK-260  | Get Blank Form - Google | User uses Google Drive as a server. User adds text to search bar and then removes it 1944  |  | Dynamic search bar is visible for Google Drive   |
| NODK-260  | Get Blank Form - Google | User uses Google Drive as a server. User goes to Get Blank Form view. User selects any form. User taps on Download selected and immediately tap            |  | There is no crash. 'Do not keep activities' turned on > If user opens app and clicks on Cancel there is no crash |
| NODK-260  | Get Blank Form - Google | User opens 'Get Blank Form' view OR User clicks on 'My Drive' / 'Shared with me' / 'Go back' 2951  |  | Progress dialog is visible during reading files from Google Drive  |
| NODK-260  | Get Blank Form - Google | User changes the language to Slovenian in the app settings User opens the list of forms from Google Drive 3008   |  | Crash does not occur when user opens Get Blank Form with Google Drive when Slovenian language is set.            |
| NODK-260  | Get Blank Form - Google | Download those forms from Google Drive. 3639   | neighbourhood last saved image.xml neighbourhood i | Forms should be successfully downloaded and visible on the Fill Blank form list. Error message should not dis    |
| NODK-262  | Delete Saved Form       | User clicks quickly on 'Delete Saved Form' button in main menu several times 1630 Quickly click on Delete Saved form button and then click quickly i       |  | Delete Saved Form list is not opened two times Delete Saved Forms should be opened and one form from t           |
| NODK-262  | Delete Saved Form       | 1769 Switch tabs from Saved Forms to Blank Forms 3919  |  | Progress bar is visible. Saved Forms and Blank Forms tabs should have white background and black text Ma         |
| NODK-262  | Delete Saved Form       | User sees list of forms 1489   |  | New icons are visible Delete Saved Form / Saved Forms: saved, finalized, failed status icons Delete Saved F      |
| NODK-262  | Delete Saved Form       | User sees list of forms 2825   |  | Forms are sorted alphabetically even if form names starts from lower case and upper case                         |
| NODK-262  | Delete Saved Form       | User has a lot of saved forms. User selects all forms and deletes them. 1258   |  | User sees progress dialog  |
| NODK-262  | Delete Saved Form       | User opens 'Blank Forms' tab. User taps on Search Icon. User searches for any form. User selects checkbox. User taps on "Clear All" and clicks on X        |  | Unselected form stays unselected   |
| NODK-262  | Delete Saved Form       | User taps on Search Icon. User searches for any form. User selects checkbox. User sees "Clear All" button but clicks <                                     |  | User sees all form list. User sees 'Select All' button   |
| NODK-262  | Delete Saved Form       | User opens Blank Forms view. User clicks on search icon and adds text. User sees searched forms and clicks Select All button. User clicks on > or <        |  | Forms are selected on view with all forms  |
| NODK-262  | Delete Saved Form       | User opens 'Blank Forms' tab. 1273   |  | User sees information about version  |
| NODK-262  | Delete Saved Form       | Dark mode is set User goes to Delete Saved Form view User sees the line under Saved Forms and Blank Forms 3760   |  | Color of the line under the Saved Forms and Blank Forms is consistent with the color scheme on dark mode         |
| NODK-262  | Delete Saved Form       | Delete all Saved Forms Delete all Blank Forms 3843   |  | Progress dialog should display   |
| NODK-262  | Delete Saved Form       | Don't keep activities is turned on Go to Delete Saved Forms/Blank Form Select All Click on Delete Selected Minimize an app Go back to App 3843             |  | Progress dialog should be visible Progress bar on progress dialog should not stop Number of deleting forms s     |
| NODK-262  | Delete Saved Form       | Download any form from any server (Aggregate/Central) Fill submission Send submission Delete saved form and blank form Go to form folder 4028              |  | Form should not be visible in form folder  |
| NODK-262  | Delete Saved Form       | Go back to Collect/Fill Blank Form list and Go to Get Blank form Download the same form once again Fill the form 4028                                      |  | Fill Blank form should be empty (deleted form should not be visible) Checkbox next to the same form should b     |
| NODK-262  | Delete Saved Form       | User uses Google Drive as a server User downloads form User fills downloaded form User goes to Delete Saved Form and removes the form User g               |  | The form is visible, user is able to fill it   |
| NODK-318  | Read-only questions     | User goes through all-widgetsReadOnly.xml form.  |  | Widgets like: BearingWidget ImageWidget DrawWidget AnnotateWidget SignatureWidget AudioWidget OSMW               |
| NODK-318  | Read-only questions     | User fills form 3105   | all-widgets3105.xml                                | RatingWidget is not editable   |

|          |                           |   |  |   |   |
|----------|---------------------------|---|--|---|---|
| NODK-318 | Read-only questions       | User fills form 3105  |  | selectTest3105.xml  | Answers not editable  |
| NODK-318 | Read-only questions       | User starts a form with read-only questions User opens Select one/multi widget with image-map appearance 3697   |  |   | User is not able to add an answer   |
| NODK-259 | Get Blank Form - Aggreg   | User clicks quickly on 'Get Blank Form' button in main menu several times 1630  |  |   | Get Blank Form list is not open two times   |
| NODK-259 | Get Blank Form - Aggreg   | User opens view 2825 3777   |  |   | New icons are visible Buttons on the bottom are in one line   |
| NODK-259 | Get Blank Form - Aggreg   | User opens sorting menu and select 'Name, Z-A' 1791   |  |   | Option 'Name, A-Z' does not have highlighted icon   |
| NODK-259 | Get Blank Form - Aggreg   | User opens 'Get Blank Form' view. 1937  |  |   | Menu icon (3 dots) is not visible   |
| NODK-259 | Get Blank Form - Aggreg   | User goes to Get Blank Form. User clicks on Refresh. User cancels 1805  |  |   | User sees empty form list. View contains Select All / Refresh / Get selected buttons. Only Refresh button is active |
| NODK-259 | Get Blank Form - Aggreg   | User has downloaded one form. User selects this form to download. User cancel downloading. User again downloads form 1692   |  |   | Form is downloaded with success. FileNotFoundException is not visible   |
| NODK-259 | Get Blank Form - Aggreg   | User opens 'Get Blank Form' and immediately cancels loading a list. 1919  |  |   | Select All button is not active   |
| NODK-259 | Get Blank Form - Aggreg   | User searches for any form. Tap on Clear all. Tap on Select all. Tap back button or close the search. 2039  |  |   | Clear all button displays   |
| NODK-259 | Get Blank Form - Aggreg   | User downloads all forms. User opens view again. 2131   |  |   | Forms are unselected. Select All button is active. Only not downloaded forms are selected as default.               |
| NODK-259 | Get Blank Form - Aggreg   | User goes to 'Get Blank Form'. User sees dialog 'Connecting to Server'. User changes device orientation 1741  |  |   | Dialog 'Connecting to Server' is closed automatically when forms are loaded even if user changes device orientation |
| NODK-259 | Get Blank Form - Aggreg   | User logs to http://perunama.berkeleyair.com/username:sdelapena password:gostoves Go to Get Blank Form Click on Get Selected 3601   |  |   | Download Results dialog with error message should display, 'media files failed' should not be visible on display    |
| NODK-259 | Get Blank Form - Aggreg   | User downloads those forms from Aggregate 2.0. 3639   |  |   | Forms should be successfully downloaded and visible on the Fill Blank form list. Error message should not display   |
| NODK-505 | odk:setlocation           | User fills form 3175  |  | neighbourhood last saved image.xml neighbourhood  | Location value is autofilled  |
| NODK-505 | odk:setlocation           | User fills form 3175  |  | setlocation-action-value-changed.xml  | Location value is added to every repeat   |
| NODK-505 | odk:setlocation           | User fills form 3175  |  | setlocation-action-value-changed.xml  | User is moved to page with 'Save Form and Exit' button but location is set in background. Value is visible in xml   |
| NODK-505 | odk:setlocation           | User fills form 3175  |  | setlocation-and-audit-location.xml  | Audit file is available. Location is set in background and is visible in XML  |
| NODK-505 | odk:setlocation           | User fills form 3175  |  | setLocation_trackingChangesAndLocationTestForm.xml  | Audit file tracks answer changes and location. Location is set in background and is visible in XML                  |
| NODK-505 | odk:setlocation           | Turn off location in devices settings. Open at least one on those forms. 3575   |  |   | "Sorry, Location providers are disabled" dialog form does not open twice when user multi-clicks on icon             |
| NODK-505 | odk:setlocation           | Click on Go to Settings button.   |  |   | Location Settings page should display. User should be able to enable location Settings                              |
| NODK-618 | Display form submission:  | User downloads a form with Geopoint widget 3447   |  |   | Map button is shown in the fill blank form list for forms with geopoint question                                    |
| NODK-618 | Display form submission:  | User downloads a form with Geopoint widget in REPEAT section 3447   |  |   | Map button is NOT shown in the fill blank form list for forms with geopoint question                                |
| NODK-618 | Display form submission:  | User clicks on new map icon User multi-clicks on new map icon 3447 4136   |  |   | Area near the map icon is clickable Map view does not appear two times when user multi-clicks                       |
| NODK-618 | Display form submission:  | User downloads a form with Geopoint widget User fills few submissions and adds answer to geopoint User has at least 4 submissions with different s  |  |   | The markers are small balloons colored according to form status (blue, purple, red, green) Bottom bar shows s       |
| NODK-618 | Display form submission:  | User opens new MapActivity User sees marker for each form instance User clicks on location button User clicks on "zoom to bounds" button User ch  |  |   | Buttons work as expected Offline layer dialog does not open twice when user multi-clicks on icon                    |
| NODK-618 | Display form submission:  | User opens new MapActivity User sees marker for each form instance User clicks on the new icon at the bottom User multi-clicks on the new icon at t   |  |   | The "new instance" button on the map launches the FormEntryActivity FormEntryActivity is not opened two tin         |
| NODK-618 | Display form submission:  | User opens new MapActivity User sees marker for each form instance User clicks on the new icon at the bottom User is moved to form User fills it an   |  |   | When a form is completed, the app returns to the MapActivity with the newly added point                             |
| NODK-618 | Display form submission:  | User opens new MapActivity User sees marker for each form instance User clicks on some marker 3447  |  |   | Clicking a map marker navigates to viewing/editing the saved form instance  |
| NODK-618 | Display form submission:  | User opens new MapActivity User sees marker for each form instance User clicks on some marker User removes response for Geopoint widget User  |  |   | When response for GeoPoint is removed, point disappears from the map Bottom bar shows correct number of             |
| NODK-618 | Display form submission:  | User opens new MapActivity User sees marker for each form instance User leaves MapActivity One submission is deleted 3447   |  |   | If the instance is sent and deleted (auto-delete or manually) point disappears from the map                         |
| NODK-618 | Display form submission:  | Edit Saved Form is unselected from Admin Settings User opens new MapActivity User sees marker for each form instance User clicks on some marker   |  |   | If Edit Saved Form is made unavailable from the admin menu, instances can't be edited                               |
| NODK-618 | Display form submission:  | Moving backward is unselected from the Admin Settings User opens new MapActivity User sees marker for each form instance User clicks on some r  |  |   | If Moving backward is unselected from the admin menu, instances can't be edited                                     |
| NODK-618 | Display form submission:  | 1. Open a form with a geopoint outside of any repeat (e.g. All Widgets) 2. Tap the save button 3. Collect a geopoint 4. Save and exit 5. Open the map view 3511   |  |   |   |
| NODK-618 | Display form submission:  | 1. When new instances are saved but not finalized, they appear on the job 2. When instances encrypted-geopoint.xml  |  |   |   |
| NODK-618 | Display form submission:  | User fills form User adds a location to Geopoint question User leaves jobs (completed or not) U All widgets   |  |   | Collect does not crash Especially Mapbox map opens properly   |
| NODK-618 | Display form submission:  | User opens new MapActivity User sees marker for each form instance User clicks on some marker BottomSheetDialogFragment appears 3778  |  |   | It should be possible to see: the instance name the current instance status the last status change time the tap     |
| NODK-618 | Display form submission:  | User goes to the form instance map. User sees a few instances. User slides the map to put an instance above the form add button. User tries to tap c  |  |   | Instances are tappable even if they're above the form add button. Tapped instance marker should become big          |
| NODK-618 | Display form submission:  | Tap on another place on the map, not on marker Tap on two markers in one by one sequence Click on devices back button 3864  |  |   | Marker should return to it's size and submission info should be hidden Both submission info should display on       |
| NODK-618 | Display form submission:  | Tap on any marker Tap on the map, not on marker Tap on two markers in one by one sequence Click on devices back button 3864   |  |   | Marker should be enlarged and instance info should be maintained after rotating the screen                          |
| NODK-200 | Multi Select Widget       | Open Select Multi Question. Select an answer Go forward Go backward 3664  |  | All widgets.xml (be careful on Androids 5 and 6)  | Answer should be still selected after going backward  |
| NODK-200 | Multi Select Widget       | User fills Multi Select Widget with appearance="autocomplete" 1373  |  |   | User is able to filter options in multi select widget   |
| NODK-200 | Multi Select Widget       | User starts form with images with form="image" and form="big-image" attributes 1510   |  | select-icons.xml  | User is able to select an answer by clicking on an image only if big-image attribute is not specified, otherwise    |
| NODK-200 | Multi Select Widget       | User is on multi select question with filtering. User adds filter. User changes device orientation ( 1427select.xml   |  |   | Filtering is still visible. Filter is not cleared.  |
| NODK-200 | Multi Select Widget       | User is on multiple select question with minimal appearance 1838  |  |   | Selected: text is visible only if any option is selected  |
| NODK-200 | Multi Select Widget       | User selects at least two options. User opens hierarchy view. 1839  |  |   | Selected options from select multiple questionnaire separated by a comma in hierarchy view.                         |
| NODK-200 | Multi Select Widget       | User sees checkboxes 2230   |  | dark theme  | Checkboxes are not black on a dark theme.   |
| NODK-200 | Multi Select Widget       | User sees few options 2241  |  |   | Options are separated by a light line on dark theme (check all Multi widgets)                                       |
| NODK-200 | Multi Select Widget       | User fills form 1964 4082   |  | multi-warning.xml   | User sees red warning   |
| NODK-200 | Multi Select Widget       | User starts form. User selects answer to first question 2284  |  | multi-warning.xml   | Toast does not appear   |
| NODK-200 | Multi Select Widget       | User is on select_multi type with autocomplete appearance. User selects one option and then searches other option 2681  |  |   | Unexpected options are not selected   |
| NODK-200 | Multi Select Widget       | User starts form 3028   |  | selectTest3028.xml  | columns appearance - horizontal labels with buttons arranged in a number of columns determined by the scre          |
| NODK-200 | Multi Select Widget       | User starts form 3516   |  | selectTest3028.xml  | Padding is visible for select multiple widgets with appearances: compact compact no-buttons column-flex no-t        |
| NODK-200 | Multi Select Widget       | User goes to multiple select widget. User chooses Yes/No/both User swipes a style_example.xml   |  |   | An answer "Yes" should be green and an answer "No" should be red. Colors should not be removed during r             |
| NODK-200 | Multi Select Widget       | User fills form with multi select widgets 3413  |  |   | More space is visible between options Lines between options are shorter, are not under checkboxes                   |
| NODK-200 | Multi Select Widget       | User selects item in no-button appearances User goes to next questions and navigates back User clicks again on selected icon 3927   |  |   | The orange frame disappears after clicking on a selected item   |
| NODK-200 | Multi Select Widget       | Open select multiple type with minimal appearance question (spinner widget) Click on select selectAppearances.xml selectAppearancesWithMinir  |  |   | Spinner dropdown should not display New page should display with answers and backward arrow button Cho              |
| NODK-200 | Multi Select Widget       | Choose one answer Edit the answer Open view with answer Rotate the screen Rotate back to portrait minimize app get back to collect 3964   |  |   | The same answer should be selected after rotate and rotate back The same answer should be selected after r          |
| NODK-200 | Multi Select Widget       | Repeat steps 18 and 19 for all types of select multiple questions from both forms. 3964   |  |   | The results should be all the same.   |
| NODK-200 | Multi Select Widget       | User opens select multiple minimal type widget User selects 2 answers User goes back User edits answer to different - deselect at least one currently   |  |   | Newly chosen answers should be visible, not old ones  |
| NODK-3   | General Settings - User I | User opens User Interface view User rotates device 3915   |  |   | User interface header should not disappear after screen rotation  |
| NODK-3   | General Settings - User I | User changes language   |  |   | User is able to use Collect in selected language  |
| NODK-3   | General Settings - User I | User uses RTL language 1981   |  |   | User sees that Fill Blank Form, Edit Saved Form, Send Finalized Form, View Sent Form, Get Blank Form and            |
| NODK-3   | General Settings - User I | User changes the text font size 3767  |  |   | User is able to use Collect in selected font size   |
| NODK-3   | General Settings - User I | User opens Navigation dialog in Dark Mode on Android 7. User changes navigation to 'Use forward/backward buttons' 2981  |  |   | Cancel button should be visible User is able to use only buttons to navigate in form New appearance of the bu       |
| NODK-3   | General Settings - User I | User changes navigation to 'Use swipe and buttons' 2981   |  |   | User is able to use buttons and swipes to navigate in form New appearance of the button holder is applied           |
| NODK-3   | General Settings - User I | User changes navigation to 'Use horizontal swipes'  |  |   | User swipes to navigate in form. Buttons are not visible  |
| NODK-3   | General Settings - User I | User chooses to show splash screen when application starts user tries with default image user tries with his own image 3813   |  |   | User sees default or own image  |
| NODK-3   | General Settings - User I | User changes Mapping SDK to OpenStreetMap SDK 1856  |  |   | OSM Streets is selected as the default Basemap  |
| NODK-3   | General Settings - User I | User adds offline basemaps 1610   |  |   | User is able to select it settings form both Mapping SDK. Offline basemaps are marked by '(custom, offline)'        |
| NODK-3   | General Settings - User I | Maps preferences are not visible 3139   |  |   | Maps preferences are no longer part of User interface settings  |
| NODK-3   | General Settings - User I | User changes language User closes app User reopens app 3776   |  |   | Language is not restored to default after reopen  |
| NODK-3   | General Settings - User I | User changes theme User closes app User reopens app 3776  |  |   | Theme is not restored to default after reopen   |
| NODK-212 | Barcode widget            | User opens Barcode Scanner 1304 4032  |  |   | User sees a button which turn on a flashlight in barcode scanner widget   |
| NODK-212 | Barcode widget            | User opens front camera Barcode scanner 4087  |  | barcodes.xml  | User is able to use barcode scanner in front camera.  |
| NODK-212 | Barcode widget            | User scans inverted QR code 3622  |  | <a href="https://drive.google.com/open?id=12gHwU5rDyE7xm">https://drive.google.com/open?id=12gHwU5rDyE7xm</a> | User is able to scan inverted QR code   |
| NODK-212 | Barcode widget            | User scans inverted QR code via front camera 3622   |  | <a href="https://drive.google.com/open?id=12gHwU5rDyE7xm">https://drive.google.com/open?id=12gHwU5rDyE7xm</a> | User is able to scan inverted QR code   |
| NODK-212 | Barcode widget            | User goes to Barcode widget 4164  |  |   | Margin for buttons is visible   |
| NODK-240 | Admin Settings - Reset a  | User goes to Admin Settings. User clicks on Reset Application. User resets some data. AUTOMATED 1269  |  |   | Reset result dialog does not disappear after change device orientation  |
| NODK-240 | Admin Settings - Reset a  | User unchecks a couple of admin settings options. User resets all settings. AUTOMATED 1067  |  |   | Admin settings are updated  |
| NODK-240 | Admin Settings - Reset a  | User changes the language in general settings. User resets all settings. AUTOMATED  |  |   | Language is updated immediately   |
| NODK-240 | Admin Settings - Reset a  | User clicks on "Reset application...". Pop up appears 1838 AUTOMATED  |  |   | Reset button is disabled when nothing is selected.  |
| NODK-240 | Admin Settings - Reset a  | User clicks on "Reset application". Pop up appears. User checks and unchecks options 3478   |  |   | Focus on center is not visible User should see just one column with checkboxes in the right.                        |
| NODK-240 | Admin Settings - Reset a  | User logs to Aggregate with anonymous access not allowed Click on Get Blank Form Go to Admin Settings/Reset application. select Reset All Settings 348  |  |   | List of the form should be visible  |
| NODK-240 | Admin Settings - Reset a  | User logs in General Settings. Server Settings input only URL of the same aggregate, do not input username and password Go to Get Blank Form User should l  |  |   | List of form should not be displayed Server Requires Authentication dialog should be displayed                      |
| NODK-240 | Admin Settings - Reset a  | Multi click on Reset application....  |  |   | Dialog should not be displayed twice.   |
| NODK-229 | Basic criteria            | Open Collect app. 3659  |  |   | Main Menu title should not be visible in the app header there should be "ODK Collect" with current version          |
| NODK-229 | Basic criteria            | Run automated tests What Android version?   |  |   | All automated tests finished with success   |
| NODK-229 | Basic criteria            | User pre-load data into a new submission  |  | Sample-Preloading.xml Sample-SearchAndSelect.xml  | User is able to finish the form   |
| NODK-229 | Basic criteria            | User uses external itemsets   |  | cascading_select_external_itemsets.xml  | User is able to finish the form   |
| NODK-229 | Basic criteria            | User changes device orientation few times, quickly on views: Fill Blank Form, Edit Saved Form, View Sent Form, Get Blank Form 1412  |  |   | App does not crash. User is able to continue work   |
| NODK-229 | Basic criteria            | User starts form with bunch of widgets on one page  |  | OnePageForm.xml   | User is able to add answer on all questions   |
| NODK-229 | Basic criteria            | User starts form with bunch of widgets on one page with gps and image widget 1713   |  | OnePageForm.xml   | Selected image is always added even if location question is answered in form displayed on one page                  |
| NODK-229 | Basic criteria            | Verify that ODK Collect Intents Tester app works as expected  |  | collectTester   | Views and forms are opened correctly  |
| NODK-229 | Basic criteria            | User opens external app like Tester app User is able to add URL and credentials (different than collectTester   |  |   | User is able to submit only finalized forms via Tester app  |
| NODK-229 | Basic criteria            | User opens ODK Collect Intents Tester app. User opens DOWNLOAD FORM. User adds FORM_ID and clicks on DOWNLOAD FORM button 2339  |  |   | Form with added id is downloaded and visible in ODK Collect   |
| NODK-229 | Basic criteria            | Verify form with back to back repeats   |  | repeatTest.xml  | Collect works as expected   |
| NODK-229 | Basic criteria            | Verify form with nested repeats User fills form and opens hierarchy view User rotates screen on nested-repeats.xml  |  |   | Collect works as expected. The screen is not changing after screen rotation. When there is more than 12 grou        |
| NODK-229 | Basic criteria            | The app is closed in the middle of filling a form 4118  |  |   | User sees that auto-save is loaded and there is no data lost  |
| NODK-229 | Basic criteria            | User selects some form management settings and then updates collect version. 1660   |  |   | Option are NOT restored to default in updated collect version. All settings remain unchanged                        |
| NODK-229 | Basic criteria            | User uninstalls update of Google Play services and replaced the app with the factory version 2446   |  |   | User is able to fill form and send it   |
| NODK-229 | Basic criteria            | User turns off Storage permissions in Settings (Androids <=6). User opens ODK Collect Intents <a href="https://github.com/odkcollect/collect/pull/2606">https://github.com/odkcollect/collect/pull/2606</a> |  |   | When User opens Download Form he should see permission dialog window. After accepting the dialog, user s            |
| NODK-229 | Basic criteria            | User turns off Storage permissions in Settings again (Androids <=6). User opens ODK Collect I to send submission on Tester. odk folder should be re   |  |   | When User opens Submit Instance he should see permission dialog window. After accepting the dialog, user s          |
| NODK-229 | Basic criteria            | User loads form in v1.22.0 User clears the form load cache from Admin Settings / Reset All Settings / warnings_internal.xml   |  |   | Loading was much faster both times  |
| NODK-229 | Basic criteria            | User installs Kobo v1.14 which is older version of Collect User installs newest version of Collect User switch between both apps 3323   |  |   | Collect does not crash  |
| NODK-229 | Basic criteria            | Google Play services v12.5.27 is installed on device Newest Collect is installed 3329   |  |   | Form autoseed should work for both Aggregate and Google Drive. Automatic form update should work, the ne            |
| NODK-229 | Basic criteria            | User opens any form on any text question User inputs text User clicks on Save icon User rotate all widgets.xml  |  |   | Saving Form dialog should not show up and it should not freeze an app on that view, User should be able to u        |
| NODK-242 | Admin Settings - Configu  | User installs Collect. User changes few settings. User exports settings to QR code and file. Other user imports settings from QR code and file 1523   |  |   | Settings are consistent with the set. There is no crash.  |
| NODK-242 | Admin Settings - Configu  | User installs Collect. User changes few settings. User resets all settings  |  |   | All settings are set as default   |
| NODK-242 | Admin Settings - Configu  | User installs Collect. User changes few settings. User exports settings to QR code without passwords. Other user imports settings from QR code  |  |   | Settings are consistent with the set  |

|          |   |   |  |
|----------|---|---|--|
| NODK-242 | Admin Settings - Config User opens 'Configure via QR code' 1857 3628  |   | User sees Share icon Save Settings icon in not visible Pop up menu is not visible                                  |
| NODK-242 | Admin Settings - Config App to handle an image pick intent is not installed. User selects 'Select code form SC Card' 1932   |   | App does not crash. User sees toast.   |
| NODK-242 | Admin Settings - Config User opens 'Configure via QR code' few times 1879   |   | QR code is not regenerated when settings were not changed. The last generated QRCode is cached in the sd           |
| NODK-242 | Admin Settings - Config User sets targetSdkVersion to 24 User goes to Admin Settings and 'Configure via QR code' User clicks on share icon. 2601                                |   | An app should not crash. User should be able to share QR code (save a file or sent)                                |
| NODK-242 | Admin Settings - Config User scans QR code with invalid settings https://github.com/pendatakit/collect/issues/2086 User set dark mode and scans invalid QR code again. 27       |   | User should see a toast "QR code does not contain valid settings" Message is translated to other languages A       |
| NODK-242 | Admin Settings - Config User goes to Admin Settings -> 'Configure via QR code' User clicks on SELECT CODE FROM SD CARD User chooses a big image (~16MB) 2985                    |   | Collect does not crash   |
| NODK-242 | Admin Settings - Config User adds up to 5 server's URL in General Settings/Server. At least one of them should be Central's. On other device user inputs different servers url. |   | Server URL should be imported The list of server URL should be stored on the dropdown list. After changing t       |
| NODK-242 | Admin Settings - Config User adds up to 5 server's URL in General Settings/Server. At least one of them should be Central's. On other device user inputs different servers url. |   | Server URL should be imported The list of server URL should be stored on the dropdown list. After changing t       |
| NODK-242 | Admin Settings - Config User scans QR code invalid chars 3422   |   | Toast with error is visible  |
| NODK-242 | Admin Settings - Config User scans inverted QR code 3622 3835   | <a href="https://drive.google.com/open?id=12gHwU5rDyE7m">https://drive.google.com/open?id=12gHwU5rDyE7m</a> | Settings are consistent with the set. There is no crash.   |
| NODK-242 | Admin Settings - Config User opens QR code screen 3743  |   | QR Scanner is the first fragment Generated QR code is visible under the second tab The warning text is abse        |
| NODK-242 | Admin Settings - Config User opens QR code screen User imports settings from QR code file 3743  |   | Settings are consistent with the set   |
| NODK-242 | Admin Settings - Config User set Aggregate as a server Username and password to Aggregate are declared Admin password is NOT set User opens QR code - information C             |   | Aggregate password is set only as a server password Admin password stays undeclared                                |
| NODK-242 | Admin Settings - Config User opens QR code screen User scans incorrect QR code and sees the message "QR does not contain valid settings" User immediately scans the             |   | Settings from QR code are applied  |
| NODK-261 | Form and media update User downloads from aggregate different version of the same form. User downloads from aggregate the same form but with other media files. 1653            |   | User sees information about form updates. Form is updated successfully, user can fulfill and send both version     |
| NODK-261 | Form and media update User downloads from aggregate the same forms with different versions and different order of the same questions.   |   | User sees information about form updates. Form is updated successfully, user can fulfill and send both version     |
| NODK-261 | Form and media update User downloads from aggregate forms with different version and with different content of text question.   |   | User sees information about form updates. Form is updated successfully, user can fulfill and send both version     |
| NODK-261 | Form and media update User downloads a form with media. User removes media folder. User opens 'Get Blank Form' list 1737 4107   |   | User sees information about update.  |
| NODK-261 | Form and media update User clicks on Get Blank form. Forms to download displays and the green message "This is an update to a form you have" is present. User goes back         |   | The green message "This is an update to a form you have" is visible.   |
| NODK-261 | Form and media update User uses Sample-preloading-form, form with external Iemsets, form with simple media files 1720   |   | User sees information about update only when it is expected. Forms with media files do not causes additional       |
| NODK-261 | Form and media update User sets 'Every fifteen minutes' for 'Period form update check'. Few forms are updated on ser 15 min   |   | User sees information in notification that new versions are available  |
| NODK-261 | Form and media update User selects Automatic Download. Few forms are updated on server Media is updated on serve 15 min   |   | User sees information in notification that new versions were downloaded  |
| NODK-261 | Form and media update User sees notifications 2200  |   | Notification headers: ODK auto-send results / ODK auto-download results Notification status: Failures / Success    |
| NODK-261 | Form and media update Notification appears User clicks on notification 1753 2179  |   | New notification icon is visible. The same icon is visible on all Android versions Dialog with result is visible   |
| NODK-261 | Form and media update User sees 2 notifications. Older notification is about auto send. Newest notification is about downloaded form version. User clicks on older notification |   | User sees correct full message   |
| NODK-261 | Form and media update Few versions of the same form is available on device. 1694  |   | Only the newest version is visible. Old versions are hidden.   |
| NODK-261 | Form and media update User unselect Form Management-Hide old form versions 3228   |   | Every form versions are visible on 'Fill Blank Form' view Collect does not crash                                   |
| NODK-261 | Form and media update Download form from server versions of the form (I have tried for Aggregate) Log to another server where you have version2/ upload version2 to the se      |   | After 15 minutes notification about automatic download of for update should display Form should be updated         |
| NODK-215 | GeoTrace Widget User opens map view 2659 3922   |   | After opening map view delete button should be disabled. The map view should be zoomed to current location         |
| NODK-215 | GeoTrace Widget User adds locations manually (Google Maps/OSM (go to step 2 first) 1459 User opens OSM m. All widgets.xml   |   | Altitude and accuracy are 0.0 when location is added manually When open OSM map user should see only or            |
| NODK-215 | GeoTrace Widget User uses GeoTrace automatic mode.  |   | User is able to zoom and save results of automatic mode.   |
| NODK-215 | GeoTrace Widget User selects offline basemaps 1610 User rotates the screen 2647   |   | Offline basemaps is selected in Layer Choice of offline basemaps should not be lost after screen rotation.         |
| NODK-215 | GeoTrace Widget User uses Collect with targetSdkVersion set to 23. User tries to add location. 2321   |   | User sees permission dialog  |
| NODK-215 | GeoTrace Widget User chooses View or Change GeoTrace button.  |   | Saved feature should be zoomed.  |
| NODK-215 | GeoTrace Widget User deletes added features. User adds new features.  |   | User should be able to delete added feature and create a new one.  |
| NODK-215 | GeoTrace Widget User adds the feature using manual mode. (using Google maps) User rotate the screen User adds points User pauses recording of the point User rot                |   | None recorded data are lost after rotating the screen  |
| NODK-215 | GeoTrace Widget User deletes saved feature User rotates the screen 2492   |   | Recorded data shouldn't be restored.   |
| NODK-215 | GeoTrace Widget User starts automatic mode of recording points. User rotates the screen User pauses automatic mode User rotates the screen User continues autom                 |   | None of recorded data are lost after screen rotation.  |
| NODK-215 | GeoTrace Widget User deletes saved feature User rotates the screen  |   | Deleted feature is not restored after screen rotation  |
| NODK-215 | GeoTrace Widget User repeats steps from 10-13 for OSM maps.   |   | The results should be the same   |
| NODK-215 | GeoTrace Widget User opens map on Geotrace widget   |   | User notices: autozoom to the current location the first point is collected immediately for automatic mode zoom    |
| NODK-215 | GeoTrace Widget User opens map 2904   |   | Right scroll bar for buttons is visible only when it is needed   |
| NODK-215 | GeoTrace Widget User rotates device many times quickly 2856   |   | Collect does not crash   |
| NODK-215 | GeoTrace Widget User adds few points User clicks on Backspace button to remove the last point 2890  |   | Backspace button is visible Backspace button is active when points are added                                       |
| NODK-215 | GeoTrace Widget User adds few points User clicks on Trash icon and confirmed clearing 2890  |   | Backspace button is inactive   |
| NODK-215 | GeoTrace Widget User adds point User clicks on Pause User clicks on 'Zoom' button User clicks to add point 2886   |   | Pause button is visible  |
| NODK-215 | GeoTrace Widget User starts tracking location 2891  |   | GPS feedback and collection feedback are visible User sees red/green accuracy indication User sees number          |
| NODK-215 | GeoTrace Widget User starts tracking location in automatic mode 2891  |   | User is able to set accuracy User is able to set NONE accuracy   |
| NODK-215 | GeoTrace Widget User opens map on Geotrace widget 2933 2976   |   | New Input method dialog with Placement by tapping option Long press and tap can be used to adding locator          |
| NODK-215 | GeoTrace Widget User adds location 2940   |   | The user's location is displayed using a set of crosshairs at the location, as well as a semitransparent blue circ |
| NODK-215 | GeoTrace Widget User sets input method to "Placement by tapping" User moves the map and the current position isn't on the screen 2973   |   | The map stays where the user has moved it without the crosshair position, as well as                               |
| NODK-215 | GeoTrace Widget User adds location 3078   |   | Save geotrace as polygon is not available  |
| NODK-215 | GeoTrace Widget User selects 'Mapbox Maps SDK' 3074   |   | When APK is built with token, nice, smoothly zoomable vector map is visible Basemaps can be changed Whe            |
| NODK-215 | GeoTrace Widget User opens widget User plays around with input methods (setting them, deleting them, changing them) User recenters the map User saves geolocal                  |   | GPS location accuracy should always have number with 2 decimal points  |
| NODK-215 | GeoTrace Widget User opens map on User selects Automatic location recording option User opens Accuracy requirement options 3378   |   | Scroll is available and the user is able to select None easily   |
| NODK-215 | GeoTrace Widget Open Geotrace widget on Android 5.1 Open Input method dialog Click on Automatic location recording Rotate screen 3609   |   | The whole dialog should be visible. Scroll should be visible and useable in landscape position.                    |
| NODK-215 | GeoTrace Widget Open GeoTrace widget Start Automatic location recording 3976  |   | Record a point button should not be visible  |
| NODK-215 | GeoTrace Widget Open GeoTrace widget Select Automatic location recording 4049 Select automatic mode again Set recording interval to 1 second and accuracy requi                 |   | First point should be recorded immediately   |
| NODK-1   | General Settings - Serve User opens Server Settings User clicks on Type 3818  |   | User sees default Server Type "ODK" User doesn't see Server Type ODK Aggregate Type dialog should displ            |
| NODK-1   | General Settings - Serve User uses ODK Aggregate 3580   |   | User is able to set URL. User is able to set Username and Password Focus is set on the text field and the keyt     |
| NODK-1   | General Settings - Serve User tries to add unexpected sign before URL 1973  | <a href="https://pendatakit.appspot.com">https://pendatakit.appspot.com</a>                                 | User sees toast Dot is not saved even if user changes device orientation   |
| NODK-1   | General Settings - Serve User uses dark theme. User opens Server URL dialog 2199  |   | Dropdown icon is white   |
| NODK-1   | General Settings - Serve User adds URL to Aggregate server which does not accept anonymous user User adds port nu try in collect https://nafund-test.appspot.com:443 use        |   | Username and password are remembered and user does not need to fill it again                                       |
| NODK-1   | General Settings - Serve User scans QR code from old version where Other type of server is selected (ex. kobo credential https://drive.google.com/file/d/1RBV72Ostby2YwQ-cl     |   | User should not see a blind page Server type should be set to ODK Server URL, Username and Password wh             |
| NODK-1   | General Settings - Serve Click on Custom server paths Rotate devices screen Click on Form list path Rotate the screen Edit form list path and click on OK button Click on Sub   |   | Custom server path titled view should display, Custom server paths header should not disappear after rot           |
| NODK-1   | General Settings - Serve Try multiselect on: Custom server path Form list path Submission path 3818   |   | The header should not disappear The view should not be opened twice Both dialogs should not be opened tw           |
| NODK-2   | General Settings - Serve User opens Server Settings and chooses Google Drive and deny permissions in Dark Mode a Android 7 1801 User chooses Google Drive, Google Si            |   | "Get accounts permission" dialog message should display, OK button should be visible. User should see dialo        |
| NODK-2   | General Settings - Serve User clicks on Ok button. User chooses Google account User clicks on back button User clicks multiple times on Google account User rotates screen      |   | User is able to go back to General Settings. Google account popup should be opened just once. Google acco          |
| NODK-2   | General Settings - Serve User uses Google Drive, Google Sheets  |   | User is able to set Google account and fallback Submission URL   |
| NODK-2   | General Settings - Serve User sees pop up to select Google account 1386   |   | Add Account' option is visible   |
| NODK-2   | General Settings - Serve User creates new Google account. User sends form to Sheets   |   | User sees permission request User allows and form is sent with success   |
| NODK-2   | General Settings - Serve User sets Google Sheets as a server and selects a Google account. User goes device's settings and then navigates to the Google account manager.        |   | ODK Collect does not crash The dialog 'Google Account not set' appears   |
| NODK-2   | General Settings - Serve User goes to Settings. Server User chooses type Google Drive, Google Sheets User clicks on Google account User clicks on Deny in the permission        |   | Google account window displays   |
| NODK-197 | Range widget User fills Range Widget with type="xs:decimal" 105 3969  | range.xml   | Widget with decimal values   |
| NODK-197 | Range widget User fills Range Widget with type="xs:integer"   |   | Widget with integer values   |
| NODK-197 | Range widget User fills Range Widget with appearance not specified  |   | Widget in horizontal position with ticks is a default appearance   |
| NODK-197 | Range widget User fills Range Widget with appearance="no-ticks"   |   | Ticks are not visible  |
| NODK-197 | Range widget User fills Range Widget with appearance="picker"   |   | Dialog opens. User is able to select answer  |
| NODK-197 | Range widget User fills Range Widget with appearance="vertical" 1136  |   | Widget in vertical position with ticks   |
| NODK-197 | Range widget User fills Range Widget with appearance="vertical no-ticks"  |   | Widget in vertical position without ticks  |
| NODK-197 | Range widget User fills Range Widget with readonly="true"]  |   | Edit is blocked  |
| NODK-197 | Range widget User starts form with Range Widget 1260  |   | Default value for range widget is null   |
| NODK-197 | Range widget User selects min value 1950  |   | Min value is visible   |
| NODK-197 | Range widget User uses RTL languages 1983   |   | RangeWidget works as expected on RTL languages   |
| NODK-197 | Range widget User adds some value different than min value 2115   |   | The min value is not visible for a moment  |
| NODK-197 | Range widget User sees vertical range widget 1262   |   | Blue bar is always visible   |
| NODK-197 | Range widget User starts form with RangeWidget with picker appearance User adds value 2481  |   | Values are bigger in medium size. It also reacts to changes font size in settings                                  |
| NODK-197 | Range widget User sees Range picker integer widget User opens dialog  |   | Number Picker dialog header can be translated to other languages 2675  |
| NODK-197 | Range widget User fills all range widget modifications 3630   |   | Margin is visible on widgets   |
| NODK-198 | Number Widget User fills form with appearance="thousands-sep" in integer, decima, stringNumber 1709   | thousands-separator.xml   | Thousands separator is visible in ODK user and in hierarchy view   |
| NODK-198 | Number Widget User uses device in German/French/Dutch/English 1715  |   | Thousands separator is visible according the locales   |
| NODK-199 | Single Select Widget Open Select one Question. Select an answer Go forward Go backward 3664   | All widgets.xml ( be careful on Androids 5 and 6)   | Answer should be still selected after going backward   |
| NODK-199 | Single Select Widget User starts form with images with forms="image" and forms="big-image" attributes 1510  | select-icons.xml  | User is able to select an answer by clicking on an image only if big-image attribute is not specified, otherwise   |
| NODK-199 | Single Select Widget User is on single select question with filtering. User adds filter. User changes device orientation 1427select.xml   |   | Filtering is still visible. Filter is not cleared.   |
| NODK-199 | Single Select Widget User starts form. User selects options with space. User saves form. User opens saved form. 26selectSpace2.xml  |   | Answers with space are visible   |
| NODK-199 | Single Select Widget User starts form with question Select One Search Widget 1976   |   | User sees separator lines  |
| NODK-199 | Single Select Widget User sees radio buttons. 2230  |   | Radio buttons are not black on a dark theme.   |
| NODK-199 | Single Select Widget User sees few options 2241   |   | Options are separated by a light line on dark theme (check all Select widgets)                                     |
| NODK-199 | Single Select Widget User opens TestColorChoices form. User goes to select one question. User chooses Yes/No UI TestColorChoices.xml  | selectTest3028.xml  | An answer "Yes" should be green and answer "No" should be red. Colors should not be removed after scre             |
| NODK-199 | Single Select Widget User starts form 3028  | selectTest3028.xml  | columns appearance - horizontal labels with buttons arranged in a number of columns determined by the scro         |
| NODK-199 | Single Select Widget User starts form 3516  | selectTest3028.xml  | Padding is visible for select one widgets with appearances: compact compact no-buttons column-flex no-buttc        |
| NODK-199 | Single Select Widget User opens form. User goes to single select widget. User chooses Yes/No User swipes right an style_example.xml   |   | An answer "Yes" should be green and answer "No" should be red. Colors should not be removed durin                  |
| NODK-199 | Single Select Widget User opens form. User opens dropdown list. User chooses answer from the dropdown list. User selectMinimal.xml  |   | Whole labels should be displayed on the dropdown list Whole label should be visible after choosing answer fr       |
| NODK-199 | Single Select Widget User fills form with single select widgets 3413  |   | More space is visible between options Lines between options are shorter, are not under RadioButtons                |
| NODK-199 | Single Select Widget User fills form. 3657  | selectTest.xml in selectTest folder on drive  | There should not be much space between media and answer separators.  |
| NODK-199 | Single Select Widget User fills form 3725   | question-grid.xml   | Top margin is visible  |
| NODK-199 | Single Select Widget User starts form 3752  | selectOne.xml   | Crash does not occur   |
| NODK-199 | Single Select Widget Open select one widget with quick appearance Select one answer 3925  |   | Arrows should not be visible in the right side of the answer You should be immediately moved to next questor       |
| NODK-199 | Single Select Widget Open select one appearance: compact no-buttons autocomplete Select one answer Rotate the selectTest3028.xml  |   | Only one, newly chosen answer should be selected.  |
| NODK-199 | Single Select Widget Open select one type with minimal appearance question (spinner widget) Click on select answer selectAppearances.xml selectAppearancesWithMinr              |   | Spinner dropdown should not display New page should display with answers and backward arrow button Chro            |

|          |                             |  |  |   |
|----------|-----------------------------|--|--|---|
| NODK-199 | Single Select Widget        | Choose one answer Edit the answer Open view with answer Rotate the screen Rotate back to portrait minimize app get back to collect 3964                    |  | The same answer should be selected after rotate and rotate back The same answer should be selected after              |
| NODK-199 | Single Select Widget        | Repeat steps 19 and 20 for all types of select one questions from both forms. 3964   |  | The results should be all the same.   |
| NODK-199 | Single Select Widget        | Fill the answers Choose to edit any of chosen answers Click on back arrow Change previously  | nigeria_wards_internal_select_minimal.xml            | User should be immediately back to questions It should take longer to be back to questions                            |
| NODK-199 | Single Select Widget        | Open Form Select answers Rotate device 4062  | search_and_select.xml nigeria_wards_internal_select  | None of answers should be doubled, none answers should be mixed up  |
| NODK-239 | Admin Settings              | User opens Admin Settings with targetSdkVersion=24 2533 AUTOMATED  |  | App doesn't crash.  |
| NODK-239 | Admin Settings              | User changes device orientation on admin settings view. 1658 AUTOMATED   |  | App doesn't crash and screen rotated properly.  |
| NODK-239 | Admin Settings              | App configuration' part contains: - Reset application... - Configure via QR code - Save legacy settings file to disk - Will be removed in a future version |  | App configuration' contains mentioned parts   |
| NODK-239 | Admin Settings              | User clicks on 'Save legacy settings file to disk' 3628  |  | collect.settings file is saved  |
| NODK-239 | Admin Settings              | User opens Admin Settings User clicks multi times on Admin password 3719 User rotates device when Admin password dialog is opened 3824                     |  | Admin password' dialog is NOT opened two times dialog should not disappear after rotating the screen.                 |
| NODK-239 | Admin Settings              | Admin password is set User tries to open Admin settings Admin password dialog appears User minimize / lock screen / rotate the device Check the A          |  | User is able to continue using app Crash does not occur   |
| NODK-239 | Admin Settings              | User opens admin password dialog in admin settings User rotates screen Admin password is already set User opens Admin settings User rotates the            |  | Dialog should not disappear Admin password dialog should display Dialog should not disappear                          |
| NODK-241 | Admin Settings - User S4    | User opens this settings. User does not see 'Type' option 1311   |  | User sees 'Server' option All options on the list should start in the same line                                       |
| NODK-241 | Admin Settings - User S4    | User opens User Settings. There is Server option and Submission transport, user unchecks Server checkbox 2427  |  | Submission transport checkbox is disabled and grayed out, user is unable to select/unselect it. User goes to g        |
| NODK-241 | Admin Settings - User S4    | User goes back to User Settings Select Server option and unselect Submission transport checkbox 2507   |  | When User selects Server checkbox, Submission transport should be enabled and it should remain black (not             |
| NODK-241 | Admin Settings - User S4    | User opens 'User settings' User hides all options 2960 AUTOMATED   |  | All options are visible in 'Admin settings -> General Settings' Options are not visible in 'General Settings'         |
| NODK-241 | Admin Settings - User S4    | User opens 'User settings' 2967 AUTOMATED  |  | User is able to hide only Show guidance for questions option User is able to hide all options except Show guid        |
| NODK-241 | Admin Settings - User S4    | User goes to Admin Settings/User Settings Uncheck options: Theme, language, text font Go to General Settings/User interface 4014                           |  | Theme, language, text font options should not be visible in General Settings  |
| NODK-241 | Admin Settings - User S4    | User goes to Admin Settings/User Settings Uncheck options: blank form update mode periodic form updates check automatic download hide old form versio      |  | Options should not disappear from admin settings after deselecting them and go back to user settings, all tho         |
| NODK-241 | Admin Settings - User S4    | User goes to Admin settings -> User settings User unchecks Periodic form update check and (or) Automatic download User goes to General settings            |  | Selected mode is applied. Collect does not crash  |
| NODK-243 | Admin Settings - Form E     | User unchecks "Allow moving backwards in forms" option. 1456 AUTOMATED   |  | User is not able to move backwards when filling form.   |
| NODK-243 | Admin Settings - Form E     | User selects "Defer validation until finalized" and then Admin unchecks "Allow moving backwards in forms" option. 1704 AUTOMATED                           |  | Constraint processing option is set as "Validate upon forward swipe" and is not editable                              |
| NODK-243 | Admin Settings - Form E     | User sees dialog with buttons: Yes/No 1456 AUTOMATED   |  | Edit Saved Form, Save Form, Go To Prompt, Constraint processing is set to Validate upon forward swipe if us           |
| NODK-243 | Admin Settings - Form E     | User unchecks "Allow moving backwards in forms" option. User starts form. User restarts a phone. 1675  |  | User sees question on which he finished. User is not able to move backwards   |
| NODK-245 | Fill Blank Form - Auto Se   | User uses form with auto-send attribute 1952   |  | Only auto-send attribute causes sending form. auto-submit attribute is not longer exist                               |
| NODK-245 | Fill Blank Form - Auto Se   | User fills form with configuration: Auto Send - Off; Delete after send - Off; auto-delete="true"; auto-send="true" 791 1750                                |  | Form is auto sent and removed from device. There is no opportunity to open sent form in 'View Sent Form'. Cr          |
| NODK-245 | Fill Blank Form - Auto Se   | User fills form with configuration: Auto Send - On; Delete after send - On; auto-delete="false"; auto-send="false" 791 1750                                |  | Form need to be manually selected to send. User can open form in 'View Sent Form'. Crossed eye icon is NO             |
| NODK-245 | Fill Blank Form - Auto Se   | User fills form with configuration: Auto Send - Off; Delete after send - Off; auto-delete="true"; auto-send="false" 791 1750                               |  | Form need to be manually selected to send. There is no opportunity to open sent form in 'View Sent Form'. Cr          |
| NODK-245 | Fill Blank Form - Auto Se   | User fills form with configuration: Auto Send - Off; Delete after send - On; auto-delete="false"; auto-send="true" 791 1750                                |  | Form is auto sent. User can open form in 'View Sent Form'. Crossed eye icon is NOT visible.                           |
| NODK-246 | Fill Blank Form - Audit fil | User loads form with audit 1340  | audit-test-or-x.xml                                  | ODK does not crashes. User is able to use this form   |
| NODK-246 | Fill Blank Form - Audit fil | User starts form. user jumps to other question 2113  | Audit.xml  | end time is included in the jump event  |
| NODK-246 | Fill Blank Form - Audit fil | User adds string longer than 2 characters in text question 2111  |  | end screen event shows end time when followed by constraint error   |
| NODK-246 | Fill Blank Form - Audit fil | User starts filling form and saves it. User opens the saved form 2136  |  | jump event is logged after opening saved form   |
| NODK-246 | Fill Blank Form - Audit fil | User starts form and sends form. User opens the form from View Sent Form list 2134   |  | audit.csv file is NOT affected when opening a sent form from the View Sent Form list                                  |
| NODK-246 | Fill Blank Form - Audit fil | User starts form Form logs location coordinates in the background 2772   | AuditTestLocationBackground                          | Track Location option in menu is visible only when expected audit file appears  |
| NODK-246 | Fill Blank Form - Audit fil | User starts form Form logs location coordinates in the background 2772   |  | Events are logged location tracking enabled location tracking disabled location providers enabled location provi      |
| NODK-246 | Fill Blank Form - Audit fil | User starts form Form logs location coordinates in the background 2772   |  | Logs contains END date for first enabled Latitude Longitude Accuracy  |
| NODK-246 | Fill Blank Form - Audit fil | User disables/enables gps in devices settings when filling the forms. 3210   | AuditTest.xml  | location tracking enabled and location tracking disabled events should be visible in the audit file.                  |
| NODK-246 | Fill Blank Form - Audit fil | User starts form Form logs location coordinates in the background 2772   |  | User is informed that location is tracked User sees bar with information  |
| NODK-246 | Fill Blank Form - Audit fil | User starts form Form logs location coordinates in the background Location provider is turned off 2772   |  | User is informed that location provider is disabled User sees dialogs and is able to go to settings                   |
| NODK-246 | Fill Blank Form - Audit fil | User starts form User fills all answers User changes responses 3072  | trackingChangesAndLocationTestForm.xml.txt           | Answers are track in Audit file Changing responses are recorded   |
| NODK-246 | Fill Blank Form - Audit fil | User starts form User fills all questions User clicks on Save Form and Exit button User goes trackingChangesAndLocationTestForm.xml.txt                    |  | Audit file shows proper information   |
| NODK-246 | Fill Blank Form - Audit fil | User starts form User adds new lines, comma and text in quotes after the comma 3113  | trackingChangesAndLocationTestForm.xml.txt           | Value in text question is represented in one cell in Audit file   |
| NODK-246 | Fill Blank Form - Audit fil | User starts form Tracking location is disabled 3102  | trackingChangesAndLocationTestForm.xml.txt           | Answers (old-value, new-value) are added in correct places in both tracking locations and tracking changes an         |
| NODK-246 | Fill Blank Form - Audit fil | User starts form User adds few groups User analyzes Audit file 3231  | 3231nested-repeats-for-audit.xml 3231audit-group-m   | Groups do not have [...] Repeat groups contain information in [...]   |
| NODK-246 | Fill Blank Form - Audit fil | User starts form User clicks on save icon and then adds answer User finishes form and opens 13231test_audit_repeats.xml                                    |  | Audit file contains changes for question if edited after save   |
| NODK-216 | GeoShape widget             | User adds points in map 2238 2659 3922   | All widgets.xml                                      | After opening map view delete button should be disabled. Crash does not occur   |
| NODK-216 | GeoShape widget             | User adds one/two points in map 1124   |  | User sees toast!  |
| NODK-216 | GeoShape widget             | User clicks on crosshair button. User clicks on Save button. User clicks on "View of Change GeoShape" button. User adds new points and moves the           |  | The view zoom to show the whole area After Saving, map should not be visible, user should be back to the fo           |
| NODK-216 | GeoShape widget             | User clicks on crosshair button  |  | Zoom of current location should be visible.   |
| NODK-216 | GeoShape widget             | User adds shape points to the map User does not click on Save button. User uses back button. User chooses Discard  |  | Dialog message "Discard changes and return to ODK" with Cancel/Discard options should appear. User sho                |
| NODK-216 | GeoShape widget             | User Starts Geoshape again and do not adds points. User doesn't click on Save button. User chooses back button   |  | Dialog message "Discard changes and return to ODK" with Cancel/Discard options should not appear. User                |
| NODK-216 | GeoShape widget             | User clicks on View or Change GeoShape button. User clicks on Clear button. User clicks on Clear on confirmation dialog. User clicks on Save butt          |  | Clear confirmation window should appear. User should be able to save empty results. Discard changes                   |
| NODK-216 | GeoShape widget             | Repeat all the steps for OSM maps  |  | The results should be all the same.   |
| NODK-216 | GeoShape widget             | Add geoshape on Google maps. Rotate device's screen 2310   |  | Data should not be lost after screen rotation.  |
| NODK-216 | GeoShape widget             | Delete saved feature. Rotate the screen again. 2492  |  | Deleted feature should not be restored.   |
| NODK-216 | GeoShape widget             | Repeat last two steps for OSM maps.  |  | The results should be all the same.   |
| NODK-216 | GeoShape widget             | User opens map on Geoshape widget  |  | User notices: autozoom to the current location zoom bar to dialog is no longer available current location is not lost |
| NODK-216 | GeoShape widget             | User rotates device many times quickly 2856  |  | Collect does not crash  |
| NODK-216 | GeoShape widget             | User adds few points User clicks on Trash icon and confirmed clearing 2890   |  | Backspace button is inactive  |
| NODK-216 | GeoShape widget             | User adds few points User clicks on Backspace button to remove the last point 2890   |  | Backspace button is visible Backspace button is active when points are added  |
| NODK-216 | GeoShape widget             | User opens map on Geoshape widget 2933 2976  |  | New Input method dialog with Placement by tapping option Long press and tap can be used to adding locator             |
| NODK-216 | GeoShape widget             | User adds 2 points and tries to save 2933  |  | User sees message "Must have at least 3 points to create Polygon" There is no option to save as Polyline              |
| NODK-216 | GeoShape widget             | User adds location 2940  |  | The user's location is displayed using a set of crosshairs at the location, as well as a semitransparent blue cir     |
| NODK-216 | GeoShape widget             | User sets input method to "Placement by tapping" User moves the map and the current position isn't on the screen 2973                                      |  | The map stays where the user has moved it unless the crosshairs button is tapped.                                     |
| NODK-216 | GeoShape widget             | User sets the mapping SDK to "Google Maps" in settings User opens a geoshape or geotrace question User sets the point collection mode to "placem           |  | In "placement by tapping" mode, tapping within the location accuracy circle places a point                            |
| NODK-216 | GeoShape widget             | User selects "Mapbox Maps SDK" 3074  |  | When APK is built with token, nice, smoothly zoomable vector map is visible Basemaps can be changed Whe               |
| NODK-216 | GeoShape widget             | User opens widget User plays around with Input methods (setting them, deleting them, changing them) User recenters the map User saves geolocali            |  | GPS location accuracy should always have number with 2 decimal points   |
| NODK-216 | GeoShape widget             | User opens map on User selects Automatic location recording option User opens Accuracy requirement options 3378  |  | Scroll is available and the user is able to select None easily  |
| NODK-216 | GeoShape widget             | Open Geotrace widget on Android 5.1 Open Input method dialog Click on Automatic location recording Rotate screen 3609                                      |  | The whole dialog should be visible. Scroll should be visible and useable in landscape position.                       |
| NODK-216 | GeoShape widget             | Install app offline Select Mapbox in Map Settings Open GeoTrace/GeoShape widget Immediately click on back button 3869                                      |  | Collect should not crash/freeze User should be able to click Start GeoTrace/GeoShape Map should display               |
| NODK-216 | GeoShape widget             | 1. Select Mapbox 2. Open GeoTrace/GeoShape widget 3. Add some points using one of input methods 4. Click on any on added points 3879                       |  | Collect should not crash User should be able to click on added points User should be able to move added poi           |
| NODK-216 | GeoShape widget             | Choose placement by tapping Add 3 points Stops recording Click on trash icon Confirm clear on displayed dialog Start placement by tapping again A          |  | Created polygon is closes in the second try the polygon should be closed shape too                                    |
| NODK-216 | GeoShape widget             | Open GeoTrace widget Start Automatic location recording 3976   |  | Record a point button should not be visible   |
| NODK-216 | GeoShape widget             | Open GeoShape widget Select Automatic location recording 4049 Select automatic mode again  | Set recording interval to 1 second and accuracy requ | First point should be recorded immediately  |
| NODK-220 | Audio widget                | User starts form with audio widget with appearance="new" 108   | NewAppearance.xml                                    | Choose Sound is not available for appearance="new"  |
| NODK-220 | Audio widget                | User records or adds sound. 2028   |  | User sees player. "Play Sound" button is not visible  |
| NODK-220 | Audio widget                | User adds audio file from Google Drive 2159  |  | Audio file is added   |
| NODK-220 | Audio widget                | User uses Collect with targetSdkVersion set to 23. User tries to add audio. 2366   |  | User sees permission dialog   |
| NODK-220 | Audio widget                | User tries to record audio via Sony Audio Recorder app 2342  | RepeatGroupAndGroup.xml                              | User is able to add audio correctly   |
| NODK-220 | Audio widget                | User adds audio file from existing files on device (select Open from Audio option) User records new audio User opens hierarchy view 4067                   |  | The dot between name and file extension is visible  |
| NODK-220 | Audio widget                | User goes to Audio widget 4164   |  | Margin for buttons is visible   |
| NODK-220 | Audio widget                | User starts form with audio widget User attaches longer than an hour audio file 4183   |  | File is attached and time is displayed as "hh:mm:ss."   |
| NODK-221 | Image-map widget            | User is on question with image-map widget (single select) 1784   | All widgets.xml                                      | User is able to select one part of image.   |
| NODK-221 | Image-map widget            | User is on question with image-map widget (multi select)   |  | User is able to select few parts of image.  |
| NODK-221 | Image-map widget            | User zooms on image  |  | Extra space is not visible. Zoom buttons are not visible  |
| NODK-221 | Image-map widget            | User is on question with image-map widget  |  | User sees that image takes 90% of screen.   |
| NODK-221 | Image-map widget            | User removes response and confirm 1903   |  | Selected parts are removed  |
| NODK-221 | Image-map widget            | User is on question with image-mapp widget. User selects answer 1855   |  | Second click on answer does not unselect it for single select question. Second click on answer unselects it for       |
| NODK-221 | Image-map widget            | User is on question with body. User clicks on corpus 2107  |  | Element is not clickable because it does not exist in the database  |
| NODK-221 | Image-map widget            | User opens form with readonly option in the selectMap widgets 2558   |  | readOnly option is supported for single select and multi select   |
| NODK-247 | Fill Blank Form - Repeat    | User fills attached form. User sees next/prev navigation buttons. User does not add groups. 141 TestRepeats.xml  |  | User sees last info view only once  |
| NODK-247 | Fill Blank Form - Repeat    | User uses forward/backward buttons to navigate in TestRepeat form. User is on first view of this form 1722   |  | Backward button is not able to use on first page of forms.  |
| NODK-247 | Fill Blank Form - Repeat    | User starts form with defined title of repeats 183   | 1648.xml   | User sees that repeating section titles are changed   |
| NODK-247 | Fill Blank Form - Repeat    | User starts nested-repeater and adds few groups. User goes to index view. 1670   |  | User sees that group headers are the same as in form and do not have unexpected number                                |
| NODK-247 | Fill Blank Form - Repeat    | User starts form with nested groups with "field-list" appearance 1255 AUTOMATED  | #1255/form.xml                                       | User is able to fill form with nested groups with "field-list" appearance   |
| NODK-247 | Fill Blank Form - Repeat    | User starts form. User does not add group. 1798 AUTOMATED  | repeat_group_and_group.xml                           | User is able to clicks backward button. Backward button is active.  |
| NODK-247 | Fill Blank Form - Repeat    | User starts form, adds few repeats. User is at the end of form. User swipes back. JR 278 AUTC  | repeat_group_new.xml                                 | User is able to swipes back. Previous view appears  |
| NODK-247 | Fill Blank Form - Repeat    | User fills form with repeat groups User opens jump screen 2762 AUTOMATED   |  | Repeat groups paths are represented with ">" or "1." instead of "/"   |
| NODK-247 | Fill Blank Form - Repeat    | User starts form where question has empty label in FormHierarchy Question is read only User t  | Test-2836.xml RepeatGroup.xml                        | User sees this question in jump screen 2840   |
| NODK-247 | Fill Blank Form - Repeat    | User fills form and adds few groups User opens hierarchy view User clicks on Group 1 2876  | groupTestNav.xml                                     | Repeat Group '1' is not visible under 'Group 1'   |
| NODK-247 | Fill Blank Form - Repeat    | User fills both questions User hits Jump button 2876 AUTOMATED   | basic.xml  | Both answers are visible  |
| NODK-247 | Fill Blank Form - Repeat    | User starts form with 'Save Form and Exit' and user clicks on Jump icon 2876   | repeat_group_form.xml                                | Dialog with error message IS NOT visible  |
| NODK-247 | Fill Blank Form - Repeat    | User adds few repeat groups User fills form User reduces number of repeats User opens hierar   | testRepeatCount.xml                                  | Current number of repeats is visible  |
| NODK-247 | Fill Blank Form - Repeat    | User adds few repeat groups User fills form User goes to one of repeat groups (but not the last)   | repeat_groups.xml                                    | Chosen repeat group should be deleted The next repeat group should remain untouched                                   |
| NODK-247 | Fill Blank Form - Repeat    | User starts form User adds new repeat 3656   | nested-repeats.xml                                   | When user adds new repeat by new + button user sees a dialog with buttons DO NOT ADD / ADD. But when                  |
| NODK-247 | Fill Blank Form - Repeat    | User starts form User declares number of repeats 3656  | testRepeatCount.xml                                  | ERROR!  |
| NODK-247 | Fill Blank Form - Repeat    | "Don't keep Activities" is enabled in Developer Settings User opens any form with repeats User opens Hierarchy view and navigates to the repeat g          |  | Crash does not occur Repeat group is created  |
| NODK-247 | Fill Blank Form - Repeat    | User opens form User swipes fast twice Click on ADD button on displayed dialog 3898  | repeatGr.xml   | User should see Add Group dialog on form background User should not see Add Group dialog in Save and E                |
| NODK-247 | Fill Blank Form - Repeat    | User opens form User uses + button and swipe fast twice 3898   | repeatGr.xml   | User should see Add Group dialog on form background User should not see Add Group dialog in Save and E                |
| NODK-247 | Fill Blank Form - Repeat    | User opens form Add group Jump to hierarchy view Click on trash icon Choose Remove Group on di   | nested-repeats.xml                                   | Group should be successfully removed Empty hierarchy view should be visible App should not crash Add gro              |



|          |                            |   |   |   |
|----------|----------------------------|---|---|---|
| NODK-247 | Fill Blank Form - Repeat   | Open form Add group Jump to hierarchy view Click on trash icon Click on Cancel button Click on nested-repeats.xml   |   | App should not crash Group should be successfully removed.  |
| NODK-247 | Fill Blank Form - Repeat   | Open form Add group Open Edit Prompt Click on Remove Group Click on Cancel button Open nested-repeats.xml   |   | App should not crash Group should be successfully removed.  |
| NODK-247 | Fill Blank Form - Repeat   | Open form Add group Dialog Minimize app Go back to app  |   | App should not crash  |
| NODK-247 | Fill Blank Form - Repeat   | Use any form with repeat groups Add some groups Delete the last one Click on + in the hierarchy 3981  |   | App should not crash  |
| NODK-247 | Fill Blank Form - Repeat   | Open repeat group form In form view try to multiclick on + button 4003  |   | App should not crash User should not be able to multiclick  |
| NODK-247 | Fill Blank Form - Repeat   | User opens form "Turtle Track or Nest 1.0" User captures location and swipes forward User swi Turtle Track or Nest 1.0.xml  |   | User sees page with "Save Form and Exit" button The form end screen is centered vertically Subsequent group             |
| NODK-247 | Fill Blank Form - Repeat   | User starts form with repeat group User multi-clicks on hierarchy button User sees + on hierarchy view User multi-clicks on + 4120  |   | Multiclick on hierarchy button is not allowed Multiclick on + button does not cause adding a lot of repeats             |
| NODK-247 | Fill Blank Form - Repeat   | Case 1: User loads the form, swipes to the next question and adds a new group error is visible bad-instance-name.xml  |   | All cases work as described   |
| NODK-247 | Fill Blank Form - Repeat   | User starts form with repeat groups User takes a look at icons: trash, +, save, hierarchy 4175  |   | Icons are smaller than in v1.27   |
| NODK-247 | Fill Blank Form - Repeat   | User starts form User adds repeat group 4187  | complex_calc.xml                                  | -4 is visible after first number  |
| NODK-222 | Video widget               | User starts form with video widget with appearance="new" 108  | NewAppearance.xml                                 | Choose Video is not available for appearance="new"  |
| NODK-222 | Video widget               | User starts form 1985   | selfie-video.xml                                  | User is able to record video using front camera   |
| NODK-222 | Video widget               | User adds video file from Google Drive 2159   |   | Video file is added   |
| NODK-222 | Video widget               | User taps the screen multiple times 2360  |   | App is not crash  |
| NODK-222 | Video widget               | User sets targetSdkVersion to 24. User records the video User opens recorded video 2599   |   | Video should be recorded No crash should be visible User should be able to open recorded video.                         |
| NODK-222 | Video widget               | Microphone permissions are not selected User tries to record selfie video 2565  |   | Dialog appears where the user is able to allow the microphone permission  |
| NODK-226 | Arbitrary widget           | User adds file 2135 3557  | arbitraryWidget.xml                               | User is able to add: amrr, ogg, m4a, mp3, 3gp, gif, jpeg, jpg, png, pdf, doc, docx, txt, xls, xlsx, csv, xml, rtf, zip. |
| NODK-226 | Arbitrary widget           | User adds file from Google Drive 2258   |   | File is added   |
| NODK-226 | Arbitrary widget           | User opens form with readonly option in the ArbitraryWidget 2560  |   | readOnly option is supported in the ArbitraryWidget   |
| NODK-226 | Arbitrary widget           | User adds files from Downloads dir 2930   |   | User is able to add files Crash does not occur  |
| NODK-223 | String widgets (String, E) | User clicks on Launch button 1864 3630  | All widgets.xml                                   | The keyboard is visible just after showing an EditText field Margin is visible on widget                                |
| NODK-223 | String widgets (String, E) | User adds values to widgets User moved back to all widgets 3346   | stringWidgets.xml                                 | Cursor is automatically moved to end of EditText  |
| NODK-223 | String widgets (String, E) | User loads form User uses copy/paste to fill form 3346  |   | Copy/paste is possible in all string widgets  |
| NODK-227 | Rank widget                | User opens form with rank widget. 2180  | rank.xml filter-rank.xml                          |   |
| NODK-227 | Rank widget                | User opens form with rank widget. 2334  |   | User sees "Rank Items" button, after clicking on that user see list of items and he is able to change order of th       |
| NODK-227 | Rank widget                | User opens form with rank widget. 2363  |   | Rank widget is visible as a dialog  |
| NODK-227 | Rank widget                | User opens form with a few rank questions are in field-list 2552  |   | User is able to answer on all questions in form   |
| NODK-227 | Rank widget                | User opens form with readonly option in the Rank widget 2551  |   | readOnly option is supported in the Rank widget   |
| NODK-227 | Rank widget                | User rotates screen when ranking window opened. 2742  |   | App should not crash.   |
| NODK-227 | Rank widget                | User opens form User scrolls on the list 2983   | rank-field-list.xml                               | Scroll on Rank list does not cause an unexpected disorder   |
| NODK-227 | Rank widget                | User fills form User adds answer to rank widget 3487  | ranking_widget.xml                                | Rank widget on field-list is supported  |
| NODK-227 | Rank widget                | User opens question with rank widget User adds answer User edits answer User removes the answer 3663  |   | Answer should be added Answer should be updated immediately. Both answers should not be visible Answer                  |
| NODK-227 | Rank widget                | Open rank widget question Click on Rank Items button Minimize an app Restore it from the background 3910  |   | Rank dialog should display App should not crash Rank dialog should be visible You should be able to continue            |
| NODK-228 | SelectMultipleAutocompl    | User opens form with SelectMultipleAutocomplete widget. 2395  | SelectMultipleAutocomplete.xml                    | User opens form with SelectMultipleAutocomplete widget. Options are separated by lines                                  |
| NODK-232 | Preferences - QR code /    | Preference change is reflected in QR code   |   |   |
| NODK-232 | Preferences - QR code /    | User loads collect.settings file with dark theme set 2244   |   | Dark theme is applied to the main menu  |
| NODK-232 | Preferences - QR code /    | Username is set in collect.settings. User applies settings from file 2326   |   | User opens Preloads form and sees username  |
| NODK-232 | Preferences - QR code /    | User applies settings from QR code where Username is set 2326   |   | User opens Preloads form and sees username  |
| NODK-232 | Preferences - QR code /    | User scans QR code settings 2353  |   | User is able to scan QR code  |
| NODK-232 | Preferences - QR code /    | User revoke camera permissions on Android-5 User clicks on dots in Main menu User clicks "Configure via QR Code" User accepts permission dialo  |   | Camera permission dialog should display After accepting permission dialog, second camera permission dialo               |
| NODK-232 | Preferences - QR code /    | User clicks on 3 dots on Main menu User sees 4th option "Configure via QR Code" User scans "https://drive.google.com/file/d/1lYx8m49yGREYB0iQ/scan" QR code button in the overflow menu |   | Scan QR code button in the overflow menu  |
| NODK-232 | Preferences - QR code /    | User goes to Admin Settings -> Main Menu Settings -> uncheck ... (last option) User sees that Scan QR code button in the overflow menu is not avail                                     |   | There is an option to hide Scan QR code button Scan QR code button in the overflow menu is restored                     |
| NODK-232 | Preferences - QR code /    | Open Collect 1.22.0 Change the Maps to OSM/ CartoDB Open current release version set Maps to Google Scan the QR code from Collect 1.22.0 in l   |   | Both map settings should be imported successfully   |
| NODK-232 | Preferences - QR code /    | Open Collect 1.22.0 Change the Maps to Mapbox/ Satellite Set admin password Open current release version set Maps to Google Scan the QR code  |   | Both map settings should be imported successfully   |
| NODK-232 | Preferences - QR code /    | Generate collect.settings file on 1.22.12 that file on current release version 3933   | https://drive.google.com/drive/folders/1ozAXsEMBA | settings should be imported toast informing of corrupted file should not display  |
| NODK-230 | Fresh run                  | User installs the current production version from Play Store. User sets some settings. User upgrades  |   | Settings are still set after the upgrade.   |
| NODK-230 | Fresh run                  | User uses Collect with targetSdkVersion set to 23. User opens Collect and sees permission dialog. User clicks on DENY and then OK on dialog with t                                      |   | Collect does not crash  |
| NODK-230 | Fresh run                  | User uses Collect with targetSdkVersion set to 23. Google Drive is set as a server The user opens some view like eg.Get Blank Form. Permission is t                                     |   | Collect does not crash. User is able to continue work   |
| NODK-230 | Fresh run                  | Aggregate is set as a server The user opens Get Blank Form view Storage permission is unselected User returns to Collect 3273   |   | Collect does not crash. User is able to continue work   |
| NODK-231 | Offline mode               | User opens "Get Blank Form" when user is offline (Aggregate)  |   | User sees message "No network connection available"   |
| NODK-231 | Offline mode               | User opens "Get Blank Form" when user is offline (Google)   |   | User sees message "No network connection available"   |
| NODK-231 | Offline mode               | User selects forms to send and clicks on "Send Selected" when user is offline   |   | User sees message "No network connection available"   |
| NODK-231 | Offline mode               | User loses internet connection during sending forms   |   | User sees message   |
| NODK-231 | Offline mode               | User loses internet connection during downloading new forms   |   | User sees message   |
| NODK-217 | GeoPoint widget            | User opens GeoPoint question with no appearance. User adds location. 1859 2659  | All widgets.xml                                   | After opening map view delete button should be disabled. Change Location' is visible in button                          |
| NODK-217 | GeoPoint widget            | User adds location  |   | Put a value of accuracy and time needed to determine it.  |
| NODK-217 | GeoPoint widget            | User adds location. User sees "Loading location" dialogs 2008   |   | User sees that Accuracy is < 10m  |
| NODK-217 | GeoPoint widget            | User opens GeoPoint question with maps appearance 1615 2457   |   | User sees that option buttons occupy whole right area User is able to add answer  |
| NODK-217 | GeoPoint widget            | User clicks on crosshair button.  |   | The view zooms to show the whole area   |
| NODK-217 | GeoPoint widget            | User opens map on GeoPoint widget   |   | User notices: autozoom to the current location zoom to dialog is no longer available current location is not lost       |
| NODK-217 | GeoPoint widget            | User adds location 2940   |   | The user's location is displayed using a set of crosshairs at the location, as well as a semitransparent blue cir       |
| NODK-217 | GeoPoint widget            | User selects "Mapbox Maps SDK" 3074   |   | When APK is built with token, nice, smoothly zoomable vector map is visible Basemaps can be changed Whe                 |
| NODK-217 | GeoPoint widget            | User sets Mapbox as a map User opens GeoPoint widget wit map appearance 3309  |   | Map is loaded   |
| NODK-217 | GeoPoint widget            | User sets OSM, USGS, Stamen or CARTO map User opens GeoPoint widget User sees basemap attribution text at the bottom User zoom or rotate 3  |   | Basemap attribution text does not disappear   |
| NODK-217 | GeoPoint widget            | User sets OSM map User opens map 3370   |   | Map is loaded   |
| NODK-217 | GeoPoint widget            | User opens offline layer dialog and rotates screen device 3786  |   | Dialog should not disappear after rotating the screen.  |
| NODK-217 | GeoPoint widget            | Open form Go to next question Click on View GeoPoint button 3977  | TestingGeoPointWidgetWithValues.xml               | GeoPoint Widget ReadOnly without maps and point should not have View GeoPoint button GeoPoint Widget t                  |
| NODK-217 | GeoPoint widget            | User starts form with GeoPoint widget with map User adds a point on map and saves answer on map User sees location in GeoPoint widget and clic  |   | User doesn't see map with previous point added  |
| NODK-233 | Update / Downgrade         | Preferences that were added or removed are properly updated 1660  |   |   |
| NODK-233 | Update / Downgrade         | User updates 1708   |   | User sees that "Moving backwards" option is checked after update  |
| NODK-233 | Update / Downgrade         | User installs version with old database. User updates to current version  |   | User is able to use app with updated database.  |
| NODK-234 | About                      | User changes device orientation on About view 1402 3226 AUTOMATED   |   | App does not crash even if user rotates the screen Scroll should be visible Use is able to use scroll                   |
| NODK-234 | About                      | User opens About Activity 1802 AUTOMATED  |   | User sees icons. Text is visible at whole.  |
| NODK-234 | About                      | User clicks on "Open source libraries and licences" 1926 AUTOMATED  |   | The view has a title "Open Source Licenses" User sees that this view is opened by WebViewActivity                       |
| NODK-234 | About                      | User clicks multiple times on each option 1917  |   | Views are not doubled   |
| NODK-237 | General Settings - Form    | User selects Auto send - WiFi only  |   | User sees that finished forms are sent automatically when device is connected to WiFi Form should not be se             |
| NODK-237 | General Settings - Form    | User selects Auto send - Cellular only  |   | User sees that finished forms are sent automatically when mobile data are turned on. Form should not be sen             |
| NODK-237 | General Settings - Form    | User selects Auto send - WiFi or Cellular   |   | User sees that finished forms are sent automatically when device is connected to internet                               |
| NODK-237 | General Settings - Form    | User sees information in notification. User clicks on it. 2179  |   | Dialog is visible with results  |
| NODK-237 | General Settings - Form    | User selects "Delete after send"  |   | User sees that form is deleted after send. User cannot review sent form, eye icon is visible.                           |
| NODK-237 | General Settings - Form    | User selects "Default to finalized" User turns off the Default to finalized checkbox User Fills form On the Save and Exit page user leaves checkbox unt                                 |   | User sees that finalize checkbox is auto-selected at the end of form and form is ready to send After clicking S         |
| NODK-237 | General Settings - Form    | User selects "Validate upon forward swipe" in "Constraint processing behavior" AUTOMATED  | OnePageValid2.xml                                 | User sees validation toast during filling form  |
| NODK-237 | General Settings - Form    | User selects "Defer validation until finalized" in "Constraint processing behavior" AUTOMATED   | OnePageValid2.xml                                 | User is moved to the question with validation ONLY when user clicks on "Save Form and Exit" button                      |
| NODK-237 | General Settings - Form    | User is able to set an image size 1217  |   | Photos are take in one of selected size: Original size from camera (default) / Very small / Small / Medium / Lar        |
| NODK-237 | General Settings - Form    | User sets "Show guidance for questions" as Yes - always 2007 AUTOMATED  | hints.xml   | User sees guidance. The is not option to collapse and expand it   |
| NODK-237 | General Settings - Form    | User sets "Show guidance for questions" as Yes - collapsed 2007 AUTOMATED for text questio hints.xml  |   | User sees guidance. The is option to collapse and expand it. Icon is visible at whole. Hint is not doubled in Fu        |
| NODK-237 | General Settings - Form    | User sees Hide old versions option 1694   |   | Option is selected as default   |
| NODK-237 | General Settings - Form    | User tries to autosend form when app is background User tries to autosend form when app is killed   |   | Form should be sent successfully. Notification should display.  |
| NODK-237 | General Settings - Form    | User tries to autosend to Google sheet and doesn't input submission URL (in is not defined in the form as well) User tries to send that submission manu                                 |   | Form should not be sent, status should be failed and failed notification should appear. None toast should be v          |
| NODK-237 | General Settings - Form    | 1. User input in server url of aggregate with anonymous access not allowed 2. User does not input aggregate's credentials   |   | Autosend should fail, notification should appear.   |
| NODK-237 | General Settings - Form    | User fill a submission when airplane mode is on. User turns off airplane mode.  |   | Submission should be sent when connection is recovered.   |
| NODK-238 | General Settings - User    | User opens Form Metadata Users rotates the screen 3915  |   | Email address is validated and requires header should not disappear after screen rotation                               |
| NODK-238 | General Settings - User    | User opens Form Metadata. User adds Email address AUTOMATED 1308  |   | Email address is validated and requires @   |
| NODK-238 | General Settings - User    | Username is not set in server and form metadata. AUTOMATED  | Test.xml  | Question in form is empty   |
| NODK-238 | General Settings - User    | General Settings -> Server -> Username is not set General Settings -> User and device identity -> Form metadata: Username is 'BBB' AUTOMATED  |   | Username from Form metadata is visible in form  |
| NODK-238 | General Settings - User    | General Settings -> Server -> Username is 'AAA' General Settings -> User and device identity -> Form metadata: Username is not set AUTOMATED  |   | Username from Server is visible in form   |
| NODK-238 | General Settings - User    | General Settings -> Server -> Username is 'AAA' General Settings -> User and device identity -> Form metadata: Username is 'BBB' AUTOMATED  |   | Username from Form metadata is visible in form  |
| NODK-238 | General Settings - User    | User clicks on "Phone number" 3640  |   | Numeric keyboard appears  |
| NODK-238 | General Settings - User    | User opens Form Metadata 3640   |   | Blank options have default information added like: "Not set", "Not available"   |
| NODK-238 | General Settings - User    | User Open Form Metadata. 3632 3640  |   | In the bottom of Form Metadata page there should be Install ID parameter, with information that it will replace         |
| NODK-238 | General Settings - User    | User Install app again Reset settings 3632 3640   |   | OLD instance id should be visible   |
| NODK-238 | General Settings - User    | User opens "Form Metadata" User sees Install ID User long press on 'Install ID' User clicks on Copy 3640  |   | User sees toast "installID> copied to clipboard" User is able to paste data   |
| NODK-238 | General Settings - User    | User opens General Settings User clicks on User and device identity User clicks multiple times on Form metadata 3719  |   | Page is not opened two times  |
| NODK-244 | Fill Blank Form            | User clicks quickly on "Fill Blank Form" button in main menu several times Quickly click on Fill Blank Form button and then click quickly again on displ                                |   | Fill Blank Form list is not opened two times Fill Blank Form page should open, form should be opened.                   |
| NODK-244 | Fill Blank Form            | User opens "Fill Blank Form" view 2825 3010   |   | New icons are visible Subtext 'Added on ...' is visible   |
| NODK-244 | Fill Blank Form            | User downloaded new forms from Aggregate and Google Drive User clicks on "Fill Blank Form" button in main menu 2807   |   | Fill Blank Form page opens New forms are visible  |
| NODK-244 | Fill Blank Form            |   | 1769  | Progress bar is visible.  |
| NODK-244 | Fill Blank Form            | User clicks quickly on some form several times 1630   |   | Form is not open two times  |
| NODK-244 | Fill Blank Form            | User saves/ignores changes or finish form 2229 AUTOMATED  |   | User is always moved to main menu view  |
| NODK-244 | Fill Blank Form            | User sees list of all forms 1264  |   | Forms are sorted alphabetically even if form names starts from lower case and upper case                                |

|          |                            |   |  |  |
|----------|----------------------------|---|--|--|
| NODK-244 | Fill Blank Form            | User sorts forms by the newest date 1555  |  | Forms are sorted correctly. The most recent forms are visible as a first.  |
| NODK-244 | Fill Blank Form            | User clicks on device back button during filling form (AUTOMATED) User rotates devices screen when dialog is displayed. 3782                              |  | User sees ODK Collect dialog with Save/Ignore options and icons Dialog should not disappear after screen ro          |
| NODK-244 | Fill Blank Form            | User manually changes something in xml file of loaded form 1357   |  | User is able to open second version of this form and fill it without problem   |
| NODK-244 | Fill Blank Form            | User fills form where widgets are read-only 1319  |  | Read-only strings have black color   |
| NODK-244 | Fill Blank Form            | User clicks on search icon on header (magnifier) 1287 AUTOMATED   |  | Search view is in the app bar itself. Additional space is not occupied.  |
| NODK-244 | Fill Blank Form            | User is on view with 'Save Form and Exit' button. User edits name and changes device orientation. 1219 AUTOMATED  |  | Name changed by user is visible even if user changes device orientation on minimizes ODK                             |
| NODK-244 | Fill Blank Form            | User turns on navigation buttons when filling the form. User is on first question. User changes device orientation. AUTOMATED                             |  | Navigation buttons should be visible right after going back to form. Backward button is not clickable on first qu    |
| NODK-244 | Fill Blank Form            | User doesn't see form which contains invalid URL address on form list. 1672 currently broken  |  | Form which contains invalid URL address is not displayed on fill blank form list.                                    |
| NODK-244 | Fill Blank Form            | User uses swipe to fill form. User adds navigation button during filling form. 1574 AUTOMATED   |  | User sees navigation button even if buttons were turned on during filling form.                                      |
| NODK-244 | Fill Blank Form            | User opens specific forms where value has a different type than expected 1560 AUTOMATED   | 1560_DateData.xml 1560_IntegerData_instanceID.xml            | App does not crashes   |
| NODK-244 | Fill Blank Form            | User opens big form AUTOMATED   | nigeria-wards and eIMCI                                      | Form is loaded correctly   |
| NODK-244 | Fill Blank Form            | User fills form with images on group with appearance="field-list". User removes added image.  | 1blankSpace.xml  | Blank space is not visible   |
| NODK-244 | Fill Blank Form            | User starts form. User fills K050003_05. User goes to next view. 1695   | test1695.xml   | User sees California   |
| NODK-244 | Fill Blank Form            | User starts form with random(). User fills it few times and sends. 2144 AUTOMATED   | random.xml randomTest_broken.xml                             | User sees that values are really random for the same device  |
| NODK-244 | Fill Blank Form            | User starts form. User is on n1 question. User opens Index View. 2147 AUTOMATED   | manyQ.xml  | n1 question is visible as a first  |
| NODK-244 | Fill Blank Form            | User fills form and adds some media : video, photo, audio. User saves form. User edits form and update media. User ignore last changes. User open         |  | Media files added as a first in form are still visible.  |
| NODK-244 | Fill Blank Form            | User fills predicate-warning form AUTOMATED 2524  | predicate-warning.xml  | User should not see any dialogs when filling the form  |
| NODK-244 | Fill Blank Form            | User fills different-search-appearances.xml form 2501 2502 AUTOMATED  | different-search-appearances.xml                             | Search textbox is not displayed if search() appearance is set  |
| NODK-244 | Fill Blank Form            | User fills form where search() expression contains other appearance name 2590 AUTOMATED   | CSVerrorForm.xml   | User is able to select one option  |
| NODK-244 | Fill Blank Form            | User fills form with empty field-list group 1633 AUTOMATED  | metadata2.xml  | User is able to finish form  |
| NODK-244 | Fill Blank Form            | User starts form with Groups User goes to jump screen 2764 AUTOMATED  | All widgets fewRepeatsGroups nested-repeats-comp             | Groups are visible in jump screen  |
| NODK-244 | Fill Blank Form            | User starts form User does not add repeat groups User opens 'Jump Screen' User clicks on 'G   | repeat_group_form.xml  | User is still on the same view 2816  |
| NODK-244 | Fill Blank Form            | User starts form User does not add repeat groups User opens 'Jump Screen' User clicks on 'G   | repeat_group_form.xml  | User is moved to view with only 'Group Name' 2816  |
| NODK-244 | Fill Blank Form            | User starts form User opens 'Jump Screen'   | repeat_group_form.xml  | "up" icon is always first on the right. 2816   |
| NODK-244 | Fill Blank Form            | User fills forms AUTOMATED  | g6Error.xml g6Error2.xml emptyGroupFieldList.xml er          | App does not crash 2829  |
| NODK-244 | Fill Blank Form            | Fill the form, text and numeric questions, finalize it. Go to odk folder Open last_save.xml Go ba   | All widgets_save.xml   | Formname-media folder should be created. In the folder, last_save.xml file should be visible. In the file there s    |
| NODK-244 | Fill Blank Form            | Delete the last saved.xml Go back to collect, fill the form. Go to odk folder, media folder   |  | Answers should not be suggested, form should be empty. Last saved.xml should be recreated with the conten            |
| NODK-244 | Fill Blank Form            | Fill the form, save not finalize. Open new submission Finalize the submission 2882 3375   | All widgets_save_encrypted.xml                               | You should be able to edit the submission and view the content of last saved.xml Answers from last submission        |
| NODK-244 | Fill Blank Form            | User fills form 2845 (currently broken)   | selectTest.xml   | value next to SelectOneWidget external: is visible   |
| NODK-244 | Fill Blank Form            | Language other than English is set on Collect User clicks on Sort by icon Options dialog appears 3031 AUTOMATED   |  | Options are translated icons are visible   |
| NODK-244 | Fill Blank Form            | User uses Central as a server-- User fills all question in form-- User sends submission-- 3038--  | media.xml Moved to NODK-662                                  | All attachments are available on Central--   |
| NODK-244 | Fill Blank Form            | User fills form 3052  | all-widgets-fieldlist-noosm.xml                              | Next question appears only if visible questions have answer  |
| NODK-244 | Fill Blank Form            | User answers Cascading Select type questions of fieldlist-updates.xml form. User fills form. 32f  | fieldlist-updates.xml  | User is able to answer questions and finish the submission.  |
| NODK-244 | Fill Blank Form            | The user selects Plante/Aminal/Championnong The user adds 3 letters on the second question U  | formulaire_adherent.xml                                      | New options are visible, options follow the new search   |
| NODK-244 | Fill Blank Form            | User starts form 3197 (PROBABLY broken) AUTOMATED   | dont-show-options-selected-in-other-instances.xml            | User is able to fill this form User does not see error 'Dependency cycles amongst the xpath expressions in rel       |
| NODK-244 | Fill Blank Form            | User fills form User selects more than one checkbox User goes to next question User backs to  | test_multiselect_cleared.xml                                 | User sees toast only if for first and second value   |
| NODK-244 | Fill Blank Form            | User fills form with multiple widget filling questions with Multiple widget User adds answers by clicking o   | SelectTest3028.xml   | Answers are not lost   |
| NODK-244 | Fill Blank Form            | User loads form (pay attention to the loading time) User fills one question Collect is closed User  | nigeria_wards_internal.xml                                   | Answers are not lost   |
| NODK-244 | Fill Blank Form            | User fills encrypted form with no-instanceId. User opens Edit Saved Form 3265 AUTOMATED   | Birds-encrypted.xml  | Loading time is reduced for both   |
| NODK-244 | Fill Blank Form            | User opens form User removes year value User swipes to next question 3375 AUTOMATED   | validate.xml   | After clicking on 'Save Form and Exit' button User should see a toast with text "This form does not specify an       |
| NODK-244 | Fill Blank Form            | User adds time and saves form User opens saved form User sees view index with the same tir  | onlyTimeTest.xml   | Error message is visible Error contains information "The value -01-01 can't be converted to a date"                  |
| NODK-244 | Fill Blank Form            | User fills form 3375 AUTOMATED  | event-odk-new-repeat.xml                                     | Opening saved form multi times does not cause adding 1h to the set date  |
| NODK-244 | Fill Blank Form            | User fills form 3375 AUTOMATED  | multiple-events.xml  | Questions have auto filled, calculated values  |
| NODK-244 | Fill Blank Form            | User fills form User selects Gllinet or Seinenet User goes to next question 3375 AUTOMATED  | CalcTest.xml   | Questions have prefilled values  |
| NODK-244 | Fill Blank Form            | User loads forms - check all forms 3396 AUTOMATED   | asasas.xml invalid-events.xml setlocation-action-insta       | Selected option is copied to other questions   |
| NODK-244 | Fill Blank Form            | User opens form User adds answer to first question User adds answer to second question 3403   | 3403.xml   | Forms do not crash Error message is visible  |
| NODK-244 | Fill Blank Form            | Download the form Delete CSV files from media folders Fill forms. 3449 AUTOMATED  | search and select.xml select one external.xml fieldlist      | First question is visible Questions do not disappear   |
| NODK-244 | Fill Blank Form            | User starts to fill the form. User changes font size in the middle of filling the form. User goes back to the form. 3608                                  |  | When filling the form user should see red message informing that csv file is missing. Error dialog should not b      |
| NODK-244 | Fill Blank Form            | Start filling a form Click on devices back button Click on Save Changes Go to Edit Saved Form 3578  |  | Font size should be updated immediately after choosing it.   |
| NODK-244 | Fill Blank Form            | User goes to Fill Blank Form User clicks on some form User immediately clicks on the header (with icons save / jump to )                                  |  | Exit Form Dialog should display The status of the submission should be Saved, not Finalized.                         |
| NODK-244 | Fill Blank Form            | User fills form User is on the view with Save Form and Exit User clicks multiple times on the button User got stuck on this view Save icon does not work, |  | User is NOT able to leave form by clicking on the header immediately when the form is loaded                         |
| NODK-244 | Fill Blank Form            | User fills both questions User removes answer from second question 3755   | fl.xml   | Described behavior no longer occurs  |
| NODK-244 | Fill Blank Form            | User starts form User adds answer to first question 3745  | visible_calculate.xls  | Only second question has removed answer  |
| NODK-244 | Fill Blank Form            | Collapsed guidance is set User starts form 3764   | hints.xml  | User sees a number of added signs in the first question calculated in the second question                            |
| NODK-244 | Fill Blank Form            | User downloads form User goes to Fill Blank Form view 3753  | internal_empty_select.xml                                    | User sees the 'I' icon and text separately   |
| NODK-244 | Fill Blank Form            | User starts form 3753   | count-non-empty.xml  | User sees error which contains question name without choices   |
| NODK-244 | Fill Blank Form            |   | 3753   | Error does not appear User is able to add group On Other info question, empty and filled groups are counted          |
| NODK-244 | Fill Blank Form            | User starts form 3753   | indexed-repeat-nested.xml nestedTest.xml                     | Error does not appear Questions have auto-filled answers - indexed-repeat-nested                                     |
| NODK-244 | Fill Blank Form            | User starts form User adds random value to second or third question 3753  | dynamic-digest.xml   | Error contains more information  |
| NODK-244 | Fill Blank Form            | User starts form 3753   | predicate-trigger-change.xml                                 | The sum is not re-counted dynamically after removing repeat for repeats added manually specify a number fo           |
| NODK-244 | Fill Blank Form            | User starts form 3753   | predicate-current.xml  | There are always exactly 5 items that come from an external list and the list labels are concatenated. For exa       |
| NODK-244 | Fill Blank Form            | User starts form User clicks on device back button to open Exit form dialog User changes device orientation 3782  | field-list.xml   | Exit form dialog does not disappear after rotation.  |
| NODK-244 | Fill Blank Form            | Input text into the first field Remove response using Edit prompt dialog 3904   | SelectTestColumnsPack.xml                                    | It should be also visible in second question The answer should be removed from both fields                           |
| NODK-244 | Fill Blank Form            | Open form 3925  | columns-pack.xml   | Both select one and select multiple question should not be displayed as a list The answers should be wrapped         |
| NODK-244 | Fill Blank Form            | Open form Rotate the screen   |  | Answers should be displayed in columns with the same distance between them   |
| NODK-244 | Fill Blank Form            | Open the same form in RTL language  |  | The scroll should not be divided into parts Answers should be displayed in columns with the same distance be         |
| NODK-244 | Fill Blank Form            | User starts form User multi-clicks on jump icon to open hierarchy view User multi-clicks on 'Go To Start' icon 4136                                       |  | Hierarchy view does not appear twice User is moved to first page. User swipes to next question -> first questi       |
| NODK-249 | Fill Blank Form - Require  | User fills form with required questions AUTOMATED 1827  | All widgets required.xml, requiredOnePage.xml                | Red asterisk at the beginning is visible.  |
| NODK-249 | Fill Blank Form - Require  | User starts form. User swipes on the first question. AUTOMATED  | requiredS275.xml and attributes.xml                          | User sees custom message   |
| NODK-249 | Fill Blank Form - Require  | Do not fill an answer to required question. Open hierarchy view Click on Save Form and Exit Click on Save icon 3576                                       |  | The required question should display, toast should be visible, question should be marked on red. Form should         |
| NODK-666 | Storage migration          | Default browser is disabled (not possible on all devices) User opens migration view User clicks on 'QR code's 3763  |  | The Forum page is opened in WebViewActivity  |
| NODK-666 | Storage migration          | Import settings from QR code Set offline layer Set splash image Add files from attached zip Fill  | More code : https://drive.google.com/open?id=1J0L-X1         | Migration finished with success Set splash screen is visible Offline layer is visible 'formWithExternalFiles' can    |
| NODK-599 | Likert widget              | User fills form, rotate screen, minimize an app. 3431 3630  | likert_test.xml  | Lines are displayed correctly They should not have gaps The scale should not be cut off Selected answers sh          |
| NODK-599 | Likert widget              | Repeat step 1 for dark mode.  |  | The results should be the same. The text and lines should not be black.  |
| NODK-599 | Likert widget              | Repeat step 1 for dark/light mode and RTL language.   |  | The results should be the same. The scale should be reversed   |
| NODK-599 | Likert widget              | User fills form where Likert Widget is read only 3531   |  | Read-only option is respected Question is not editable   |
| NODK-617 | Identify user support      | User uses form with odk:identify-user=true added to XML User loads the form User sees the r   | identify-user-audit.xml                                      | Only if user adds name he is able to go forward Status bar is visible on new view Name is saved in Audit file i      |
| NODK-617 | Identify user support      | User loads the form User sees the new page as a first User puts a few spaces 3439   |  | User is NOT able to go forward   |
| NODK-617 | Identify user support      | User loads the form User sees the new page as a first User clicks "enter"/"go" on the keyboard without entering anything 3439                             |  | User is able to go forward Audit file contains correct data  |
| NODK-617 | Identify user support      | User loads the form User sees the new page as a first User enters name with commas or quotes 3439   |  | User is able to go forward Audit file contains correct data  |
| NODK-617 | Identify user support      | User loads the form User sees the new page as a first User enters first name and surname with space between 3439  |  | User is able to fill form  |
| NODK-617 | Identify user support      | User uses form with odk:identify-user=false added to XML User loads the form User does not see the new page as a first 3439                               |  | Added value is not lost  |
| NODK-617 | Identify user support      | User loads the form User sees the new page as a first User needs to put a name to go forward User rotates device 3439                                     |  | Added value is not lost  |
| NODK-617 | Identify user support      | User loads the form User sees the new page as a first User needs to put a name to go forward User minimizes Collect 3439                                  |  | Copy-paste options do not cover the identify field   |
| NODK-250 | Fill Blank Form - Form w   | User opens form with audio. User clicks on speaker icon. 1975 3365  | Birds.xml  | Text is highlighted but there is no background of question Audio and video buttons should not have gray backg        |
| NODK-250 | Fill Blank Form - Form w   | User opens Birds form. User clicks on play audio button. Speaker icon is not visible. User immediately clicks on some other audio play button. 1999 3     |  | Currently playing sound is paused when some other speaker icon is clicked. Other sound is played Play video          |
| NODK-250 | Fill Blank Form - Form w   | Audio media is played User swipes to last view or minimizes app 3229  | Birds.xml  | Media is continued on Android 8.1, 9.0 Media is stopped on lower Android version                                     |
| NODK-250 | Fill Blank Form - Form w   | Add invalid audio file to media folder. Open text question with audio autoplay option 3326 3377   | test.xml in 3229-audioplay folder on google drive            | Toast informing that audio file is invalid should display  |
| NODK-250 | Fill Blank Form - Form w   | Swipe to the next question with audio autoplay option 3326  | test.xml in 3229-audioplay folder on google drive            | Audio file should be audiolplayed when going forward in the form Audio file should not be audiolplayed when go       |
| NODK-250 | Fill Blank Form - Form w   | Swipe to select one question with audio play option.  |  | Toast informing about invalid media file should display and another audio file should be audiolplayed when go        |
| NODK-250 | Fill Blank Form - Form w   | Delete the second one of media files and go through the whole form again 3229   |  | Both Toasts informing about invalid and missing file should display only on pages where media file is used. On       |
| NODK-250 | Fill Blank Form - Form w   | Download form with media once again, edit media files so both would be valid go through the whole form.   |  | Both audio files should be audiolplayed on the right page On the page when both files are used both media files      |
| NODK-250 | Fill Blank Form - Form w   | Delete the first media file and go through the whole form.  |  | Toast informing about missing file should display only on pages where media file is used. On the page when b         |
| NODK-250 | Fill Blank Form - Form w   | Add to form media folder invalid media file. Open select one grid question and select answer w  | gridwidget.xml in gridwidget folder on drive                 | Toast informing about invalid media file should display, not about missing file audio file should be played          |
| NODK-250 | Fill Blank Form - Form w   | Delete second media file Open select one grid question and choose answer with invalid media file Next, choose second answer 3377                          | gridwidget.xml in gridwidget folder on drive                 | Firstly, toast informing about invalid media file should display Secondly, toast informing about missing media fi    |
| NODK-250 | Fill Blank Form - Form w   | Add to form media folder invalid media file. Open select multiple grid question and select answer w   | gridwidget_select_multiple.xml in gridwidget folder on drive | audio file should be played another audio file should be played  |
| NODK-250 | Fill Blank Form - Form w   | Delete second media file Open select multiple grid question and choose answer with invalid media file Next, choose second answer 3377                     | gridwidget_select_multiple.xml in gridwidget folder on drive | Firstly, toast informing about invalid media file should display Secondly, toast informing about missing media fi    |
| NODK-250 | Fill Blank Form - Form w   | Open select multiple grid question and select answers one by one. 3358  | gridwidget_select_multiple.xml in gridwidget folder on drive | audio file should be played one by one   |
| NODK-250 | Fill Blank Form - Form w   | User checks single and multi gridwidget 4065  | gridwidget_select_multiple.xml in gridwidget folder on drive | Audio is played after selecting an answer Toasts informing about missing media file or invalid one are showing       |
| NODK-251 | Fill Blank Form - Validati | User starts form with question on one page and validation. User adds invalid answers. User shk  | OnePageFormValid.xml   | The user is no longer moved to view with only one question. The user sees view which contains all questions          |
| NODK-251 | Fill Blank Form - Validati | User starts form with question on one page and validation. User adds invalid answers. User skips to end and clicks on Save Form and Exit 2118             | OnePageFormShort.xml   | User sees that question is highlighted in red only in the field list. There is no focus > keyboard is not visible in |
| NODK-797 | Exactly match server       | Set Google Drive as server Go to General Settings/ Form Management  |  | User sees short forms  |
| NODK-797 | Exactly match server       | Set Aggregate as server Go to General Settings/ Form Management Click on Blank form update mode   |  | Blank form update mode should be set by default to Manual and should be disabled Automatic update frequer            |
| NODK-797 | Exactly match server       | Choose Exactly match server option  |  | Blank form update mode dialog should appear it should contain options: Manual, Previously downloaded form            |
| NODK-797 | Exactly match server       | Go to main menu Go to Admin Settings/Main menu settings   |  | You should be able to choose automatic update frequency Automatic download should be selected by default             |
| NODK-797 | Exactly match server       |   |  | Get Blank Form button should not be visible Get Blank Form option should be unchecked and disabled                   |



|          |                          |  |  |  |
|----------|--------------------------|--|--|--|
| NODK-797 | Exactly match server     | Go back to main menu Go to Delete saved forms  |  | Blank forms tab should not be visible Saved Forms tab should be visible and centered                             |
| NODK-797 | Exactly match server     | Go to Fill Blank Form Go to server and add another form Click on refreshing arrow  |  | All forms available in server should be visible Next to Fill Blank Form header there should be refresh arrow     |
| NODK-797 | Exactly match server     | Change server settings to Central. Choose match exactly in form management   |  | Forms from newly chosen server should be downloaded Forms from previously user server should be deleted          |
| NODK-797 | Exactly match server     | Fill submission of form with defined version Fill submission of form without defined version Change/ Select server that doesn't have both of those form    |  | Form from server should be downloaded and visible in Fill Blank Form with filled submissions should not          |
| NODK-797 | Exactly match server     | Go to Delete Saved Forms Select both submission and click on Delete Selected button 410  |  | Both submission should be successfully deleted Toast informing of failing delete should not display Forms should |
| NODK-797 | Exactly match server     | Input server url incorrectly Select match exactly Go to Fill Blank Form Click on refresh arrow 3986 4021   |  | Refresh arrow should have exclamation mark Notification: Form update failed should display Notification should   |
| NODK-797 | Exactly match server     | Click on displayed notification Click on refresh arrow again Click on notification again Click on device back button 4000                                  |  | Fill Blank Form should not open in new window Fill Blank Form should be opened just once                         |
| NODK-797 | Exactly match server     | Input as a server one that requires credentials but do not input credentials Go to Fill Blank form and click on refresh arrow Input invalid credentials an |  | Server Requires Authentication dialog should display Form update failed notification should be visible Form up   |
| NODK-797 | Exactly match server     | Turn of internet connection In the middle of form update Click on refresh arrow 4020   |  | Form download should fail Notification should display 'If you keep have this problem, report it to the person w  |
| NODK-797 | Exactly match server     | Restore internet connection Tap on refresh arrow Try to tap it while process is in progress and progress bar is visible                                    |  | When form update in progress refresh arrow should be disabled  |
| NODK-797 | Exactly match server     | Match exactly form update is enabled Change server to Aggregate to Google Drive Open form management Open Main menu Open Fill Blank Form                   |  | In Form management: blank form update mode should be set to Manual Get Blank Form should be visible in r         |
| NODK-797 | Exactly match server     | Match exactly is enabled, forms from server has been already downloaded Make some changes on server: add and delete forms wait 15 minutes (do              |  | After 15 minutes forms on Collect should be matched to forms on server   |
| NODK-253 | Fill Blank Form - SMS    | User fills form 2350   | send-sms.xml   | SMS app or default email app opens when user clicks on Launch button   |
| NODK-253 | Fill Blank Form - SMS    | User starts form 2385  | dial-number.xml  | Clicking on Launch button moves the user to phone app. A phone number is auto-populated if the user selects      |
| NODK-253 | Fill Blank Form - SMS    | User fills form User clicks on 'Launch' on 'Click to email thanks' question User sends email   | send-sms.xml   | Collect does not crash Email is sent correctly 2832  |
| NODK-255 | Fill Blank Form - Cascad | User starts form and selects Washington -> Kings (first on list) -> Seattle/Redmond and Washin select_one_external.xml                                     |  | Options are not mixed  |
| NODK-255 | Fill Blank Form - Cascad | User starts form and selects Washington -> Kings (first on list) -> Seattle/Redmond and Washin select_one_external.xml                                     | 1761cascading_select_form.xml                          | In hierarchy view 'This is a test' is visible instead of 'test1'.  |
| NODK-248 | Fill Blank Form - Google | User uses Google Sheets. User fills form with secondary instances, eg. Cascading Select 1444 Cascading Select Form.xml                                     |  | Only primary instance are counted in the columns   |
| NODK-248 | Fill Blank Form - Google | User sends finalized form using spreadsheet 753  |  | Unnecessary columns are removed  |
| NODK-248 | Fill Blank Form - Google | User sends finalized form with photo 442   |  | User is able to send photos to Google Sheets   |
| NODK-248 | Fill Blank Form - Google | User uses Google Sheets. User send form with repeated section 1385   | RepeatGoogleSheets.xml and fewRepeatGroupsGoo          | Repeat section is correctly represented in Sheets  |
| NODK-248 | Fill Blank Form - Google | User uses Google Sheets and send form with nested repeat section 2063  | nested-index-repeat.xml and nRepeatsWithoutInst;       | Repeat sections are correctly represented in Sheets. PARENT_KEY and KEY are always visible.                      |
| NODK-248 | Fill Blank Form - Google | Do not keep activities option is turned on. User sends finalized forms to Google Sheets. User s  | OnePageFormSubmission.xml                              | Submission is not doubled on Google Sheets if the user minimize app during sending and 'Do not keep activ        |
| NODK-248 | Fill Blank Form - Google | User uses Google Sheets and sends form with location. 1052   | GeolocationSheets.xml                                  | There are 3 columns for location: Point, altitude, accuracy. Values in Point are separated by comma.             |
| NODK-248 | Fill Blank Form - Google | User starts form and adds attachments. User sends form. 2221   | OnePageFormSubmission.xml                              | Attachments are not represented as a hyperlink. Fill URL is visible.   |
| NODK-248 | Fill Blank Form - Google | User starts form and sends it to Google Sheet 2897   | mr.xml rmf_validation_test.xml repeat_inside_regula    | Sheet for the repeated group is created and hyperlink shows correct URL.   |
| NODK-248 | Fill Blank Form - Google | User fills form in the first question selects options: 6, 2, 3 In the second question selects option SampleQuestions.xml                                   |  | Answers are not converted to date.   |
| NODK-248 | Fill Blank Form - Google | User tries to send a form with attachment to Google Sheets, to 'Open Data Kit/Submissions' folder: 'Submission' folder is duplicated on Google Drive       |  | User is informed that 'Multiple ... folders found'   |
| NODK-248 | Fill Blank Form - Google | User creates a spreadsheet using Excel (or a similar tool) User uploads it to GD User opens it using Google Sheets and generates a shareable URL           |  | Message: 'Failed. Records can only be submitted to spreadsheets created in Google Sheets. The submission         |
| NODK-248 | Fill Blank Form - Google | User fills form User sends form with nested repeat section 3295  | repeatWithMedia.xml                                    | Clickable URL is available for media and for a sheet with a repeat group   |
| NODK-252 | Languages                | User opens Birds form on view with media on RTL language 2101  | Birds.xml  | View with media is mirrored from LTR.  |
| NODK-252 | Languages                | User opens 'All Widgets' form with RTL language. User opens Hierarchy view 1914  |  | Hierarchy view displays question list  |
| NODK-252 | Languages                | User changes forms language.   | (form in ticket https://github.com/odkcentral/collect/ | Arabic text should appear in right. English/Polish elements should be aligned to the left.                       |
| NODK-252 | Languages                | User sets the English language on Collect User downloads form - form has Added on ... information under the form name User sets the Spanish lang           |  | Subtext is translated on the currently set language in Collect   |
| NODK-252 | Languages                | User sets the English language on Collect User fills some form User opens Edit Saved Form and sees subtext User sets the Spanish language on Cc            |  | Subtext is translated on the currently set language in Collect   |
| NODK-252 | Languages                | User sets date in device Settings to 31st of July 2019 User open Collect and sets language to Spanish/Russian/Polish/Arabic language User chooses          |  | Error message is not visible List of forms to download is displayed User is able to download form                |
| NODK-252 | Languages                | User opens Birds form on view with media on RTL language 4112  | Birds.xml  | Scroll bar does not overlap the text   |
| NODK-252 | Languages                | Spanish language is set on device English language is set on Collect 3029  |  | User fills form and clicks on Save icon -> Toast in English is visible User goes to Form Metadata and adds ino   |
| NODK-252 | Languages                | User sets Collect's language to something other than English User enables auto send User fills out and finalize a form User sees notification 3988         |  | Notifications use the same language as the rest of the app.  |
| NODK-772 | Rotating screen when di  | Open Input method dialog on GeoTrace widget Choose input method placement by tapping/manual location recording rotate forms screen Repeat f                |  | Dialog should not disappear Selected options should stay selected  |
| NODK-772 | Rotating screen when di  | Change the map settings to Mapbox or OSM and repeat all steps from the first point 3792  |  | The results should be exactly the same   |
| NODK-256 | Edit saved form          | User clicks quickly on 'Edit Saved Form' button in main menu several times 1630 Quickly click on Edit Saved form button and then click quickly again       |  | Edit Saved Form list is not open two times Edit Saved Form should be opened and Form to Edit should open         |
| NODK-256 | Edit saved form          |  | 1769   | Progress bar is visible.   |
| NODK-256 | Edit saved form          | User sees list of forms 1489   |  | Forms are sorted alphabetically even if form names starts from lower case and upper case                         |
| NODK-256 | Edit saved form          | User opens view 2825   |  | New icons are visible for saved, finalized, failed forms   |
| NODK-256 | Edit saved form          | Language other than English is set on Collect User clicks on Sort by icon Options dialog appears 3031  |  | Options are translated icons are visible   |
| NODK-256 | Edit saved form          | User start form with constraint User fills it and saves it User edits saved form User puts in an in singleQ.xml Test_Collect_V1.xml                        |  | User is not able to swipe to next question   |
| NODK-796 | Form update - Google D   | ownload form Ensure that you have another version of that form on Google Drive Choose Google Drive as server Go to Get Blank Form Download                 |  | This is and update to a for you have information should be visible only for that form for which the updated vers |
| NODK-796 | Form update - Google D   | ownload media on Google Drive for the form # Choose Google Drive as server Go to Get Blank Form Download form  |  | This is and update to a for you have information should be visible only for that form for which the updated vers |
| NODK-796 | Form update - Google D   | ownload form from Aggregate Upload updated version of form to another folder on drive than default one Download updated form                               |  | Information about update should be visible Form update should be downloaded                                      |
| NODK-662 | Get Blank Form - Central | Download those forms from Central. (ex. project 70) Use all forms 1 3639 3666  | neighbourhood last saved image.xml neighbourhood       | Forms should be successfully downloaded and visible on the Fill Blank form list. Error message should not dis    |
| NODK-662 | Get Blank Form - Central | User scans Central as a server User fills all question in form User sends submission 3038 3537   | media.xml  | All attachments are available on Central   |
| NODK-662 | Get Blank Form - Central | User scans the QR code with Central access User downloads form with external CSV files.xml User QR CODE : https://user-images.githubusercontent.com/200    |  | Error is not visible User is able to download form   |
| NODK-662 | Get Blank Form - Central | User scans QR code User downloads form with external CSV file User goes to the main r QR codes in issue https://github.com/getodk/collect/                 |  | Information about the form update is NOT visible   |
| NODK-288 | Counter external app     | User uses counter external app. User clicks on launch button.  | https://github.com/odkcentral/counter/blob/master/dk   | Each click on launch button is counted properly.   |
| NODK-288 | Counter external app     | 1. User starts form 2. User opens counter app 3. User sees full message 3120   | counter3120.xml Message: P([a-z0-9_!-~]@)([l]da-z).    | Full message is visible even if comma is in parameter  |
| NODK-415 | Trigger Widget           | Guidances are always show User starts form User navigates to the hierarchy view User selects guidance_hint_form.xml  |  | Unexpected error is not visible  |
| NODK-415 | Trigger Widget           | Guidances are collapsed User starts form User navigates to the hierarchy view User selects the guidance_hint_form.xml                                      |  | Unexpected error is not visible  |
| NODK-415 | Trigger Widget           | User opens Trigger widget 3645   |  | Text is slightly smaller than the text was before  |
| NODK-377 | External secondary insta | Open external_select_10 form. AUTOMATED  | forms from External secondary instances folder         | User should be able to open and fill the form.   |
| NODK-377 | External secondary insta | Open external_select_10 form. AUTOMATED  | forms from External secondary instances folder         | User should be able to open and fill the form.   |
| NODK-349 | Rating widget            | User opens form with Rating widgets. User selects stars  |  | Selected stars should be highlighted. Not selected stars should be grayed-out.                                   |
| NODK-349 | Rating widget            | User selects all stars visible User selects all minus 1 star   |  | All stars should be highlighted 1 star should be grayed-out.   |
| NODK-349 | Rating widget            | User opens rating widget where stars are displayed in two lines. User rotate screen User rotates screen back   |  | In landscape view stars should not be wrapped. In portrait view stars should be wrapped                          |
| NODK-349 | Rating widget            | User opens hierarchy view.   |  | Proper number of stars should be visible in hierarchy view.  |
| NODK-496 | General Settings - Maps  | User changes Mapping SDK to OpenStreetMap SDK 1856   |  | OSM Streets' is selected as the default Basemap OpenStreetMap is available                                       |
| NODK-496 | General Settings - Maps  | User adds offline basemaps 1610 User rotates devices screen when layer dialog opened 3786  |  | User is able to select it settings form both Mapping SDK. Offline basemaps are marked by '(custom, offline)' D   |
| NODK-496 | General Settings - Maps  | User selects 'Mapbox Maps SDK' (on 64bit devices) 3158   |  | App does not crash Error message is visible  |
| NODK-496 | General Settings - Maps  | User selects Mapbox User selects Offline layer 3164  |  | Offline layers with Mapbox are supported Clicking on the radio buttons in Layer data file dialog does not select |
| NODK-496 | General Settings - Maps  | User selects Offline layer 3164  |  | The file path is visible on Layer data file dialog but it is not visible under Reference layer                   |
| NODK-496 | General Settings - Maps  | User sets Mapbox, Dark style and selects countries.mbtiles offline layer User opens widget with map 3238   |  | Green areas are no longer visible (e.g. near to ElbÄ. g)   |
| NODK-496 | General Settings - Maps  | User sees few layers on 'Layer data file' dialog 3242  |  | Layers are sorted alphabetically   |
| NODK-496 | General Settings - Maps  | Storage was migrated User sees correct layers directory path 3746  |  | Correct offline layer path Correct path in lower message Additional directory in /layer is included              |
| NODK-496 | General Settings - Maps  | Offline layer is selected Selected offline is deleted User starts form with Geo widgets User opens map view 3773   |  | Crash does not occur Default map layer is opened   |
| NODK-496 | General Settings - Maps  | Open Offline layer dialog Choose any offline layer from the list Open offline layer dialog and rotate the screen Try to multiclick on layer data file 4073 |  | Dialog should disappear after selection User should not be able to choose more than layer on displayed dialog    |
| NODK-652 | Restoring the app from t | Open Add group dialog Minimize the app Restore app from the background 3592  |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open Add group dialog Extinguish the screen Restore app from the background  |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open remove group dialog Minimize the app Restore app from the background  |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open remove group dialog Extinguish the screen Restore app from the background   |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open exit form dialog Minimize the app Restore app from the background   |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open exit form dialog Extinguish the screen Restore app from the background  |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open large form loading dialog Minimize the app Restore app from the background  | ex. Nigeria wards                                      | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open large form loading dialog Extinguish the screen Restore app from the background   |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open spinner widget, select multiple dialog Minimize the app Restore app from the background   |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open spinner widget, select multiple dialog Extinguish the app Restore app from the background   |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open bearing widget dialog Minimize the app Restore app from the background  |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open bearing widget dialog Extinguish the app Restore app from the background  |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open range picker integer widget dialog Minimize the app Restore app from the background   |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open range picker integer widget dialog Extinguish the app Restore app from the background   |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open date widget dialog Minimize the app Restore app from the background   |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open date widget dialog Extinguish the app Restore app from the background   |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open Sorry, location providers are disabled dialog Minimize the app Restore app from the background  |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Open Sorry, location providers are disabled dialog Extinguish the app Restore app from the background  |  | Dialog should be visible, app should not crash   |
| NODK-652 | Restoring the app from t | Rank widget dialog 3910  |  | Dialog should be visible, app should not crash   |
| NODK-257 | Send Finalized Form      | User clicks quickly on 'Send Finalized Form' button in main menu several times 1630 Quickly click on Send Finalized form button and then click quick       |  | Send Finalized Form list is not open two times. Send Finalized Form should be open and one of forms should       |
| NODK-257 | Send Finalized Form      |  | 1769   | Progress bar is visible.   |
| NODK-257 | Send Finalized Form      | User sees list of forms 1489   |  | New icons are visible for saved, finalized, failed forms   |
| NODK-257 | Send Finalized Form      | User opens view 2825   |  | Forms are sorted alphabetically even if form names starts from lower case and upper case                         |
| NODK-257 | Send Finalized Form      | User sends 1000 forms to ODK Aggregate 1231  |  | All forms were uploaded with success   |
| NODK-257 | Send Finalized Form      | User sends 1000 forms to Google Sheets 1231  |  | All forms were uploaded with success   |
| NODK-257 | Send Finalized Form      | User sends 1000 forms to Google Sheets and Aggregate 3308  |  | All forms were uploaded with success Dialog with status is visible, scroll is available Apk does not crash       |
| NODK-257 | Send Finalized Form      | Auto-send and auto delete options are set User sends 1000 forms to Google Sheets and Aggregate 3308  |  | Apk does not crash   |
| NODK-257 | Send Finalized Form      | The user sends to Google Sheet ~150 submissions 3178   |  | User sees a meaningful limit error during sending about 150 submissions to Google Sheet                          |
| NODK-257 | Send Finalized Form      | User sees pop up to select Google account 1386   |  | Add Account' option is visible when Google Sheets are selected in server   |
| NODK-257 | Send Finalized Form      | User sees pop up to select Google account 1626   |  | Pop up dialog has white background for white theme and dark background for dark theme                            |
| NODK-257 | Send Finalized Form      | User sees pop up to select Google account 1786   |  | First option is selected automatically   |
| NODK-257 | Send Finalized Form      | User uses ODK Aggregate. User fills form with specified submission URL. 576  | OnePageSubmissionGO.xml                                | User sees dialog asking for credentials to specified Aggregate   |
| NODK-257 | Send Finalized Form      | User sees 'Server Required Authentication' dialog. User does not put credentials and clicks OK OnePageSubmissionGO.xml                                     |  | User is moved to 'Send Finalized Form' page and form is unselected. Confusing toast is not visible               |
| NODK-257 | Send Finalized Form      | User tries to send submission again. User inputs credentials on displayed dialog and send submission 3470  |  | Server Required Authentication dialog should be visible. User should be able to log in Submission should be s    |
| NODK-257 | Send Finalized Form      | User send finalized form 1961  |  | Additional 'Device ID' parameter has no negative influence on submitting forms                                   |







| Issue Key | Test Summary                | Step  | Test Data  | Expected Result   |
|-----------|-----------------------------|---|--|---|
| NODK-505  | odk:setlocation             | User fills form 3175  | setlocation-action-value-changed.xml               | Location value is autofilled  |
| NODK-505  | odk:setlocation             | User fills form 3175  | setlocation-action-with-repeats.xml                | Location value is added to every repeat   |
| NODK-505  | odk:setlocation             | User fills form 3175  | setlocation-action-instance-load.xml               | User is moved to page with 'Save Form and Exit' button but location is set in background. Value is visible in xml   |
| NODK-505  | odk:setlocation             | User fills form 3175  | setlocation-and-audit-location.xml                 | Audit file is available. Location is set in background and is visible in XML  |
| NODK-505  | odk:setlocation             | User fills form 3175  | SetLocation_trackingChangesAndLocationTestForm.xml | Audit file tracks answer changes and location. Location is set in background and is visible in XML  |
| NODK-257  | Send Finalized Form         | User clicks quickly on 'Send Finalized Form' button in main menu several times 1630   |  | Send Finalized Form list is not open two times. Send Finalized Form should be open and one of forms should be selected.   |
| NODK-257  | Send Finalized Form         | Quickly click on Send Finalized Form button and then click quickly again on displayed list of forms. 2657   |  | Progress bar is visible.  |
| NODK-257  | Send Finalized Form         | User sees list of forms 1489  |  | New icons are visible for saved, finalized, failed forms  |
| NODK-257  | Send Finalized Form         | User opens view 2825  |  | Forms are sorted alphabetically even if form names starts from lower case and upper case  |
| NODK-257  | Send Finalized Form         | User sends 1000 forms to ODK Aggregate 1231   |  | All forms were uploaded with success  |
| NODK-257  | Send Finalized Form         | User sends 1000 forms to Google Sheets 1231   |  | All forms were uploaded with success  |
| NODK-257  | Send Finalized Form         | User sends 1000 forms to Google Sheets and Aggregate 3308   |  | All forms were uploaded with success Dialog with status is visible, scroll is available Apk does not crash  |
| NODK-257  | Send Finalized Form         | Auto-send and auto delete options are set User sends 1000 forms to Google Sheets and Aggregate 3308   |  | Apk does not crash  |
| NODK-257  | Send Finalized Form         | The user sends to Google Sheet ~150 submissions 3178  |  | User sees a meaningful limit error during sending about 150 submissions to Google Sheet   |
| NODK-257  | Send Finalized Form         | User sees pop up to select Google account 1386  |  | Add Account' option is visible when Google Sheets are selected in server  |
| NODK-257  | Send Finalized Form         | User sees pop up to select Google account 1626  |  | Pop up dialog has white background for white theme and dark background for dark theme   |
| NODK-257  | Send Finalized Form         | User sees pop up to select Google account 1786  |  | First option is selected automatically  |
| NODK-257  | Send Finalized Form         | User uses ODK Aggregate. User fills form with specified submission URL. User sends finalized form 576   | OnePageSubmissionGO.xml                            | User sees dialog asking for credentials to specified Aggregate  |
| NODK-257  | Send Finalized Form         | User sees 'Server Required Authentication' dialog. User does not put credentials and clicks OK button. User sees the dialog again and clicks on Cancel button 1778  | OnePageSubmissionGO.xml                            | User is moved to 'Send Finalized Form' page and form is unselected. Confusing toast is not visible  |
| NODK-257  | Send Finalized Form         | User send finalized form 1961   |  | Additional 'Device ID' parameter has no negative influence on submitting forms  |
| NODK-257  | Send Finalized Form         | The user opens Send Finalized Form. Select All button is active. The user clicks on the search icon 2153  |  | Select All button is not changed  |
| NODK-257  | Send Finalized Form         | The user opens Send Finalized Form. The user clicks on Select All button. The user clicks on the search icon 2171   |  | Previously selected forms are still selected even if the user clicks on the search icon   |
| NODK-257  | Send Finalized Form         | Send submission via SMS option is set User tries to send the form with SMS tags Sending failed in some way (e.g. no SIM). # A1 icon is visible User goes back to the main menu User taps 'Send Finalized Form' 2411 User fills few submissions with SMS tag User sends all of them together 2692 2693 |  | Exclamation mark in bubble cloud is visible Sending failed due to no reception status should be visible (no SIM card) Sending failed due to airplane mode (airplane mode on when sending) When sending multiple submissions via SMS they should not have a temporary "failed" status they should have "queued for submission" when they are waiting to be sent All successfully sent submissions should have a "Sent as SMS on..." should be visible on View on Sent and Unsent Forms |
| NODK-257  | Send Finalized Form         | User fills few forms User creates a filter to show only records with age 24 User sends few forms again 2443   | filtered data.xml                                  | User is able to send form to sheet with filter Data are not lost Values are not overwritten.  |
| NODK-257  | Send Finalized Form         | User chooses Google sheet as server and Google account and do not input submission url. (form should not have defined url submission as well) User tries to send some submissions to Google sheet.  |  | User should see dialog message about missing submission URL, each failed upload should have a separate line on the dialog message.  |
| NODK-257  | Send Finalized Form         | User sends a form with a lot of attachments Submission takes more than 10 MB 2795   |  | Submission is sent correctly  |
| NODK-257  | Send Finalized Form         | User chooses Google sheet as server User fills form User goes to Send Finalized Form page User manually removed form instance from odk/instances User backs to ODK and sends form   | CascadingSelect.xml                                | User sees dialog with message: Error: instance XML file does not exist! 2848  |
| NODK-257  | Send Finalized Form         | User chooses Google sheet as server User fills encrypted form User goes to Send Finalized Form page User sends form   | Encrypted_form_1.xml                               | User sees dialog with message: Encrypted forms can't be submitted to Google Sheets. 2848  |
| NODK-257  | Send Finalized Form         | User chooses Google sheet as server User fills form User goes to Send Finalized Form page User sends form 2888  | OneThousandQuestions.xml nr.xml                    | Form is sent with success   |
| NODK-257  | Send Finalized Form         | User sees submissions with all statuses 2898  |  | Progress bar is not visible   |
| NODK-257  | Send Finalized Form         | User fills and sends form to Google Sheet 2919  | sheetTitleTest.xml                                 | Form is sent with success even if title is too long   |
| NODK-257  | Send Finalized Form         | User fills and sends form to Aggregate and Google Sheet 3282  | ReunionRecuperation.xml                            | Form is sent with success   |
| NODK-220  | Audio widget                | User starts form with audio widget with appearance="new" 108  | NewAppearance.xml                                  | Choose Sound is not available for appearance="new"  |
| NODK-220  | Audio widget                | User records or adds sound. 2028  |  | User sees player. 'Play Sound' button is not visible  |
| NODK-220  | Audio widget                | User adds audio file from Google Drive 2159   |  | Audio file is added   |
| NODK-220  | Audio widget                | User uses Collect with targetSdkVersion set to 23. User tries to add audio. 2366  |  | User sees permission dialog   |
| NODK-220  | Audio widget                | User tries to record audio via Sony Audio Recorder app 2342   |  | User is able to add audio correctly   |
| NODK-222  | Video widget                | User starts form with video widget with appearance="new" 108  | NewAppearance.xml                                  | Choose Video is not available for appearance="new"  |
| NODK-222  | Video widget                | User starts form 1985   | selfie-video.xml                                   | User is able to record video using front camera   |
| NODK-222  | Video widget                | User adds video file from Google Drive 2159   |  | Video file is added   |
| NODK-222  | Video widget                | User taps the screen multiple times 2360  |  | App is not crash  |
| NODK-222  | Video widget                | User sets targetSdkVersion to 24. User records the video User opens recorded video 2599   |  | Video should be recorded No crash should be visible User should be able to open recorded video.   |
| NODK-222  | Video widget                | Microphone permissions are not selected User tries to record selfie video 2565  |  | Dialog appears where the user is able to allow the Microphone permission  |
| NODK-221  | Image-map widget            | User is on question with image-map widget (single select) 1764  | All widgets.xml                                    | User is able to select one part of image.   |
| NODK-221  | Image-map widget            | User is on question with image-map widget (multi select)  |  | User is able to select few parts of image.  |
| NODK-221  | Image-map widget            | User zooms on image   |  | Extra space is not visible. Zoom buttons are not visible  |
| NODK-221  | Image-map widget            | User is on question with image-map widget   |  | User sees that image takes 90% of screen.   |
| NODK-221  | Image-map widget            | User removes response and confirm 1903  |  | Selected parts are removed  |
| NODK-221  | Image-map widget            | User is on question with image-map widget. User selects answer 1855   |  | Second click on answer does not unselect it for single select question. Second click on answer unselects it for multi select  |
| NODK-221  | Image-map widget            | User is on question with body. User clicks on corpus 2107   |  | Element is not clickable because it does not exist in the database  |
| NODK-221  | Image-map widget            | User opens form with readonly option in the selectMap widgets 2558  |  | readOnly option is supported for single select and multi select   |
| NODK-218  | Bearing widget              | User enters manually bearing reading on device without compass. 1655  |  | Bearing reading is entered manually when device doesn't have compass.   |
| NODK-223  | String widgets (String, Ex) | User clicks on Launch button 1864   | All widgets.xml                                    | The keyboard is visible just after showing an EditText field  |
| NODK-223  | String widgets (String, Ex) | User adds values to widgets User moved back to all widgets 3346   | stringWidgets.xml                                  | Cursor is automatically moved to end of EditText  |
| NODK-223  | String widgets (String, Ex) | User loads form User uses copy/paste to fill form 3346  |  | Copy/paste is possible in all string widgets  |
| NODK-224  | Ex integer widget           | User clicks on Launch button  |  | The keyboard is visible just after showing an EditText field  |
| NODK-224  | Ex integer widget           | User adds value 3346  | stringsWidget.xml                                  | Thousands sep is available  |
| NODK-225  | Ex decimal widget           | User clicks on Launch button 1864   |  | The keyboard is visible just after showing an EditText field  |
| NODK-225  | Ex decimal widget           | User adds value 3346  | stringsWidget.xml                                  | Thousands sep is available  |
| NODK-209  | Draw widget                 | User clicks on device back button during creating a draw AUTOMATED 1494   |  | User sees Save/Ignore dialog with icons User should be able to use both dialog options.   |
| NODK-209  | Draw widget                 | User want to change color AUTOMATED 1907  |  | User sees new color picker  |
| NODK-209  | Draw widget                 | User clicks on the "+" icon to extend the menu. Options have icons User clicks again on "+" to collapse menu User clicks on "+" once again AUTOMATED  |  | Options have icons 2858   |
| NODK-211  | Signature widget            | User clicks on device back button during creating a signature AUTOMATED 1494  | All widgets.xml                                    | User sees Save/Ignore dialog with icons   |
| NODK-211  | Signature widget            | User clicks on the "+" icon to extend the menu. Options have icons User clicks again on "+" to collapse menu User clicks on "+" once again AUTOMATED  |  | Options have icons 2858   |
| NODK-197  | Range widget                | User fills Range Widget with type="xs.decimal" 105  | range.xml  | Widget with decimal values  |
| NODK-197  | Range widget                | User fills Range Widget with type="xs.integer"  |  | Widget with integer values  |
| NODK-197  | Range widget                | User fills Range Widget with appearance not specified   |  | Widget in horizontal position with ticks is a default appearance  |
| NODK-197  | Range widget                | User fills Range Widget with appearance="no-ticks"  |  | Ticks are not visible   |
| NODK-197  | Range widget                | User fills Range Widget with appearance="picker"  |  | Dialog opens. User is able to select answer   |
| NODK-197  | Range widget                | User fills Range Widget with appearance="vertical" 1136   |  | Widget in vertical position with ticks  |
| NODK-197  | Range widget                | User fills Range Widget with appearance="vertical-no-ticks"   |  | Widget in vertical position without ticks   |
| NODK-197  | Range widget                | User fills Range Widget with readonly="true"  |  | Edit is blocked   |
| NODK-197  | Range widget                | User starts form with Range Widget 1260   |  | Default value for range widget is null  |
| NODK-197  | Range widget                | User selects min value 1950   |  | Min value is visible  |
| NODK-197  | Range widget                | User uses RTL languages 1983  |  | RangeWidget works as expected on RTL languages  |
| NODK-197  | Range widget                | User adds some value different than min value 2115  |  | The min value is not visible for a moment   |
| NODK-197  | Range widget                | User sees vertical range widget 1262  |  | Blue bar is always visible  |
| NODK-197  | Range widget                | User starts form with RangeWidget with picker appearance User adds value 2481   |  | Values are bigger in medium size. It also reacts to changes font size in settings   |
| NODK-197  | Range widget                | User sees Range picker integer widget User opens dialog   |  | Number Picker dialog header can be translated to other languages 2875   |
| NODK-212  | Barcode widget              | User opens Barcode Scanner 1304   |  | User sees a button which turn on a flashlight in barcode scanner widget   |
| NODK-212  | Barcode widget              | User opens front camera Barcode scanner   | barcodes.xml                                       | User is able to use barcode scanner in front camera.  |
| NODK-210  | Annotate widget             | User clicks on device back button during marking on a photo 1494  | NewAppearance.xml                                  | User sees Save/Ignore dialog with icons   |
| NODK-210  | Annotate widget             | User edits photo in horizontal/vertical orientation 1558  |  | Widget recognizes photo orientation and editing view is fitted to this orientation.   |
| NODK-210  | Annotate widget             | User starts form with image widget with appearance="annotate new" 108   |  | Choose Image is not available for appearance="annotate new"   |
| NODK-210  | Annotate widget             | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  |  | User sees permission dialog   |
| NODK-210  | Annotate widget             | User clicks on the "+" icon to extend the menu. Options have icons User clicks again on "+" to collapse menu User clicks on "+" once again  |  | Options have icons 2858   |
| NODK-198  | Number Widget               | User fills form with appearance="thousands-sep" in integer, decima, stringNumber 1709   | thousands-separator.xml                            | Thousands separator is visible in answer and in hierarchy view  |
| NODK-198  | Number Widget               | User uses device in German/French/Dutch/English 1715  |  | Thousands separator is visible according the locales  |
| NODK-214  | Selfie widget               | User adds photo to selfie widget in vertical and horizontal position 1551   | All widgets.xml                                    | User is able to add photo. App does not crash   |
| NODK-214  | Selfie widget               | User adds photo to selfie widget in vertical and horizontal position 1552   |  | Added photos are in correct orientation   |
| NODK-214  | Selfie widget               | User starts form with appearance="new-front".   | selfies.xml  | The user is able to take a picture via front camera. Questions with appearance="selfie" also works correctly.   |
| NODK-214  | Selfie widget               | User tap on the screen multiple times 2360  |  | App is not crash  |
| NODK-214  | Selfie widget               | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  |  | User sees permission dialog   |
| NODK-208  | URL widget                  | User starts form with URL Widget 1221   | All widgets.xml                                    | User is able to open URL Widget. App does not crash.  |
| NODK-226  | Arbitrary widget            | User adds file 2135   | arbitraryWidget.xml                                | User is able to add: amr, ogg, m4a, mp3, 3gp, gif, jpeg, jpg, png, pdf, doc, docx, txt, xls, xlsx, csv, xml, rtf, zip, rar files  |
| NODK-226  | Arbitrary widget            | User adds file from Google Drive 2258   |  | File is added   |
| NODK-226  | Arbitrary widget            | User opens form with readonly option in the ArbitraryWidget 2560  |  | readOnly option is supported in the ArbitraryWidget   |

|          |   |   |  |   |
|----------|---|---|--|---|
| NODK-226 | Arbitrary widget                          | User adds files from Downloads dir 2930   |  | User is able to add files Crash does not occur  |
| NODK-2   | General Settings - Server - Google Sheets | User opens Server Settings and chooses Google Drive and deny permissions in Dark Mode o Android 7.1601 User chooses Google Drive, Google Sheets as Server type in General settings. User doesn't set Google account. User clicks on back button.  |  | "Get accounts permission" dialog message should display, OK button should be visible. User should see dialog message "Google account not set. To submit forms via Google Sheets you have to set up your Google account in the Server settings"  |
| NODK-2   | General Settings - Server - Google Sheets | User clicks on OK button. User chooses Google account User clicks on back button User clicks multiple times on Google account User rotates screen when Google account pop up is opened. 2689  |  | User is able to go back to General Settings. Google account popup should be opened just once. Google account email address should not be grayed out after screen rotation.  |
| NODK-2   | General Settings - Server - Google Sheets | User uses Google Drive, Google Sheets   |  | User is able to set Google account and Fallback Submission URL.   |
| NODK-2   | General Settings - Server - Google Sheets | User sees pop up to select Google account 1386  |  | Add Account' option is visible  |
| NODK-2   | General Settings - Server - Google Sheets | User creates new Google account. User sends form to Sheets  |  | User sees permission request User allows and form is sent with success  |
| NODK-2   | General Settings - Server - Google Sheets | User sets Google Sheets as a server and selects a Google account. User goes device's settings and then navigates to the Google account manager. User removes the account that you set for the Google Sheets upload. User sends a submission without changing the account 2479   |  | ODK Collect does not crash The dialog 'Google Account not set' appears  |
| NODK-2   | General Settings - Server - Google Sheets | User goes to Settings, Server User chooses type Google Drive, Google Sheets User clicks on Google account User clicks on Deny in the permission dialog User clicks on OK on the next window User clicks on Google account again 2979  |  | Google account window displays  |
| NODK-228 | SelectMultipleAutocompleteWidget          | User opens form with SelectMultipleAutocomplete widget. 2395  | SelectMultipleAutocomplete.xml             | User opens form with SelectMultipleAutocomplete widget. Options are separated by lines  |
| NODK-207 | Cascading Select                          | User starts form with cascading select where column headers start with a number AUTOMATED 1182  | numberInCSV.xml                            | User is able to fill this form. User does not see unexpected error  |
| NODK-3   | General Settings - User Interface         | User changes language   |  | User is able to use Collect in selected language  |
| NODK-3   | General Settings - User Interface         | User uses RTL language 1981   |  | User sees that Fill Blank Form, Edit Saved Form, Send Finalized Form, View Sent Form, Get Blank Form and Delete Saved Form are aligned to the right side  |
| NODK-3   | General Settings - User Interface         | User changes the text font size   |  | User is able to use Collect in selected font size   |
| NODK-3   | General Settings - User Interface         | User opens Navigation dialog in Dark Mode on Android 7. User changes navigation to 'Use forward/backward buttons' 2981  |  | Cancel button should be visible User is able to use only buttons to navigate in form New appearance of the button holder is applied   |
| NODK-3   | General Settings - User Interface         | User changes navigation to 'Use swipe and buttons' 2981   |  | User is able to use buttons and swipes to navigate in form New appearance of the button holder is applied   |
| NODK-3   | General Settings - User Interface         | User changes navigation to 'Use horizontal swipes'  |  | User swipes to navigate in form. Buttons are not visible  |
| NODK-3   | General Settings - User Interface         | User chooses to show splash screen when application starts  |  | User sees default or own image  |
| NODK-3   | General Settings - User Interface         | User changes Mapping SDK to OpenStreetMap SDK 1856  |  | OSM Streets' is selected as the default Basemap   |
| NODK-3   | General Settings - User Interface         | User adds offline basemaps 1610   |  | User is able to select it settings form both Mapping SDK. Offline basemaps are marked by '(custom, offline)'  |
| NODK-3   | General Settings - User Interface         | Maps preferences are not visible 3139   |  | Maps preferences are no longer part of User interface settings  |
| NODK-213 | Image widget                              | User adds photo in vertical/horizontal orientation 36   | NewAppearance.xml                          | User sees that added photo is in correct orientation  |
| NODK-213 | Image widget                              | User starts form with image widget with appearance="new" 108  |  | Choose image is not available for appearance="new"  |
| NODK-213 | Image widget                              | User adds photo from Google Drive 2151  |  | User is able to add image from Google Drive   |
| NODK-213 | Image widget                              | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  |  | User sees permission dialog   |
| NODK-213 | Image widget                              | The user starts a form with images The user chooses some image The user sees dialog "please wait a few moments" and changes device orientation 2158   |  | ODK Collect does not crash and image is loaded  |
| NODK-213 | Image widget                              | User sets targetSdkVersion to 24. User makes a picture User opens added image 2604  |  | User should be able to add an image No crashes should be visible User is able to preview added image.   |
| NODK-213 | Image widget                              | User starts form with ImageWebViewWidget and AlignedImageWidget 2800  | webAndAlign.xml All widgets                | AlignedImageWidget and ImageWebViewWidget are removed so if we use web or align appearance an ordinary ImageWidget will be used.  |
| NODK-232 | Preferences                               | Preference change is reflected in QR code   |  |   |
| NODK-232 | Preferences                               | User loads collect.settings file with dark theme set 2244   |  | Dark theme is applied to the main menu  |
| NODK-232 | Preferences                               | Username is set in collect.settings. User applies settings from file 2326   |  | User opens Preloads form and sees username  |
| NODK-232 | Preferences                               | User applies settings from QR code where Username is set 2326   |  | User opens Preloads form and sees username  |
| NODK-232 | Preferences                               | User scans QR code settings 2353  |  | User is able to scan QR code  |
| NODK-231 | Offline mode                              | User opens 'Get Blank Form' when user is offline (Aggregate)  |  | User sees message 'No network connection available'   |
| NODK-231 | Offline mode                              | User opens 'Get Blank Form' when user is offline (Google)   |  | User sees message 'No network connection available'   |
| NODK-231 | Offline mode                              | User selects forms to send and clicks on 'Send Selected' when user is offline   |  | User sees message 'No network connection available'   |
| NODK-231 | Offline mode                              | User loses internet connection during sending forms   |  | User sees message   |
| NODK-231 | Offline mode                              | User loses internet connection during downloading new forms   |  | User sees message   |
| NODK-201 | Date widget                               | User quickly clicks the button several time 1624 1723   |  | User is not able to open two answer dialogs.  |
| NODK-201 | Date widget                               | User starts form with Ethiopian calendar. 1330  | All widgets.xml or 1330ethiopian.xml       | Ethiopian calendar is available User should be able to choose the date On the date selection window today's date should be selected as default  |
| NODK-201 | Date widget                               | User starts form with Coptic calendar 1576 2747   | All widgets.xml or 1576coptic.xml          | Coptic calendar is available User should be able to choose the date On the date selection window today's date should be selected as default   |
| NODK-201 | Date widget                               | User starts form with Islamic calendar 1661   | All widgets.xml or islamic.xml             | Islamic calendar is available. User should be able to choose the date On the date selection window today's date should be selected as default   |
| NODK-201 | Date widget                               | User starts form with Gregorian calendar  | All widgets.xml                            | Gregorian calendar is available. User should be able to choose the date On the date selection window today's date should be selected as default   |
| NODK-201 | Date widget                               | User starts form.   | ShowTime.xml                               | User sees date and TIME   |
| NODK-201 | Date widget                               | User sets only one value (date of time) to required date question and tries to go forward. 2054   | dateTimeTest.xml                           | User is not able to go forward with only one value added.   |
| NODK-201 | Date widget                               | User sets both values (date and time) to required date question and tries to go forward.  |  | User is able to go forward when both values are added.  |
| NODK-201 | Date widget                               | User starts form with Nepali calendar 2620  | nepali.xml                                 | Nepali calendar is available.   |
| NODK-201 | Date widget                               | User opens Islamic/Coptic/Ethiopian or Nepali widget. User clicks on select date. User chooses a date (but do not click on OK button) Select date window remains open and user minimizes/extinguish an app User goes back to app User clicks on OK button. User has saved date and chooses Select date button again. User changes the date and minimize/extinguish and app. User opens an app again User clicks on OK button 2629 |  | Chosen date should be displayed on Select date window. None date should be saved. After choosing OK button the chosen date should be saved. After opening an app once again newly selected date should be displayed on Select date window. User should be able to save the new date after choosing OK button  |
| NODK-201 | Date widget                               | User goes to Date time widget User clicks on both buttons 3032  |  | Only one dialog is visible  |
| NODK-201 | Date widget                               | User starts form with Myanmar calendar 2662   | myanmar.xml                                | Myanmar calendar is available. User should be able to choose the date On the date selection window today's date should be selected as default   |
| NODK-201 | Date widget                               | User starts form with Persian calendar 3131   | PersianForm.xml                            | Persian calendar is available. User should be able to choose the date On the date selection window today's date should be selected as default   |
| NODK-233 | Update / Downgrade                        | Preferences that were added or removed are properly updated 1660  |  | User sees that 'Moving backwards' option is checked after update  |
| NODK-233 | Update / Downgrade                        | User updates 1708   |  | User is able to use app with updated database.  |
| NODK-233 | Update / Downgrade                        | User installs version with old database. User updates to current version  |  | User is able to filter options in multi select widget   |
| NODK-200 | Multi Select Widget                       | User fills Multi Select Widget with appearance="autocomplete" 1373  |  | User is able to select an answer by clicking on an image only if big-image attribute is not specified, otherwise if user click on that image user is able to see it in gallery  |
| NODK-200 | Multi Select Widget                       | User starts form with images with form="image" and form="big-image" attributes 1510   | select-icons.xml                           | Filtering is still visible. Filter is not cleared.  |
| NODK-200 | Multi Select Widget                       | User is on multi select question with filtering. User adds filter. User changes device orientation OR minimizes app OR locks and unlocks screen 1427  | 1427select.xml                             | Selected.' text is visible only if any option is selected   |
| NODK-200 | Multi Select Widget                       | User is on multiple select question with minimal appearance 1838  |  | Selected options from select multiple questionnaire separated by a comma in hierarchy view.   |
| NODK-200 | Multi Select Widget                       | User selects at least two options. User opens hierarchy view. 1839  | dark theme                                 | CheckBoxes are not black on a dark theme.   |
| NODK-200 | Multi Select Widget                       | User sees checkboxes 2230   |  | Options are separated by a light line on dark theme (check all Multi widgets)   |
| NODK-200 | Multi Select Widget                       | User sees few options 2241  |  | User sees red warning   |
| NODK-200 | Multi Select Widget                       | User fills form 1964  | multi-warning.xml                          | Toast does not appear   |
| NODK-200 | Multi Select Widget                       | User starts form. User selects answer to first question 2284  | multi-warning.xml                          | Unexpected options are not selected   |
| NODK-200 | Multi Select Widget                       | User is on select_multi type with autocomplete appearance. User selects one option and then searches other option 2681  |  | columns appearance - horizontal labels with buttons arranged in a number of columns determined by the screen width columns no-buttons appearance - horizontal labels without buttons arranged in a number of columns determined by the screen width columns-flex appearance - horizontal labels with buttons, packed in to fit horizontal space with minimal padding columns-flex no-buttons appearance - horizontal labels without buttons, packed in to fit horizontal space with minimal padding columns-n appearance - horizontal labels with buttons arranged in n columns columns-n no-buttons appearance - horizontal labels without buttons arranged in n columns compact appearance - don't include radio buttons or checkboxes compact-n appearance - compact-n should be identical to columns-n no-buttons |
| NODK-200 | Multi Select Widget                       | User starts form 3028   | selectTest3028.xml                         | An answer 'Yes' should be green and answer 'No' should be red. Colors should not be removed during any of additional activities   |
| NODK-200 | Multi Select Widget                       | User opens form. User goes to multiple select widget. User chooses Yes/No/both User swipes right and left, blocks the phone, minimizes the app window, rotates the phone  | style_example.xml                          | Spinner widget opens with start-of-list   |
| NODK-219 | Spinner widget                            | User starts form. User opens list with answers 1935 step automated  | selectOneMinimal.xml                       | User sees that dialog is lighter  |
| NODK-219 | Spinner widget                            | User uses dark theme. User opens popup dialog of Spinner widget 2213  |  | ODK does not crashes. User is able to use this form   |
| NODK-246 | Fill Blank Form - Audit file              | User loads form with audit 1340   | audit-test-ox.xml                          | end time is included in the jump event  |
| NODK-246 | Fill Blank Form - Audit file              | User starts form, user jumps to other question 2113   | Audit.xml                                  | end screen event shows end time when followed by constraint error   |
| NODK-246 | Fill Blank Form - Audit file              | User adds string longer than 2 characters in text question 2111   |  | jump event is logged after opening saved form   |
| NODK-246 | Fill Blank Form - Audit file              | User starts filling form and saves it. User opens the saved form 2136   |  | audit.csv file is NOT affected when opening a sent form from the View Sent Form list  |
| NODK-246 | Fill Blank Form - Audit file              | User fills and sends form. User opens the form from View Sent Form list 2134  |  | Track Location option in menu is visible only when expected Audit file appears  |
| NODK-246 | Fill Blank Form - Audit file              | User starts form Form logs location coordinates in the background 2772  | AuditTestLocationBackground                | Events are logged location tracking enabled location tracking disabled location providers enabled location providers disabled location permissions granted location permissions not granted   |
| NODK-246 | Fill Blank Form - Audit file              | User starts form Form logs location coordinates in the background 2772  |  | Logs contains END date for first question Latitude Longitude Accuracy   |
| NODK-246 | Fill Blank Form - Audit file              | User disables/enables gps in devices settings when filling the forms. 3210  | AuditTest.xml                              | location tracking enabled and location tracking disabled events should be visible in the audit file.  |
| NODK-246 | Fill Blank Form - Audit file              | User starts form Form logs location coordinates in the background 2772  |  | User is informed that location is tracked User sees bar with information  |
| NODK-246 | Fill Blank Form - Audit file              | User starts form Form logs location coordinates in the background Location provider is turned off 2772  |  | User is informed that location provider is disabled User sees dialogs and is able to go to settings   |
| NODK-246 | Fill Blank Form - Audit file              | User fills form User fills all answers User changes responses 3072  | trackingChangesAndLocationTestForm.xml.txt | Answers are track in Audit file Changing responses are recorded   |

|          |                                 |   |   |  |
|----------|---------------------------------|---|---|--|
| NODK-246 | Fill Blank Form - Audit file    | User starts the form: User fills all questions User clicks on Save Form and Exit button User goes to Edit Saved Form User jumps to some question and changes answer User clicks on the device back button User clicks on Save Changes User checks audit file 3036 | trackingChangesAndLocationTestForm.xml.txt  | Audit file shows proper information  |
| NODK-246 | Fill Blank Form - Audit file    | User fills text question User adds new lines, comma and text in quotes after the comma 3113   | trackingChangesAndLocationTestForm.xml.txt  | Value in text question is represented in one cell in Audit file  |
| NODK-246 | Fill Blank Form - Audit file    | User fills form Tracking location is disabled 3102  | trackingChangesAndLocationTestForm.xml.txt  | Answers (old-value, new-value) are added in correct places if both tracking locations and tracking changes are enabled but GPS is disabled   |
| NODK-246 | Fill Blank Form - Audit file    | User fills form User adds few groups User analyzes Audit file 3231  | 3231nested-repeats-for-audit.xml<br>3231audit-group-multiplicity.xml 3231test.xml | Groups do not have [...]. Repeat groups contain information in [...].<br>User is able to select an answer by clicking on an image only if big-image attribute is not specified, otherwise if user click on that image user is able to see it in gallery  |
| NODK-199 | Single Select Widget            | User starts form with images with form="image" and form="big-image" attributes 1510   | select-icons.xml  | Filtering is still visible. Filter is not cleared.   |
| NODK-199 | Single Select Widget            | User is on single select question with filtering, User adds filter. User changes device orientation OR minimizes app OR locks and unlocks screen  | 1427select.xml  | Answers with space are visible   |
| NODK-199 | Single Select Widget            | User starts form. User selects options with space. User saves form. User opens saved form. 267  | selectSpace2.xml  | User sees separator lines  |
| NODK-199 | Single Select Widget            | User starts form with question Select One Search Widget 1976  |   | Radio buttons are not black on a dark theme.   |
| NODK-199 | Single Select Widget            | User sees radio buttons. 2230   |   | Options are separated by a light line on dark theme (check all Select widgets)   |
| NODK-199 | Single Select Widget            | User sees few options 2241  |   | An answer "Yes" should be green and answer "No" should be red. Colors should not be removed after screen rotation and they should be visible in hierarchy view.  |
| NODK-199 | Single Select Widget            | User opens TestColorChoices form. User goes to select one question. User chooses Yes/No User rotate the screen User opens hierarchy view 2723   | TestColorChoices.xml  | columns appearance - horizontal labels with buttons arranged in a number of columns determined by the screen width columns no-buttons appearance - horizontal labels without buttons arranged in a number of columns determined by the screen width columns-flex appearance - horizontal labels with buttons, packed in to fit horizontal space with minimal padding columns-n no-buttons appearance - horizontal labels without buttons, packed in to fit horizontal space with minimal padding columns-n appearance - horizontal labels with buttons arranged in n columns columns-n no-buttons appearance - horizontal labels without buttons arranged in n columns compact appearance - don't include radio buttons or checkboxes compact-n appearance - compact-n should be identical to columns-n no-buttons |
| NODK-199 | Single Select Widget            | User starts form 3028   | selectTest3028.xml  | An answer "Yes" should be green and answer "No" should be red. Colors should not be removed during any of additional activities  |
| NODK-199 | Single Select Widget            | User opens form. User goes to single select widget. User chooses Yes/No User swipes right and left, blocks the phone, minimizes the app window, rotates the phone 3204  | style_example.xml   | Whole labels should be displayed on the dropdown list Whole label should be visible after choosing answer from the dropdown list.  |
| NODK-199 | Single Select Widget            | User opens form. User opens dropdown list. User chooses answer from the dropdown list. User swipes right and left, blocks the phone, minimizes the app window, rotates the phone 3278   | selectMinimal.xml   | After opening map view delete button should be disabled. The map view should be zoomed to current location.  |
| NODK-215 | GeoTrace Widget                 | User opens map view 2659 User chooses to zoom to current location.  |   | Altitude and accuracy are 0.0 when location is added manually When open OSM map user should see only one map on default view. User sees max. 2 maps. User should be able to tap zoom + button 20 times, as default zoom level is 2, and maximal is 22.   |
| NODK-215 | GeoTrace Widget                 | User adds locations manually (Google Maps/OSM (go to step 2 first) 1459 User opens OSM maps for the first time. User scroll OSM map User taps zoom + button 20 times, slowly. 2664  | All widgets.xml   | Crash does not occur The view zoom to show the whole area  |
| NODK-215 | GeoTrace Widget                 | User adds points in map User clicks on crosshair button. User selects 'Zoom to saved feature' 2238  |   | User is able to zoom and save results of automatic mode.   |
| NODK-215 | GeoTrace Widget                 | User uses GeoTrace automatic mode.  |   | Offline basemaps is selected in Layer Choice of offline basemaps should not be lost after screen rotation.   |
| NODK-215 | GeoTrace Widget                 | User selects offline basemaps 1610 User rotates the screen 2647   |   | User sees permission dialog  |
| NODK-215 | GeoTrace Widget                 | User uses Collect with targetSdkVersion set to 23. User tries to add location. 2321   |   | User is able to save both, polyline and polygon Polygon should be closed and saved   |
| NODK-215 | GeoTrace Widget                 | User creates polyline User adds some points and save them as polygon. 2553  |   | Saved feature should be zoomed.  |
| NODK-215 | GeoTrace Widget                 | User chooses View or Change GeoTrace button.  |   | User should be able to delete added feature and create a new one.  |
| NODK-215 | GeoTrace Widget                 | User deletes added features. User adds new features.  |   | None recorded data are lost after rotating the screen  |
| NODK-215 | GeoTrace Widget                 | User adds the feature using manual mode. (using Google maps) User rotate the screen User adds points User pauses recording of the point User rotate the screen again. 2310  |   | Recorded data shouldn't be restored.   |
| NODK-215 | GeoTrace Widget                 | User deletes saved feature User rotates the screen 2492   |   | None of recorded data are lost after screen rotation.  |
| NODK-215 | GeoTrace Widget                 | User starts automatic mode of recording points. User rotates the screen User pauses automatic mode User rotates the screen User continues automatic mode.   |   | Deleted feature is not restored after screen rotation  |
| NODK-215 | GeoTrace Widget                 | User deletes saved feature User rotates the screen  |   | The results should be the same   |
| NODK-215 | GeoTrace Widget                 | User repeats steps from 10-13 for OSM maps.   |   | User notices: autozoom to the current location the first point is collected immediately for automatic mode zoom to dialog is no longer available current location is not lost when rotating 2865   |
| NODK-215 | GeoTrace Widget                 | User opens map on Geotrace widget   |   | Right scroll bar for buttons is visible only when it is needed   |
| NODK-215 | GeoTrace Widget                 | User opens map 2904   |   | Collect does not crash   |
| NODK-215 | GeoTrace Widget                 | User rotates device many times quickly 2856   |   | Backspace button is visible Backspace button is active when points are added   |
| NODK-215 | GeoTrace Widget                 | User adds few points User clicks on Backspace button to remove the last point 2890  |   | Backspace button is inactive   |
| NODK-215 | GeoTrace Widget                 | User adds few points User clicks on Trash icon and confirmed clearing 2890  |   | Pause button is visible  |
| NODK-215 | GeoTrace Widget                 | User adds point User clicks on 'Pause' button User clicks on 'Zoom+' button User clicks to add point 2886   |   | GPS feedback and collection feedback are visible User sees red/green accuracy indication User sees number of recorder points   |
| NODK-215 | GeoTrace Widget                 | User starts tracking location 2891  |   | User is able to set accuracy User is able to set NONE accuracy   |
| NODK-215 | GeoTrace Widget                 | User starts tracking location in automatic mode 2891  |   | New Input method dialog with Placement by Tapping option Long press and tap can be used to adding locations. Both methods can be mixed. Manually entering of points is allowed Add marker button is active even if there is no internet connection. Only Placement by tapping is available Bas with current accuracy and timed interval mapping are added Unexpected coordinates are not generated even if I saved the same Polygon few times Save as Polygon option has warning 'Save as' dialog can be scrolled  |
| NODK-215 | GeoTrace Widget                 | User opens map on Geotrace widget 2933 2976   |   | The user's location is displayed using a set of crosshairs at the location, as well as a semitransparent blue circle showing the 68% confidence radius of the location fix User sees small red circles, instead of big red or black balloons   |
| NODK-215 | GeoTrace Widget                 | User adds location 2940   |   | The map stays where the user has moved it unless the crosshair button is tapped.   |
| NODK-215 | GeoTrace Widget                 | User sets input method to "Placement by tapping" User moves the map and the current position isn't on the screen 2973   |   | Save geotrace as polygon is not available  |
| NODK-215 | GeoTrace Widget                 | User adds location 3078   |   | When APK is built with token, nice, smoothly zoomable vector map is visible Basemaps can be changed When APK is built without the token, less nice, but still usable map is visible  |
| NODK-215 | GeoTrace Widget                 | User selects 'Mapbox Maps SDK' 3074   |   | GPS location accuracy should always have number with 2 decimal points  |
| NODK-215 | GeoTrace Widget                 | User opens widget User plays around with input methods (setting them, deleting them, changing them) User reenters the map User saves geolocations and goes back to widget User plays around with the device (rotating, minimizing) 3345                           |   | After opening map view delete button should be disabled. Change Location' is visible in button   |
| NODK-217 | GeoPoint widget                 | User opens GeoPoint question with no appearance. User adds location. 1859 2659  | All widgets.xml   | Put a value of accuracy and time needed to determine it.   |
| NODK-217 | GeoPoint widget                 | User adds location  |   | User sees that Accuracy is #460; 10m   |
| NODK-217 | GeoPoint widget                 | User adds location. User sees 'Loading location' dialogs 2008   |   | User sees that option buttons occupy whole right area User is able to add answer   |
| NODK-217 | GeoPoint widget                 | User opens GeoPoint question with maps appearance 1615 2457   |   | The view zoom to show the whole area   |
| NODK-217 | GeoPoint widget                 | User clicks on crosshair button. User selects 'Zoom to saved feature'   |   | User notices: autozoom to the current location zoom to dialog is no longer available current location is not lost when rotating 2865   |
| NODK-217 | GeoPoint widget                 | User opens map on Geopoint widget   |   | The user's location is displayed using a set of crosshairs at the location, as well as a semitransparent blue circle showing the 68% confidence radius of the location fix User sees small red circles, instead of big red or black balloons   |
| NODK-217 | GeoPoint widget                 | User adds location 2940   |   | When APK is built with token, nice, smoothly zoomable vector map is visible Basemaps can be changed When APK is built without the token, less nice, but still usable map is visible  |
| NODK-217 | GeoPoint widget                 | User selects 'Mapbox Maps SDK' 3074   |   | 'null' is not visible in upper bar Location provider is recognized - GPS/fused   |
| NODK-217 | GeoPoint widget                 | User sets Mapbox as a map User opens Geopoint widget wit map appearance 3309  |   | Basemap attribution text does not disappear  |
| NODK-217 | GeoPoint widget                 | User sets OSM, USGS, Slamen or CARTO map User opens Geopoint widget User sees basemap attribution text at the bottom User zoom or rotate 3311   |   | Map is loaded  |
| NODK-217 | GeoPoint widget                 | User sets OSM map User opens map 3370   |   | User is able to find location in 'GPS Only' mode. User sees lower battery consumption.   |
| NODK-203 | Location widgets                | User search a location 1336   | All widgets.xml   | There is no extra space between grey header and icons. Padding is removed.   |
| NODK-203 | Location widgets                | User is on view with map. User scrolls icons. 1181  |   | User sees 'gps' capitalized  |
| NODK-203 | Location widgets                | User adds location and uses GPS. 2156   |   | User sees information about number of available satellites and time elapsed in location dialog   |
| NODK-203 | Location widgets                | User opens location dialog 54   |   | Location icon is black (check all Location widgets with map). While polyline icon is visible   |
| NODK-203 | Location widgets                | User sees map with dark theme 2241  |   | Question is opened with map User is able to add location   |
| NODK-203 | Location widgets                | User starts form. User goes to 3rd question. 2081   | placement-map.xml   | User selects location  |
| NODK-203 | Location widgets                | User starts form with GeoPointWidget with placement-map appearance 2457   |   | User sees that 'seconds' and 'minutes' words are translated  |
| NODK-203 | Location widgets                | Language other than English is set on device. User starts form with GeoTrace widget. User selects 'Automatic Mode' 2264   |   | User is able to continue work Collect does not crash   |
| NODK-203 | Location widgets                | User opens some Geo Widget with Google map User immediately changes device orientation 2992   |   | App does not try to find better location - location is not updated in LOGCAT   |
| NODK-203 | Location widgets                | User LOGCAT User opens widget with map Location is set User saves location and close map Check GeoPoint, GeoTrace and GeoShape Check Google Maps, Mapbox and OSM 3245   |   | OpenStreetMap displays correctly Offline layers are able to be applied on OpenStreetMap Check GeoPoint, GeoShape, GeoTrace   |
| NODK-203 | Location widgets                | OSM is set as a Source User opens widget with map 3254  |   | Only primary instance are counted in the columns   |
| NODK-248 | Fill Blank Form - Google Sheets | User uses Google Sheets. User fills form with secondary instances, eg. Cascading Select 1444  | Cascading Select Form.xml   | Unnecessary columns are removed  |
| NODK-248 | Fill Blank Form - Google Sheets | User sends finalized form using spreadsheet 753   |   | User is able to send photos to Google Sheets   |
| NODK-248 | Fill Blank Form - Google Sheets | User sends finalized form with photo 442  |   | Repeat section is correctly represented in Sheets  |
| NODK-248 | Fill Blank Form - Google Sheets | User uses Google Sheets. User send form with repeated section 1385  | RepeatGoogleSheets.xml and fewRepeatGroupsGoogleSheets.xml                        | Repeat sections are correctly represented in Sheets. PARENT_KEY and KEY are always visible.  |
| NODK-248 | Fill Blank Form - Google Sheets | User uses Google Sheets and send form with nested repeat section 2063   | nested-indexed-repeat.xml and nRepeatsWithoutInstanceID.xml and nRepeats.xml      | Submission is not doubled on Google Sheets if the user minimize app during sending and 'Do not keep activities' option is turned on  |
| NODK-248 | Fill Blank Form - Google Sheets | Do not keep activities option is turned on. User sends finalized forms to Google Sheets. User sees dialog. User minimize app. User opens app again and tries to send form again. 1777   | OnePageFormSubmission.xml   | There are 3 columns for location: Point, altitude, accuracy. Values in Point are separated by comma.   |
| NODK-248 | Fill Blank Form - Google Sheets | User uses Google Sheets and sends form with location. 1052  | GeolocationSheets.xml   | Attachments are not represented as a hyperlink. Full URL is visible.   |
| NODK-248 | Fill Blank Form - Google Sheets | User starts form and adds attachments. User sends form. 2221  | OnePageFormSubmission.xml   | Sheet for the repeated group is created and hyperlink shows correct URL.   |
| NODK-248 | Fill Blank Form - Google Sheets | User starts form and sends it to Google Sheet 2897  | nr.xml rmf_validation_test.xml repeat_inside_regular.xml                          | Answers are not converted to date  |
| NODK-248 | Fill Blank Form - Google Sheets | User fills form in the first question selects options: 6, 2, 3 In the second question selects options: 11, 7, 3 User finalizes and sends the form to Google Sheet 3128  | SampleQuestions.xml   |  |

|          |                                      |  |  |  |
|----------|--------------------------------------|--|--|--|
| NODK-248 | Fill Blank Form - Google Sheets      | User tries to send a form with attachment to Google Sheets, to 'Open Data Kit/Submissions' folder. 'Submission' folder is duplicated on Google Drive User sees message 3149  |  | User is informed that 'Multiple .... folders found'  |
| NODK-248 | Fill Blank Form - Google Sheets      | User creates a spreadsheet using Excel (or a similar tool) User uploads it to GD User opens it using Google Sheets and generates a shareable URL and sends to it some form User sees meaningful error message 3117   |  | Message: 'Failed. Records can only be submitted to spreadsheets created in Google Sheets. The submission spreadsheet specified was uploaded to Google Drive.' is visible Message is visible when form is sent manually and when autosend is set  |
| NODK-248 | Fill Blank Form - Google Sheets      | User fills form User adds few repeats group User sends form to Google Drive 3295   | repeatWithMedia.xml  | Clickable URL is available for media and for a sheet with a repeat group   |
| NODK-250 | Fill Blank Form - Form with audio    | User opens form with audio. User clicks on speaker icon. 1975 3365   | Birds.xml  | Text is highlighted but there is no background of question Audio and video buttons should not have gray background   |
| NODK-250 | Fill Blank Form - Form with audio    | User opens Birds form. User clicks on play audio button. Speaker icon is not visible. User immediately clicks on some other audio play button. 1999 3229   |  | Currently playing sound is paused when some other speaker icon is clicked. Other sound is played Play Video button should differ from play audio button.   |
| NODK-250 | Fill Blank Form - Form with audio    | Audio media is played User swipes to last view or minimizes app 3229   | Birds.xml  | After tapping audio play button, stop button should be visible not pause button. Media is stopped  |
| NODK-250 | Fill Blank Form - Form with audio    | Audio media is played User rotates device 3229   |  | Media is continued on Android 8.1, 9.0 Media is stopped on lower Android version   |
| NODK-250 | Fill Blank Form - Form with audio    | Open text question with audio autoplay option 3326   | test.xml in 3229-autoplay folder on google drive           | Audio file should be autoplayed when going forward in the form Audio file should not be autoplayed when going back to the question and when jump from hierarchy view   |
| NODK-250 | Fill Blank Form - Form with audio    | Open select one question with audio option.  |  | Audio files should be autoplayed one by one when going forward in the form   |
| NODK-250 | Fill Blank Form - Form with audio    | Delete one of media files and go through the whole form. 3229  |  | Toast informing about missing file should display only on pages where media file is used. On the page when both files are used toast for one media should display, second audio file should be autoplayed.   |
| NODK-250 | Fill Blank Form - Form with audio    | Delete another media file, download first file again and go through the whole form.  |  | Toast informing about missing file should display only on pages where media file is used. On the page when both files are used toast for one media should display, second audio file should be autoplayed.   |
| NODK-250 | Fill Blank Form - Form with audio    | Delete both media files and go through the whole form.   |  | Toast informing about missing file should display only on pages where media file is used. On the page when both files are used, toasts should show display one by one  |
| NODK-250 | Fill Blank Form - Form with audio    | Open select one grid question and select one of the answers, then select another answer 3358   | gridwidget.xml in gridwidget folder on drive               | audio file should be played another audio file should be played  |
| NODK-250 | Fill Blank Form - Form with audio    | Open select multi grid question and select answers one by one. 3358  | gridwidget_secd_multiple.xml in gridwidget folder on drive | audio file should be played one by one   |
| NODK-245 | Fill Blank Form - Auto Send          | User uses form with auto-send attribute 1952   |  | Only auto-send attribute causes sending form. auto-submit attribute is not longer exist  |
| NODK-245 | Fill Blank Form - Auto Send          | User fills form with configuration: Auto Send - Off; Delete after send - Off; auto-delete="true"; auto-send="true" 791 1750  |  | Form is auto sent and removed from device. There is no opportunity to open sent form in 'View Sent Form'. Crossed eye icon is visible.   |
| NODK-245 | Fill Blank Form - Auto Send          | User fills form with configuration: Auto Send - On; Delete after send - On; auto-delete="false"; auto-send="false" 791 1750  |  | Form need to be manually selected to send. User can open form in 'View Sent Form'. Crossed eye icon is NOT visible.  |
| NODK-245 | Fill Blank Form - Auto Send          | User fills form with configuration: Auto Send - On; Delete after send - Off; auto-delete="true"; auto-send="false" 791 1750  |  | Form need to be manually selected to send. There is no opportunity to open sent form in 'View Sent Form'. Crossed eye icon is visible.   |
| NODK-245 | Fill Blank Form - Auto Send          | User fills form with configuration: Auto Send - Off; Delete after send - On; auto-delete="false"; auto-send="true" 791 1750  |  | Form is auto sent. User can open form in 'View Sent Form'. Crossed eye icon is NOT visible.  |
| NODK-216 | GeoShape widget                      | User adds points in map 2238 2659  | All widgets.xml  | After opening map view delete button should be disabled. Crash does not occur  |
| NODK-216 | GeoShape widget                      | User adds onetwo points in map 1124  |  | User sees toast  |
| NODK-216 | GeoShape widget                      | User clicks on crosshair button. User selects 'Zoom to saved feature' User clicks on Save button. User clicks on 'View of Change GeoShape' button. User adds new points and moves the existing one. 2465   |  | The view zoom to show the whole area After Saving, map should not be visible. user should be back to the form. 'View of Change GeoShape' button should be visible and geo coordinates should be visible below the button. Saved geoshape should be zoomed. New points should be successfully added and user should be able to move existing ones.  |
| NODK-216 | GeoShape widget                      | User clicks on crosshair button and selects 'Zoom to current location'   |  | Zoom of current location should be visible.  |
| NODK-216 | GeoShape widget                      | User adds shape points to the map User does not click on Save button. User uses back button. User chooses Discard  |  | Dialog message "Discard changes and return to ODK?" with Cancel/Discard options should appear. User should be back from map view to form. "Start GeoShape" button should be visible.   |
| NODK-216 | GeoShape widget                      | User Starts Geoshape again and do not adds points. User doesn't click on Save button. User chooses back button   |  | Dialog message "Discard changes and return to ODK?" with Cancel/Discard options should not appear. User should be back to the form.  |
| NODK-216 | GeoShape widget                      | User clicks on View or Change GeoShape button. User clicks on Clear button. User clicks on Clear on confirmation dialog. User clicks on Save button.   |  | Clear confirmation window should appear. User should be able to save empty results. Discard changes dialog should not appear After clicking on Save button, form should display and 'Start Geoshape' button should be available  |
| NODK-216 | GeoShape widget                      | Repeat all the steps for OSM maps  |  | The results should be all the same.  |
| NODK-216 | GeoShape widget                      | Add geoshape on Google maps. Rotate device's screen 2310   |  | Data should not be lost after screen rotation.   |
| NODK-216 | GeoShape widget                      | Delete saved feature. Rotate the screen again. 2492  |  | Deleted feature should not be restored.  |
| NODK-216 | GeoShape widget                      | Repeat last two steps for OSM maps.  |  | The results should be all the same.  |
| NODK-216 | GeoShape widget                      | User opens map on GeoShape widget  |  | User notices: autozoom to the current location zoom to dialog is no longer available current location is not lost when rotating 2865   |
| NODK-216 | GeoShape widget                      | User rotates device many times quickly 2856  |  | Collect does not crash   |
| NODK-216 | GeoShape widget                      | User adds few points User clicks on Trash icon and confirmed clearing 2890   |  | Backspace button is inactive   |
| NODK-216 | GeoShape widget                      | User adds few points User clicks on Backspace button to remove the last point 2890   |  | Backspace button is visible Backspace button is active when points are added   |
| NODK-216 | GeoShape widget                      | User opens map on GeoShape widget 2933 2976  |  | New input method dialog with Placement by tapping option Long press and tap can be used to adding locations. Both methods can be mixed. Manually entering of points is allowed Add marker button is active even if there is no internet connection. Only Placement by tapping is available Bars with current accuracy and timed interval mapping are added   |
| NODK-216 | GeoShape widget                      | User adds 2 points and tries to save 2933  |  | User sees message 'Must have at least 3 points to create Polygon' (There is no option to save as Polyline  |
| NODK-216 | GeoShape widget                      | User adds location 2940  |  | The user's location is displayed using a set of crosshairs at the location, as well as a semitransparent blue circle showing the 68% confidence radius of the location fix User sees small red circles, instead of big red or black balloons   |
| NODK-216 | GeoShape widget                      | User sets input method to "Placement by tapping" User moves the map and the current position isn't on the screen 2973  |  | The map stays where the user has moved it unless the crosshairs button is tapped.  |
| NODK-216 | GeoShape widget                      | User sets the mapping SDK to "Google Maps" in settings User opens a geoshape or geotrace question User sets the point collection mode to "placement by tapping" User goes to a place where location is available User tries to tap in the accuracy circle to add a point 2991  |  | In "placement by tapping" mode, tapping within the location accuracy circle places a point   |
| NODK-216 | GeoShape widget                      | User selects 'Mapbox Maps SDK' 3074  |  | When APK is built with token, nice, smoothly zoomable vector map is visible Basemaps can be changed When APK is built without the token, less nice, but still usable map is visible  |
| NODK-216 | GeoShape widget                      | User opens widget User plays around with Input methods (setting them, deleting them, changing them) User recenters the map User saves geolocations and goes back to widget User plays around with the device (rotating, minimizing) 3345   |  | GPS location accuracy should always have number with 2 decimal points  |
| NODK-496 | General Settings - Maps              | User changes Mapping SDK to OpenStreetMap SDK 1856   |  | OSM Streets' is selected as the default Basemap OpenStreetMap is available   |
| NODK-496 | General Settings - Maps              | User adds offline basemaps 1610  |  | User is able to select it settings form both Mapping SDK. Offline basemaps are marked by '(custom, offline)'   |
| NODK-496 | General Settings - Maps              | User selects 'Mapbox Maps SDK' (on 64bit devices) 3158   |  | App does not crash Error message is visible  |
| NODK-496 | General Settings - Maps              | User selects Mapbox User selects Offline layer 3164  |  | Offline layers with Mapbox are supported Clicking on the radio buttons in Layer data file dialog does not select all layers mbitiles files are located directly in /layers directory and in a subdirectory. Both are supported   |
| NODK-496 | General Settings - Maps              | User sets Mapbox, Dark style and selects countries.mbitiles offline layer User opens widget with map 3238  |  | The file path is visible on Layer data file dialog but it is not visible under Reference layer   |
| NODK-496 | General Settings - Maps              | User sees few layers on 'Layer data file' dialog 3242  |  | Green areas are no longer visible (e.g. near to Eibh-äg)   |
| NODK-415 | Trigger Widget                       | Guidances are always show User starts form User navigates to the hierarchy view User selects the widget from the list AUTOMATED 2881   | guidance_hint_form.xml                                     | Layers are sorted alphabetically   |
| NODK-415 | Trigger Widget                       | Guidances are collapsed User starts form User navigates to the hierarchy view User selects the widget from the list AUTOMATED 2881   | guidance_hint_form.xml                                     | Unexpected error is not visible  |
| NODK-349 | Rating widget                        | User opens form with Rating widgets. User selects stars  |  | Unexpected error is not visible  |
| NODK-349 | Rating widget                        | User selects all stars visible User selects all minus 1 star   |  | Selected stars should be highlighted. Not selected stars should be grayed-out.   |
| NODK-349 | Rating widget                        | User opens rating widget where stars are displayed in two lines. User rotate screen User rotates screen back   |  | All stars should be highlighted 1 star should be grayed-out.   |
| NODK-349 | Rating widget                        | User opens hierarchy view.   |  | In landscape view stars should not be wrapped. In portrait view stars should be wrapped  |
| NODK-326 | Form name - Replace newline by space | User opens form. User inputs enter/newline into some of questions of the form. User goes to the form's last page User clicks on Save Form and Exit button. User sends an instance to an aggregate 2653 2633 2914   | instance_name_example.xml                                  | Proper number of stars should be visible in hierarchy view.<br>Instance name should be present It should be grayed out and should not be editable Newlines should not be replaced by a space Whole submission title should be visible and wrapped. Toast "Form successfully saved" should appear. Instance should have "Finalized" status The instance should be successfully saved and sent to the aggregate. |
| NODK-326 | Form name - Replace newline by space | User opens a random form. User goes to the last page of the form User tries to input enter/newline User minimizes an app User writes a text with an enter/newline User goes back to an app User pastes content of the clipboard into instance name field.  |  | User should see Save Form and Exit button User should not be able to input space/newline After pasting the clipboard newlines should be replaced by space Instance name should be present  |
| NODK-326 | Form name - Replace newline by space | User has the saved forms User sees this form in one of the views: Edit Saved Form, Send Finalized Form, Delete Saved Form 2656   | instance_name_example.xml                                  | Newlines are not visible   |
| NODK-202 | Time widget                          | User adds time to question. User changes device time zone. User returns to time question. 1309   | All widgets.xml  | User opens time picket and sees a correct, default time  |
| NODK-289 | GET_ACCOUNT and SMS_SEND permissions | User clicks on Google account option in Server Settings User revoke permissions and tries to get forms from Google Drive User revoke permissions and tries to send a finalized form to Google Sheet  |  | Permission window should display.  |
| NODK-289 | GET_ACCOUNT and SMS_SEND permissions | User tries to finalize form via SMS.   |  | Permission window should display   |
| NODK-289 | GET_ACCOUNT and SMS_SEND permissions | User goes to General Settings &#62; Server &#62; Type: Google Drive User kills the app User reopens the app User click Send Finalized Form User selects some forms and click Send Selected A dialog appears which is asking for access to contacts User chooses Deny User goes Get account permission dialog and clicks OK |  | User is moved to form list in Send Finalized Form 2649   |
| NODK-289 | GET_ACCOUNT and SMS_SEND permissions | User goes to General Settings &#62; Server &#62; Type: Google Drive User kills the app User reopens the app User click Get Blank Form A dialog appears which is asking for access to contacts User chooses Deny User sees Get account permission dialog and clicks OK  |  | User is moved to main menu 2649  |
| NODK-261 | Form and media update                | User downloads from aggregate different version of the same form. 1653   |  | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.  |
| NODK-261 | Form and media update                | User downloads from aggregate the same form but with other media files.  |  | User sees information about form updates. Form is updated successfully, There is only one version of the form in Fill Blank form but form contains all media files.  |
| NODK-261 | Form and media update                | User downloads from aggregate the same forms with different versions and different order of the same questions.  |  | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.  |
| NODK-261 | Form and media update                | User downloads from aggregate forms with different version and with different content of text question.  |  | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.  |
| NODK-261 | Form and media update                | User downloads a form with media. User removes media folder. User opens 'Get Blank Form' list 1737   |  | User sees information about update.  |
| NODK-261 | Form and media update                | User uses Sample-preloading-form, form with external itemssets, form with simple media files 1720  |  | User sees information about update only when it is expected. Forms with media files do not causes additional information about update  |
| NODK-261 | Form and media update                | User sets 'Every fifteen minutes' for 'Period form update check'. Few forms are updated on server 1668   |  | User sees information in notification that new version is available  |
| NODK-261 | Form and media update                | Media is updated on server   |  | User sees information in notification that new version is available  |
| NODK-261 | Form and media update                | User selects Automatic Download. Few forms are updated on server   |  | User sees information in notification that new version was downloaded  |



|          |                                       |  |   |   |
|----------|---------------------------------------|--|---|---|
| NODK-261 | Form and media update                 | Media is updated on server   |   | User sees information in notification that new version was downloaded   |
| NODK-261 | Form and media update                 | Few versions of the same form is available on device. 1694   |   | Only the newest version is visible. Old versions are hidden.  |
| NODK-261 | Form and media update                 | User unselect Form Management & #62; Hide old form versions  |   | Every form versions are visible on Fill Blank Form view   |
| NODK-261 | Form and media update                 | Notification appears 1753  |   | New notification icon is visible. The same icon is visible on all Android versions  |
| NODK-261 | Form and media update                 | User sees information in notification. User clicks on it. 2179   |   | Dialog is visible with results  |
| NODK-261 | Form and media update                 | User clicks on Get Blank form. Forms to download displays and the green message "This is an update to a form you have" is present. User goes back to the main menu. User clicks on Get Blank form and Cancel connection. User clicks on the Refresh button. Form list displays correctly. 2243 |   | The green message "This is an update to a form you have" is visible.  |
| NODK-261 | Form and media update                 | User sees 2 notifications. Older notification is about auto send. Newest notification is about downloaded form version. User clicks on older notification 2202   |   | Notification headers: ODK auto-send results / ODK auto-download results Notification status: Failures / Success Dialog header: Download Results / Upload Results Dialog contains full cause of error  |
| NODK-261 | Form and media update                 | User goes to General Settings - & #62; Form management and unselect Hide old form versions option. User click on Fill Blank Form from the main menu 3228   |   | User sees correct full message  |
| NODK-261 | Form and media update                 | User click on Fill Blank Form from the main menu 3228  |   | Collect does not crash  |
| NODK-243 | Admin Settings - Form Entry Settings  | User unchecks "Allow moving backwards in forms" option. 1456   |   | User is not able to move backwards when filling form.   |
| NODK-243 | Admin Settings - Form Entry Settings  | User selects "Defer validation until finalized" and then Admin unchecks "Allow moving backwards in forms" option. 1704   |   | Constraint processing option is set as 'Validate upon forward swipe' and is not editable  |
| NODK-243 | Admin Settings - Form Entry Settings  | User sees dialog with buttons: Yes/No 1456   |   | Edit Saved Form, Save Form, Go To Prompt, Constraint processing is set to Validate upon forward swipe if user clicks on Yes   |
| NODK-243 | Admin Settings - Form Entry Settings  | User unchecks "Allow moving backwards in forms" option. User starts form. User restarts a phone. 1675  |   | User sees question on which he finished. User is not able to moving backwards   |
| NODK-252 | Languages                             | User opens Birds form on view with media on RTL language 2101  | Birds.xml   | View with media is mirrored from LTR.   |
| NODK-252 | Languages                             | User opens 'All Widgets' form with RTL language. User opens Hierarchy view 1914  |   | Hierarchy view displays question list   |
| NODK-252 | Languages                             | User changes forms language.   |   | Arabic text should appear in right, English/Polish elements should be aligned to the left.  |
| NODK-252 | Languages                             | User sets the English language on Collect User downloads form - form has Added on ... information under the form name User sets the Spanish language on Collect User downloads form User sets the French language on Collect User downloads form 3193  | (form in ticket <a href="https://github.com/odkcentral/collect/pull/2376">https://github.com/odkcentral/collect/pull/2376</a> ) All-widgets-lang.xml        | Subtext is translated on the currently set language in Collect  |
| NODK-252 | Languages                             | User sets the English language on Collect User fills some form User opens Edit Saved Form and sees subtext User sets the Spanish language on Collect User fills some form User sets the French language on Collect User fills some form 3200   |   | Subtext is translated on the currently set language in Collect  |
| NODK-252 | Languages                             | User sets date in device Settings to 31st of July 2019 User open Collect and sets language to Spanish/Russian/Polish/Arabic language User chooses Aggregate as Server User open Get Blank Form. 3206   |   | Error message is not visible List of forms to download is displayed User is able to download form   |
| NODK-240 | Admin Settings - Reset application    | User goes to Admin Settings. User clicks on Reset Application. User resets some data. 1269   |   | Reset result dialog does not disappear after change device orientation  |
| NODK-240 | Admin Settings - Reset application    | User unchecks a couple of admin settings options. User resets all settings. 1067   |   | Admin settings are updated  |
| NODK-240 | Admin Settings - Reset application    | User changes the language in general settings. User resets all settings.   |   | Language is updated immediately   |
| NODK-240 | Admin Settings - Reset application    | User clicks on "Reset application...". Pop up appears 1836   |   | Reset button is disabled when nothing is selected.  |
| NODK-240 | Admin Settings - Reset application    | User clicks on "Reset application". Pop up appears. User checks and unchecks options   |   | Focus on center is not visible  |
| NODK-234 | About                                 | User changes device orientation on About view 1402 3226  |   | App does not crash even if user rotates the screen Scroll should be visible Use is able to use scroll   |
| NODK-234 | About                                 | User opens About Activity 1802   |   | User sees icons. Text is visible at whole.  |
| NODK-234 | About                                 | User clicks on 'Open source libraries and licences' 1926   |   | The view has a title "Open Source Licenses" User sees that this view is opened by WebViewActivity   |
| NODK-234 | About                                 | User clicks multiple times on each option 1917   |   | Views are not doubled   |
| NODK-1   | General Settings - Server - Aggregate | User uses ODK Aggregate  |   | User is able to set URL User is able to set Username and Password   |
| NODK-1   | General Settings - Server - Aggregate | User tries to add unexpected sign before URL 1973  | <a href="https://opendatakit.appspot.com">https://opendatakit.appspot.com</a>   | User sees toast Dot is not saved even if user changes device orientation  |
| NODK-1   | General Settings - Server - Aggregate | User uses dark theme. User opens Server URL dialog 2199  |   | Dropdown icon is white  |
| NODK-1   | General Settings - Server - Aggregate | User adds URL to Aggregate server which does not accept anonymous user User adds port number .443 at the end of URL User goes to 'Get Blank Form' page 'Server Requires Authentication' pops up 'User fills username and password 2541   | by in collect <a href="https://naifund-test.appspot.com/443/username/test/password:top">https://naifund-test.appspot.com/443/username/test/password:top</a> | Username and password are remembered and user does not need to fill it again  |
| NODK-377 | External secondary instances          | Open external_select_10 form. AUTOMATED  | forms from External secondary instances folder  | User should be able to open and fill the form.  |
| NODK-377 | External secondary instances          | Open internal_select_10 form. AUTOMATED  | forms from External secondary instances folder  | User should be able to open and fill the form.  |
| NODK-318 | Read-only questions                   | User goes through all-widgets/ReadOnly.xml form.   |   | Widgets like: BearingWidget ImageWidget DrawWidget AnnotateWidget SignatureWidget AudioWidget OSMDWidgets GeoWidget VideoWidget ArbitraryWidget UriWidget ExStringWidget ExIntegerWidget ExDecimalWidget ExPrinterWidget RangePickerWidget BarcodeWidget DateWidget/TimeWidget SpinnerWidget GeoTrace/GeoShape widgets and GeopointWidget with maps or placement-map appearance should not have buttons in read-only version. |
| NODK-318 | Read-only questions                   | User fills form 3105   | all-widgets3105.xml   | RatingWidget is not editable  |
| NODK-318 | Read-only questions                   | User fills form 3105   | selectTest3105.xml  | Answers not editable  |
| NODK-288 | Counter external app                  | User uses counter external app. User clicks on launch button.  | <a href="https://github.com/odkcentral/counter/blob/master/docs/counter.xml">https://github.com/odkcentral/counter/blob/master/docs/counter.xml</a>         | Each click on launch button is counted properly.  |
| NODK-288 | Counter external app                  | 1. User starts form 2. User opens counter app 3. User sees full message 3120   | counter3120.xml Message: ^([a-z0-9_-]+)@([0-9a-z-]+)\.([a-z]{2,6})\$?   | Full message is visible even if comma is in parameter   |
| NODK-253 | Fill Blank Form - SMS                 | User fills form 2350   | send-sms.xml  | SMS app or default email app opens when user clicks on Launch button  |
| NODK-253 | Fill Blank Form - SMS                 | User starts form 2385  | dial-number.xml   | Clicking on Launch button moves the user to phone app. A phone number is auto-populated if the user selects a number in the first question.   |
| NODK-253 | Fill Blank Form - SMS                 | User fills form User clicks on 'Launch' on 'Click to email thanks' question User sends email   | send-sms.xml  | Collect does not crash Email is sent correctly 2832   |
| NODK-259 | Get Blank Form                        | User clicks quickly on 'Get Blank Form' button in main menu several times 1630   |   | Get Blank Form list is not open two times   |
| NODK-259 | Get Blank Form                        | User opens view 2825   |   | New icons are visible   |
| NODK-259 | Get Blank Form                        | User opens sorting menu and select 'Name, Z-A' 1791  |   | Option 'Name, A-Z' does not have highlighted icon   |
| NODK-259 | Get Blank Form                        | User opens 'Get Blank Form' view. 1937   |   | Menu icon (3 dots) is not visible   |
| NODK-259 | Get Blank Form                        | User goes to Get Blank Form. User clicks on Refresh. User cancels 1805   |   | User sees empty form list. View contains Select All / Refresh / Get selected buttons. Only Refresh button is active.  |
| NODK-259 | Get Blank Form                        | User has downloaded one form. User selects this form to download. User cancel downloading. User again downloads form 1692  |   | Form is downloaded with success. FileNotFoundException is not visible   |
| NODK-259 | Get Blank Form                        | User opens 'Get Blank Form' and immediately cancels loading a list. 1919   |   | Select All button is not active   |
| NODK-259 | Get Blank Form                        | Search for any form. Tap on Clear all. Tap on Select all. Tap back button or close the search. 2039  |   | Clear all button displays   |
| NODK-259 | Get Blank Form                        | User downloads all forms. User opens view again. 2131  |   | Forms are unselected. Select All button is active. Only not downloaded forms are selected as default.   |
| NODK-259 | Get Blank Form                        | User goes to 'Get Blank Form'. User sees dialog 'Connecting to Server'. User changes device orientation 1741   |   | Dialog 'Connecting to Server' is closed automatically when forms are loaded even if user changes device orientation   |
| NODK-249 | Fill Blank Form - Required question   | User fills form with required questions AUTOMATED 1827   | All widgets required.xml, requiredOnePage.xml   | Red asterisk at the beginning is visible.   |
| NODK-249 | Fill Blank Form - Required question   | User starts form. User swipes on the first question. AUTOMATED   | requiredJS275.xml and attributes.xml  | User sees custom message  |
| NODK-255 | Fill Blank Form - Cascading external  | User starts form and selects Washington - & #62; Kings (first on list) - & #62; Seattle/Redmond and Washington - & #62; Kings (second on list) - & #62; nothing 394  | select_one_external.xml   | Options are not mixed   |
| NODK-255 | Fill Blank Form - Cascading external  | User starts form and selects Texas & #62; Cameron & #62; This is a test. User opens hierarchy view. 1758   | cascading_select_external_itemsets2.xml   | In hierarchy view 'This is a test' is visible instead of 'test1'.   |
| NODK-262 | Delete Saved Form                     | User clicks quickly on 'Delete Saved Form' button in main menu several times 1630 Quickly click on Delete Saved form button and then click quickly again on displayed list of forms. 2657  |   | Delete Saved Form list is not opened two times Delete Saved Forms should be opened and one form from the list should be selected.   |
| NODK-262 | Delete Saved Form                     |  | 1769  | Progress bar is visible.  |
| NODK-262 | Delete Saved Form                     | User sees list of forms 1489   |   | New icons are visible Delete Saved Form / Saved Forms: saved, finalized, failed status icons Delete Saved Form / Blank Forms: blank status icon   |
| NODK-262 | Delete Saved Form                     | User sees list of forms 2825   |   | Forms are sorted alphabetically even if form names starts from lower case and upper case  |
| NODK-262 | Delete Saved Form                     | User has a lot of saved forms. User selects all forms and deletes them. 1258   |   | User sees progress dialog   |
| NODK-262 | Delete Saved Form                     | User opens 'Blank Forms' tab. User taps on Search icon. User searches for any form. User selects checkbox. User taps on 'Clear All' and clicks on X on search bar 1864   |   | Unselected form stays unselected  |
| NODK-262 | Delete Saved Form                     | User opens 'Blank Forms' tab. User taps on Search icon. User searches for any form. User selects checkbox. User sees 'Clear All' button but clicks on X on search bar/Delete Saved Form  |   | User sees all form list. User sees 'Select All' button  |
| NODK-262 | Delete Saved Form                     | User opens Blank Forms view. User clicks on search icon and adds text. User sees searched forms and clicks Select All button. User clicks on X or & #62; - 1804  |   | Forms are selected on view with all forms   |
| NODK-262 | Delete Saved Form                     | User opens 'Blank Forms' tab. 1273   |   | User sees information about version   |
| NODK-241 | Admin Settings - User Settings        | User opens this settings. User does not see 'Type' option 1311 AUTOMATED   |   | User sees 'Server' option   |
| NODK-241 | Admin Settings - User Settings        | User opens User Settings, there is Server option and Submission transport, user unchecks Server checkbox 2427  |   | Submission transport checkbox is disabled and grayed out, user is unable to select/unselect it. User goes to general settings, there shouldn't be Server option visible   |
| NODK-241 | Admin Settings - User Settings        | User goes back to User Settings Select Server option and unselect Submission transport checkbox 2607   |   | When User selects Server checkbox, Submission transport should be enabled and it should remain black (not gray) Use goes to General Settings/Server and there is no Submission transport section  |
| NODK-241 | Admin Settings - User Settings        | User opens 'User settings' User hides all options 2960 AUTOMATED   |   | All options are visible in 'Admin settings' - & #62; General Settings' Options are not visible in 'General Settings'  |
| NODK-241 | Admin Settings - User Settings        | User opens 'User settings' 2967 AUTOMATED  |   | User is able to hide only Show guidance for questions option User is able to hide all options except Show guidance for questions option Submission transport option is not listed options order follows the order in General Settings   |
| NODK-235 | General Settings - Server - Other     | User chooses in Server Settings type: Other. 2303 AUTOMATED  |   | Other platforms settings should appear.   |
| NODK-235 | General Settings - Server - Other     | User edits Form list path and Submission path. AUTOMATED   |   | Changes are updated immediately.  |
| NODK-260 | Get Blank Form - Google Sheet         | User uses Google Sheets. User opens Get Blank Form view. User downloads form. 1591   |   | The form and corresponding media files are downloaded   |

|          |   |   |  |  |
|----------|---|---|--|--|
| NODK-260 | Get Blank Form - Google Sheet               | User uses Google Sheets. User opens Get Blank Form view. User sees forms with long file name 1597   |  | User sees that file names do not cover checkboxes  |
| NODK-260 | Get Blank Form - Google Sheet               | User uses Google Sheets. User opens Get Blank Form, and scroll up and down 1604   |  | User sees that any new checkboxes do not show up next to folders when user scrolls   |
| NODK-260 | Get Blank Form - Google Sheet               | User uses Google Sheets. User opens Get Blank Form. User selects few checkboxes and scroll up and down 2074   |  | Selection does not disappear   |
| NODK-260 | Get Blank Form - Google Sheet               | User sees pop up to select Google account 1386  |  | Add Account' option is visible when Google Sheets are selected in server   |
| NODK-260 | Get Blank Form - Google Sheet               | User sees pop up to select Google account 1626  |  | Pop up dialog has white background for light theme and dark background for dark theme  |
| NODK-260 | Get Blank Form - Google Sheet               | User sees pop up to select Google account 1786  |  | First option is selected automatically   |
| NODK-260 | Get Blank Form - Google Sheet               | User uses Google Sheets. User selects first form and scrolls down quickly 1779  |  | Only the form selected by user is checked  |
| NODK-260 | Get Blank Form - Google Sheet               | User uses Google Sheets. User opens 'Get Blank Form' list. User sees list of forms. User clicks on 'Shared with Me'. User sees a folder. User clicks on folder. User sees content of the folder and buttons: 'Go back' and 'My Drive'. User click on 'Go back' button. 1631                 |  | User is moved back to view with folder   |
| NODK-260 | Get Blank Form - Google Sheet               | User sees list of forms and folders. User clicks on 'Shared with me'. User sees folders and files. Click on folder. User sees content of the folder and buttons: 'Go back' and 'My Drive'. User clicks on 'My Drive' 1842   |  | User is navigated to 'My Drive'  |
| NODK-260 | Get Blank Form - Google Sheet               | User uses Google Drive as a server. User adds text to search bar and then removes it 1909   |  | All available forms are visible  |
| NODK-260 | Get Blank Form - Google Sheet               | User uses Google Drive as a server. User adds text to search bar and then removes it 1944   |  | Dynamic search bar is visible for Google Drive   |
| NODK-260 | Get Blank Form - Google Sheet               | User uses Google Drive as a server. User goes to Get Blank Form view. User selects any form. User taps on Download selected and immediately taps on Home button or Switch app. User opens app again. 2187   |  | There is no crash. 'Do not keep activities' turned on &#62; If user opens app and clicks on Cancel there is no crash.  |
| NODK-260 | Get Blank Form - Google Sheet               | User opens 'Get Blank Form' view OR User clicks on 'My Drive' / 'Shared with me' / 'Go back' 2951   |  | Progress dialog is visible during reading files from Google Drive  |
| NODK-260 | Get Blank Form - Google Sheet               | User changes the language to Slovenian in the app settings User opens the list of forms from Google Drive 3008  |  | Crash does not occur when user opens Get Blank Form with Google Drive when Slovenian language is set.  |
| NODK-256 | Edit saved form                             | User clicks quickly on 'Edit Saved Form' button in main menu several times 1630 Quickly click on Edit Saved form button and then click quickly again on displayed list of forms. 2657   |  | Edit Saved Form list is not open two times Edit Saved Form should be opened and Form to Edit should open - hierarchy view should be visible.   |
| NODK-256 | Edit saved form                             | 1769  |  | Progress bar is visible.   |
| NODK-256 | Edit saved form                             | User sees list of forms 1489  |  | Forms are sorted alphabetically even if form names starts from lower case and upper case   |
| NODK-256 | Edit saved form                             | User opens view 2825  |  | New icons are visible for saved, finalized, failed forms   |
| NODK-256 | Edit saved form                             | Language other than English is set on Collect User clicks on Sort by icon Options dialog appears 3031   |  | Options are translated Icons are visible   |
| NODK-258 | View Sent Form                              | User clicks quickly on 'View Sent Form' button in main menu several times 1630 Quickly click on View Sent Form button and then click quickly again on displayed list of forms. 2657   |  | View Sent Form list is not open two times View Sent Form should be opened and Sent For should be opened.   |
| NODK-258 | View Sent Form                              | 1769  |  | Progress bar is visible.   |
| NODK-258 | View Sent Form                              | User sees list of forms 1489  |  | Forms are sorted alphabetically even if form names starts from lower case and upper case   |
| NODK-258 | View Sent Form                              | User opens view 2825  |  | New icons are visible for visible and deleted forms  |
| NODK-258 | View Sent Form                              | User sees a long list of forms -&#62; scroll is visible A few forms are deleted User scrolls 2957   |  | Forms that were sent and not deleted should not be grayed out  |
| NODK-258 | View Sent Form                              | User sets the Czech language in the device Deleted submissions are visible in View Sent Forms list User clicks on some deleted submission 3006  |  | Collect does not crash Toast is visible in the Czech language  |
| NODK-251 | Fill Blank Form - Validation                | User starts form with question on one page and validation. User adds invalid answers. User skips to end and clicks on Save Form and Exit AUTOMATED 2112   | OnePageFormValid.xml                             | The user is no longer moved to view with only one question. The user sees view which contains all questions on one page.   |
| NODK-251 | Fill Blank Form - Validation                | User starts form with question on one page and validation. User adds invalid answers. User skips to end and clicks on Save Form and Exit 2118   |  | User sees that question is highlighted in red only in the field list. There is no focus &#62; keyboard is not visible in the field list  |
| NODK-251 | Fill Blank Form - Validation                | User starts form with short label. User opens Index View AUTOMATED 1401   | OnePageFormShort.xml                             | User sees short forms  |
| NODK-238 | General Settings - User and device identity | User opens Form Metadata. User adds Email address AUTOMATED 1308  |  | Email address is validated and requires @  |
| NODK-238 | General Settings - User and device identity | Username is not set in server and form metadata. AUTOMATED  | Test.xml   | Question in form is empty  |
| NODK-238 | General Settings - User and device identity | General Settings -&#62; Server -&#62; Username is not set General Settings -&#62; User and device identity -&#62; Form metadata: Username is 'BBB' AUTOMATED  |  | Username from Form metadata is visible in form   |
| NODK-238 | General Settings - User and device identity | General Settings -&#62; Server -&#62; Username is 'AAA' General Settings -&#62; User and device identity -&#62; Form metadata: Username is not set AUTOMATED  |  | Username from Server is visible in form  |
| NODK-238 | General Settings - User and device identity | General Settings -&#62; Server -&#62; Username is 'AAA' General Settings -&#62; User and device identity -&#62; Form metadata: Username is 'BBB' AUTOMATED  |  | Username from Form metadata is visible in form   |
| NODK-239 | Admin Settings                              | User opens Admin Settings with targetSdkVersion=24 2533   |  | App doesn't crash.   |
| NODK-239 | Admin Settings                              | User changes device orientation on admin settings view. 1658  |  | App doesn't crash and screen rotated properly.   |
| NODK-227 | Rank widget                                 | User opens form with rank widget. 2180  | rank.xml filter-rank.xml                         |  |
| NODK-227 | Rank widget                                 | User opens form with rank widget. 2334  |  | User sees "Rank items" button, after clicking on that user see list of items and he is able to change order of the items by using drag and drop. Rank is created successfully, user is able to submit the form. Hierarchy numbers are visible on the left side of the rank list. |
| NODK-227 | Rank widget                                 | User opens form with rank widget. 2363  |  | Rank widget is visible as a dialog   |
| NODK-227 | Rank widget                                 | User opens form with a few rank questions are in field-list 2552  |  | User is able to answer on all questions in form  |
| NODK-227 | Rank widget                                 | User opens form with readily option in the Rank widget 2551   |  | readOnly option is supported in the Rank widget  |
| NODK-227 | Rank widget                                 | User rotates screen when ranking window opened. 2742  |  | App should not crash.  |
| NODK-227 | Rank widget                                 | User opens form User scrolls on the list 2983   | rank-field-list.xml                              | Scroll on Rank list does not cause an unexpected disorder  |
| NODK-230 | Fresh run                                   | User installs the current production version from Play Store. User sets some settings. User upgrades  |  | Settings are still set after the upgrade.  |
| NODK-230 | Fresh run                                   | User uses Collect with targetSdkVersion set to 23. User opens Collect and sees permission dialog. User clicks on DENY and then OK on dialog with information. User opens Collect again and clicks on ALLOW 644  |  | Collect does not crash   |
| NODK-230 | Fresh run                                   | User uses Collect with targetSdkVersion set to 23. Google Drive is set as a server The user opens some view like eg Get Blank Form. Permission is unselected and the user returns to Collect 644  |  | Collect does not crash. User is able to continue work  |
| NODK-230 | Fresh run                                   | Aggregate is set as a server The user opens Get Blank Form view Storage permission is unselected User returns to Collect 3273   |  | Collect does not crash. User is able to continue work  |
| NODK-242 | Admin Settings - Import/Export Settings     | User installs Collect. User changes few settings. User exports settings to QR code and file. Other user imports settings from QR code and file. 1523  |  | Settings are consistent with the set. There is no crash.   |
| NODK-242 | Admin Settings - Import/Export Settings     | User installs Collect. User changes few settings. User resets all settings  |  | All settings are set as default  |
| NODK-242 | Admin Settings - Import/Export Settings     | User installs Collect. User changes few settings. User exports settings to QR code without passwords. Other user imports settings from QR code  |  | Settings are consistent with the set   |
| NODK-242 | Admin Settings - Import/Export Settings     | User opens Import/Export Settings 1857  |  | User sees Share icon and Save Settings icon. Pop up menu is not visible  |
| NODK-242 | Admin Settings - Import/Export Settings     | App to handle an image pick intent is not installed. User selects 'Select code form SC Card' 1932   |  | App does not crash. User sees toast.   |
| NODK-242 | Admin Settings - Import/Export Settings     | User opens Import/Export Settings few times 1879  |  | QR code is not regenerated when settings were not changed. The last generated QRCode is cached in the sd-card.   |
| NODK-242 | Admin Settings - Import/Export Settings     | User sets targetSdkVersion to 24 User goes to Admin Settings and Import/Export settings User clicks on share icon. 2601   |  | An app should not crash. User should be able to share QR code (save a file or sent)  |
| NODK-242 | Admin Settings - Import/Export Settings     | User scans QR code with invalid settings https://github.com/opendatkit/collect/issues/2086 User set dark mode and scans invalid QR code again. 2703 3018  |  | User should see a toast "QR code does not contain valid settings" Message is translated to other languages All previously selected settings should not be lost. Dark mode should not be reversed to light mode.  |
| NODK-242 | Admin Settings - Import/Export Settings     | User goes to Admin Settings -&#62; Import/Export settings User clicks on SELECT CODE FROM SD CARD User chooses a big image (~16MB) 2985   |  | Collect does not crash   |
| NODK-242 | Admin Settings - Import/Export Settings     | User adds up to 5 server's URL in General Settings/Server. At least one of them should be Central's. On other device user inputs different servers url. User import settings via scanning QR code form the first to second device User changes server in settings to default one 3352       |  | Server URL should be imported The list of server URL should be stored on the dropdown list. After changing to default server, the saved list should not disappear. User should be able to use default server, and still other saved servers                                      |
| NODK-242 | Admin Settings - Import/Export Settings     | User adds up to 5 server's URL in General Settings/Server. At least one of them should be Central's. On other device user inputs different servers url. User import settings via collect. settings file form the first to second device User changes server in settings to default one 3352 |  | Server URL should be imported The list of server URL should be stored on the dropdown list. After changing to default server, the saved list should not disappear. User should be able to use default server, and still other saved servers                                      |
| NODK-247 | Fill Blank Form - Repeats                   | User fills attached form. User sees next/prev navigation buttons. User does not add groups. 1454 AUTOMATED  | Test/Repeats.xml                                 | User sees last info view only once   |
| NODK-247 | Fill Blank Form - Repeats                   | User uses forward/backward buttons to navigate in TestRepeat form. User is on first view of this form 1722  |  | Backward button is not able to use on first page of forms.   |
| NODK-247 | Fill Blank Form - Repeats                   | User starts form with defined title of repeats 183  | 1648.xml   | User sees that repeating section titles are changed  |
| NODK-247 | Fill Blank Form - Repeats                   | User starts nested-repeater and adds few groups. User goes to index view. 1670  |  | User sees that group headers are the same as in form and do not have unexpected number   |
| NODK-247 | Fill Blank Form - Repeats                   | User fills form with nested groups with 'field-list' appearance 1255  | #1255/form.xml                                   | User is able to fills form with nested groups with 'field-list' appearance   |
| NODK-247 | Fill Blank Form - Repeats                   | User starts form. User does not add group. 1798   | RepeatGroupAndGroup.xml                          | User is able to clicks backward button. Backward button is active.   |
| NODK-247 | Fill Blank Form - Repeats                   | User starts form, adds few repeats. User is at the end of form. User swipes back. 278   | repeat_group_new.xml                             | User is able to swipes back. Previous view appears   |
| NODK-247 | Fill Blank Form - Repeats                   | User fills for with repeat groups User opens jump screen 2762   |  | Repeat groups paths are represented with '&#62;' or '1.' instead of '()  |
| NODK-247 | Fill Blank Form - Repeats                   | User starts form where question has empty label in FormHierarchy Question is read only User opens Jump screen   | Test-2836.xml RepeatGroup.xml                    | User sees this question in jump screen 2840  |
| NODK-247 | Fill Blank Form - Repeats                   | User fills form and adds few groups User opens hierarchy view User clicks on Group 1 2876   | groupTestNav.xml                                 | Repeat Group '1' is not visible under 'Group 1'  |
| NODK-247 | Fill Blank Form - Repeats                   | User fills both questions User hits Jump button 2876  | basic.xml  | Both answers are visible   |
| NODK-247 | Fill Blank Form - Repeats                   | User fills form User is on last view with 'Save Form and Exit' and user clicks on Jump icon 2876  | repeat_group_form.xml                            | Dialog with error message IS NOT visible   |
| NODK-247 | Fill Blank Form - Repeats                   | User adds few repeat groups User fills form User reduces number of repeats User opens hierarchy view 2990   | testRepeatCount.xml                              | Current number of repeats is visible   |
| NODK-247 | Fill Blank Form - Repeats                   | User adds few repeat groups User fills form User goes to one of repeat groups (but not the last) and delete it (not from hierarchy view) User goes to the next repeat group and checks it's value 3327  | repeat_groups.xml                                | Chosen repeat group should be deleted The next repeat group should remain untouched  |
| NODK-229 | Basic criteria                              | User pre-load data into a new submission  | Sample-Preloading.xml Sample-SearchAndSelect.xml | User is able to finish the form  |

|          |                                    |  |   |  |
|----------|------------------------------------|--|---|--|
| NODK-229 | Basic criteria                     | User uses external itemsets  | cascading_select_external_itemsets.xml  | User is able to finish the form  |
| NODK-229 | Basic criteria                     | User changes device orientation few times, quickly on views: Fill Blank Form, Edit Saved Form, View Sent Form, Get Blank Form 1412   |   | App does not crash. User is able to continue work  |
| NODK-229 | Basic criteria                     | User starts form with bunch of widgets on one page   | OnePageForm.xml   | User is able to add answer on all questions  |
| NODK-229 | Basic criteria                     | User starts form with bunch of widgets on one page with gps and image widget 1713  | OnePageForm.xml   | Selected image is always added even if location question is answered in form displayed on one page   |
| NODK-229 | Basic criteria                     | Verify that ODK Collect Intents Tester app works as expected   | collectTester   | Views and forms are opened correctly   |
| NODK-229 | Basic criteria                     | User opens external app like Tester app User is able to add URL and credentials to external app App works as expected with server which accepts and not accept anonymous user 2454                               | collectTester   | User is able to submit only finalized forms via Tester app   |
| NODK-229 | Basic criteria                     | User opens ODK Collect Intents Tester app. User opens DOWNLOAD FORM. User adds FORM_ID and clicks on DOWNLOAD FORM button 2339   | repeatTest.xml  | Form with added id is downloaded and visible in ODK Collect  |
| NODK-229 | Basic criteria                     | Verify form with back to back repeats  | repeatTest.xml  | Collect works as expected  |
| NODK-229 | Basic criteria                     | Verify form with nested repeats User fills form and opens hierarchy view User rotates screen on hierarchy view User adds more than 12 group members 2740   | nested-repeats.xml  | Collect works as expected. The screen is not changing after screen rotation. When there is more than 12 group members, they are displayed in hierarchy view starting from the first one.   |
| NODK-229 | Basic criteria                     | The app is closed in the middle of filling a form  |   | User sees that autocsave is loaded and there is no data lost   |
| NODK-229 | Basic criteria                     | User selects some form management settings and then updates collect version. 1660  |   | Option are NOT restored to default in updated collect version. All settings remain unchanged   |
| NODK-229 | Basic criteria                     | User uninstalls update of Google Play services and replaced the app with the factory version 2446  |   | User is able to fill form and send it  |
| NODK-229 | Basic criteria                     | User turns off Storage permissions in Settings (Androids =&#60;6). User opens ODK Collect Intents Tester app. User goes to Download Form. User accepts dialog.   | <a href="https://github.com/opedataaki/collect/pull/2606">https://github.com/opedataaki/collect/pull/2606</a> | When User opens Download Form he should see permission dialog window. After accepting the dialog, user should see Download form page. User should be able to download the form.  |
| NODK-229 | Basic criteria                     | User turns off Storage permissions in Settings again (Androids =&#60;6). User opens ODK Collect Intents Tester app. User goes to Submit Instance. User accepts dialog message.                                   |   | When User opens Submit Instance he should see permission dialog window. After accepting the dialog, user should see Submit Instance page. User should be able to send the submission.  |
| NODK-229 | Basic criteria                     | User loads form in v1.22.0 User clears the form load cache from Admin Settings &#62; Reset Application... &#62; Form load cache User upgrades to current version User loads form twice 3272                      | nigeria_wards_internal.xml  | Loading was much faster both times   |
| NODK-229 | Basic criteria                     | User installs Kobo v1.14 which is older version of Collect User installs newest version of Collect User switch between both apps 3323  |   | Collect does not crash   |
| NODK-229 | Basic criteria                     | Google Play services v12.5.27 is installed on device Newest Collect is installed 3329  |   | Form autosend should work for both Aggregate and Google Drive. Automatic form update should work, the newest form version should be downloaded automatically, notification should be visible.  |
| NODK-237 | General Settings - Form management | User selects Auto send - WiFi only   |   | User sees that finished forms are sent automatically when device is connected to WiFi Form should not be sent when cellular connection is on.  |
| NODK-237 | General Settings - Form management | User selects Auto send - Cellular only   |   | User sees that finished forms are sent automatically when mobile data are turned on. Form should not be sent when wifi connection is on.   |
| NODK-237 | General Settings - Form management | User selects Auto send - WiFi or Cellular  |   | User sees that finished forms are sent automatically when device is connected to internet  |
| NODK-237 | General Settings - Form management | User sees information in notification. User clicks on it. 2179   |   | Dialog is visible with results   |
| NODK-237 | General Settings - Form management | User selects 'Delete after send'   |   | User sees that form is deleted after send. User cannot review sent form, eye icon is visible.  |
| NODK-237 | General Settings - Form management | User selects 'Default to finalized'  |   | User sees that finalize checkbox is auto-selected at the end of form and form is ready to send   |
| NODK-237 | General Settings - Form management | User selects 'Validate upon forward swipe' in 'Constraint processing behavior' AUTOMATED   | OnePageValid2.xml   | User sees validation toast during filling form   |
| NODK-237 | General Settings - Form management | User selects 'Defer validation until finalized' in 'Constraint processing behavior' AUTOMATED  | OnePageValid2.xml   | User is moved to the question with validation ONLY when user clicks on 'Save Form and Exit' button   |
| NODK-237 | General Settings - Form management | User is able to set an image size 1217   |   | Photos are take in one of selected size: Original size from camera (default) / Very small / Small / Medium / Large   |
| NODK-237 | General Settings - Form management | User sets "Show guidance for questions" as Yes - always 2007 AUTOMATED   | hints.xml   | User sees guidance. The is not option to collapse and expand it  |
| NODK-237 | General Settings - Form management | User sets "Show guidance for questions" as Yes - collapsed 2007 AUTOMATED for text question only, check date and time question manually.   | hints.xml   | User sees guidance. The is option to collapse and expand it. Icon is visible at whole. Hint is not doubled in Full date and time question.   |
| NODK-237 | General Settings - Form management | User sees Hide old versions option 1694  |   | Option is selected as default  |
| NODK-237 | General Settings - Form management | User tries to autosend form when app is background User tries to autosend form when app is killed  |   | Form should be sent successfully. Notification should display.   |
| NODK-237 | General Settings - Form management | User tries autosend to Google sheet and doesn't input submission URL (in is not defined in the form as well) User tries to send that submission manually User adds submission url , and fill another submission. |   | Form should not be sent, status should be failed and failed notification should appear. None toast should be visible and white page should not show up. Both submissions should be sent successfully.  |
| NODK-237 | General Settings - Form management | 1. User input in server url of aggregate with anonymous access not allowed 2. User does not input aggregate's credentials  |   | Autosend should fail, notification should appear.  |
| NODK-237 | General Settings - Form management | User fill a submission when airplane mode is on. User turns off airplane mode.   |   | Submission should be sent when connection is recovered.  |
| NODK-244 | Fill Blank Form                    | User clicks quickly on 'Fill Blank Form' button in main menu several times 1630 Quickly click on Fill Blank Form button and then click quickly again on displayed list of forms. 2657                            |   | Fill Blank Form list is not opened two times Fill Blank Form page should open, form should be opened.  |
| NODK-244 | Fill Blank Form                    | User opens 'Fill Blank Form' view 2825 3010  |   | New icons are visible Subtext 'Added on ... ' is visible   |
| NODK-244 | Fill Blank Form                    | User downloaded new forms from Aggregate and Google Drive User clicks on 'Fill Blank Form' button in main menu 2807  |   | Fill Blank Form page opens New forms are visible   |
| NODK-244 | Fill Blank Form                    | User clicks quickly on some form several times 1630  | 1769  | Progress bar is visible.   |
| NODK-244 | Fill Blank Form                    | User saves/ignores changes or finish form 2229 AUTOMATED   |   | Form is not open two times   |
| NODK-244 | Fill Blank Form                    | User sees list of all forms 1264   |   | User is always moved to main menu view   |
| NODK-244 | Fill Blank Form                    | User sorts forms by the newest date 1555   |   | Forms are sorted alphabetically even if form names starts from lower case and upper case   |
| NODK-244 | Fill Blank Form                    | User clicks on device back button during filling form AUTOMATED  |   | Forms are sorted correctly. The most recent forms are visible as a first.  |
| NODK-244 | Fill Blank Form                    | User manually changes something in xml file of loaded form 1357  |   | User sees ODK Collect dialog with Save/Ignore options and icons  |
| NODK-244 | Fill Blank Form                    | User fills form where widgets are read-only 1319   |   | User is able to open second version of this form and fills it without problem  |
| NODK-244 | Fill Blank Form                    | User clicks on search icon on header (magnifier) 1287 AUTOMATED  |   | Read-only strings have black color   |
| NODK-244 | Fill Blank Form                    | User is on view with 'Save Form and Exit' button. User edits name and changes device orientation. 1219   |   | Search view is in the app bar itself. Additional space is not occupied.  |
| NODK-244 | Fill Blank Form                    | User uses navigation buttons. User is on first question. User changes device orientation.  |   | Name changed by user is visible even if user changes device orientation on minimizes ODK   |
| NODK-244 | Fill Blank Form                    | User doesn't see form which contains invalid URL address on form list. 1672  |   | Backward button is not clickable on first question in form if user changes device orientation  |
| NODK-244 | Fill Blank Form                    | User uses swipe to fill form. User adds navigation button during filling form. 1574  |   | Form which contains invalid URL address is not displayed on fill blank form list.  |
| NODK-244 | Fill Blank Form                    | User sees navigation button even if buttons were turned on during filling form.  |   | User sees navigation button even if buttons were turned on during filling form.  |
| NODK-244 | Fill Blank Form                    | User opens specific forms where value has a different type than expected 1560 AUTOMATED  | 1560_DateData.xml<br>1560_IntegerData_instanceID.xml<br>1560_IntegerData.xml                                  | App does not crashes   |
| NODK-244 | Fill Blank Form                    | User opens big form AUTOMATED  | nigeria-wards and eiMCI   | Form is loaded correctly   |
| NODK-244 | Fill Blank Form                    | User fills form with images on group with appearance="field-list". User removes added image. 1824  | blankSpace.xml  | Blank space is not visible   |
| NODK-244 | Fill Blank Form                    | User starts form. User fills K050003_05. User goes to next view. 1695  | test1695.xml  | User sees California   |
| NODK-244 | Fill Blank Form                    | User fills form and adds some media : video, photo, audio. User saves form. User edits form and update media. User ignore last changes. User opens form again 2049   |   | Media files added as a first in form are still visible.  |
| NODK-244 | Fill Blank Form                    | User starts form with random(). User fills it few times and sends. 2144 AUTOMATED  | random.xml randomTest_broken.xml  | User sees that values are really random for the same device  |
| NODK-244 | Fill Blank Form                    | User starts form. User is on n1 question. User opens Index View. 2147 AUTOMATED  | manyQ.xml   | n1 question is visible as a first  |
| NODK-244 | Fill Blank Form                    | User fills predicate-warning form AUTOMATED 2524   | predicate-warning.xml   | User should not see any dialogs when filling the form  |
| NODK-244 | Fill Blank Form                    | User fills different-search-appearances.xml form 2501 2502 AUTOMATED   | different-search-appearances.xml  | Search textbox is not displayed if search() appearance is set  |
| NODK-244 | Fill Blank Form                    | User fills form where search() expression contains other appearance name 2590 AUTOMATED  | CSVerrorForm.xml  | User is able to select one option  |
| NODK-244 | Fill Blank Form                    | User fills form with empty field-list group 1833 AUTOMATED   | metadate2.xml   | User is able to finish form  |
| NODK-244 | Fill Blank Form                    | User starts form with Groups User goes to jump screen 2764   | All widgets fewRepeatsGroups nested-repeats-complex TCC demo Visible Groups                                   | Groups are visible in jump screen  |
| NODK-244 | Fill Blank Form                    | User starts form User does not add repeat groups User opens 'Jump Screen' User clicks on 'Go Up' button or arrow icon. User is moved to view with only 'Group Name' User changes device orientation              | repeat_group_form.xml   | User is still on the same view 2816  |
| NODK-244 | Fill Blank Form                    | User starts form User does not add repeat groups User opens 'Jump Screen' User clicks on 'Go to End' button User sees 'Save Form and Exit' button User opens 'Jump Screen'                                       | repeat_group_form.xml<br>repeat_group_form.xml  | User is moved to view with only 'Group Name' 2816  |
| NODK-244 | Fill Blank Form                    | User starts form User opens 'Jump Screen'  | repeat_group_form.xml   | "up" icon is always first on the right. 2816   |
| NODK-244 | Fill Blank Form                    | User fills forms AUTOMATED   | g6Error.xml g6Error2.xml emptyGroupFieldList.xml emptyGroupFieldList2.xml                                     | App does not crash 2829  |
| NODK-244 | Fill Blank Form                    | Fill the form, text and numeric questions, finalize it. Go to odk folder Open last_save.xml Go back to Collect and fill another submission Edit the suggested answers, finalize the form. 2882                   | All widgets_save.xml  | Formname-media folder should be created. In the folder, last_save.xml file should be visible. In the file there should be the content of last saved submission. When new submission opened answer's from the last submissions should be visible. Open last saved.xml, the content should be updated. |
| NODK-244 | Fill Blank Form                    | Delete the last saved.xml Go back to collect, fill the form. Go to odk folder, media folder  |   | Answers should not be suggested, form should be empty. Last saved.xml should be recreated with the content of the newly filled submission.   |
| NODK-244 | Fill Blank Form                    | Fill the form, save not finalize. Open new submission Fill the form 2882 3375  | All widgets_save_encrypted.xml  | You should be able to edit the submission and view the content of last saved.xml Answers from last submissions should be visible. You should not be able to edit the submission and view the content of last_save.xml of finalized encrypted submission.   |
| NODK-244 | Fill Blank Form                    | User fills form 2845 (currently broken)  | selectTest.xml  | value next to SelectOneWidget external: is visible   |
| NODK-244 | Fill Blank Form                    | Language other than English is set on Collect User clicks on Sort by icon Options dialog appears 3031 AUTOMATED  |   | Options are translated icons are visible   |
| NODK-244 | Fill Blank Form                    | User uses Central as a server User fills all question in form User sends submission 3038   | media.xml   | All attachments are available on Central   |
| NODK-244 | Fill Blank Form                    | User fills form 3052   | all-widgets-fieldlist-noom.xml  | Next question appears only if visible questions have answers   |
| NODK-244 | Fill Blank Form                    | User answers Cascading Select type questions of fieldlist-updates.xml form. User fills form. 3209  | fieldlist-updates.xml   | User is able to answer questions and finish the submission.  |
| NODK-244 | Fill Blank Form                    | The user selects Plante/Animal/Champignon The user adds 3 letters on the second question User sees option lists started on added letters User backs to the second question and changes letters 3133 AUTOMATED    | formulaire_adherent.xml   | New options are visible, options follow the new search   |
| NODK-244 | Fill Blank Form                    | User starts form 3197 (PROBABLY broken) AUTOMATED  | dont-show-options-selected-in-other-instances.xml   | User is able to fill this form User does not see error 'Dependency cycles amongst the xpath expressions in relevant/calculate'   |

|          |                 |  |                              |   |
|----------|-----------------|--|------------------------------|---|
| NODK-244 | Fill Blank Form | User fills form User adds value &#60;18, value &#62;110, value &#62;=18 and &#60;110 to the second/third question User goes to next question 3288 AUTOMATED                                    | I21257.xml                   | User sees toast only if for first and second value  |
| NODK-244 | Fill Blank Form | User fills form User selects more than one checkbox User goes to next question User backs to prev question 3288 AUTOMATED  | test_multiselect_cleared.xml | Answers are not lost  |
| NODK-244 | Fill Blank Form | User fills form User starts filling questions with multiple widget User adds answers by clicking on the icons (not the checkboxes) User goes to the next question and returns to previous 3294 | SelectTest3028.xml           | Answers are not lost  |
| NODK-244 | Fill Blank Form | User loads form (pay attention to the loading time) User fills one question Collect is closed User opens Collect again and loads form from cache 3272  | nigeria_wards_internal.xml   | Loading time is reduced for both  |
| NODK-244 | Fill Blank Form | User fills encrypted form with no-instanceId. User opens Edit Saved Form 3265  | Birds-encrypted.xml          | After clicking on "Save Form and Exit" button User should see a toast with text "This form does not specify an instanceId. You must specify one to enable encryption. Form has not been saved as finalized." Previously filled submission should have status Saved, not Finalized |
| NODK-244 | Fill Blank Form | User opens form User removes year value User swipes to next question 3375  | validate.xml                 | Error message is visible Error contains information "The value -01-01 can't be converted to a date"   |
| NODK-244 | Fill Blank Form | User adds time and saves form User opens saved form User sees view index with the same time User opens saved form few times 3375   | onlyTimeTest.xml             | Opening saved form multi times does not cause adding 1h to the set date   |
| NODK-244 | Fill Blank Form | User fills form 3375   | event-odk-new-repeat.xml     | Questions have auto filled, calculated values   |
| NODK-244 | Fill Blank Form | User fills form 3375   | multiple-events.xml          | Questions have prefilled values   |
| NODK-244 | Fill Blank Form | User fills form User selects Gilnet or Seinet User goes to next question 3375  | CalcTest.xml                 | Selected option is copied to other questions  |

| Issue Key | Test Summary                              | Step  | Expected Result  |
|-----------|---|---|--|
| NODK-3    | General Settings - User Interface         | User changes language   | User is able to use Collect in selected language   |
| NODK-3    | General Settings - User Interface         | User uses RTL language 1981   | User sees that Fill Blank Form, Edit Saved Form, Send Finalized Form, View Sent Form, Get Blank Form and Delete Saved Form are aligned to the right side   |
| NODK-3    | General Settings - User Interface         | User changes the text font size   | User is able to use Collect in selected font size  |
| NODK-3    | General Settings - User Interface         | User opens Navigation dialog in Dark Mode on Android 7. User changes navigation to 'Use forward/backward buttons' 2961  | Cancel button should be visible User is able to use only buttons to navigate in form New appearance of the button holder is applied  |
| NODK-3    | General Settings - User Interface         | User changes navigation to 'Use swipe and buttons' 2981   | User is able to use buttons and swipes to navigate in form New appearance of the button holder is applied  |
| NODK-3    | General Settings - User Interface         | User changes navigation to 'Use horizontal swipes'  | User swipes to navigate in form. Buttons are not visible   |
| NODK-3    | General Settings - User Interface         | User chooses to shows splash screen when application starts   | User sees default or own image   |
| NODK-3    | General Settings - User Interface         | User changes Mapping SDK to OpenStreetMap SDK 1856  | OSM Streets' is selected as the default Basemap  |
| NODK-3    | General Settings - User Interface         | User adds offline basemaps 1610   | User is able to select it settings form both Mapping SDK. Offline basemaps are marked by '(custom, offline)'   |
| NODK-201  | Date widget                               | User quickly clicks the button several time 1624 1723   | User is not able to open two answer dialogs.   |
| NODK-201  | Date widget                               | User starts form with Ethiopian calendar. 1330  | Ethiopian calendar is available User should be able to choose the date On the date selection window today's date should be selected as default   |
| NODK-201  | Date widget                               | User starts form with Coptic calendar 1576 2747   | Coptic calendar is available User should be able to choose the date On the date selection window today's date should be selected as default  |
| NODK-201  | Date widget                               | User starts form with Islamic calendar 1661   | Islamic calendar is available. User should be able to choose the date On the date selection window today's date should be selected as default  |
| NODK-201  | Date widget                               | User starts form with Gregorian calendar  | Gregorian calendar is available. User should be able to choose the date On the date selection window today's date should be selected as default  |
| NODK-201  | Date widget                               | User starts form.   | User sees date and TIME  |
| NODK-201  | Date widget                               | User sets only one value (date of time) to required date question and tries to go forward. 2054   | User is not able to go forward with only one value added.  |
| NODK-201  | Date widget                               | User sets both values (date and time) to required date question and tries to go forward.  | User is able to go forward when both values are added.   |
| NODK-201  | Date widget                               | User starts form with Nepali calendar 2620  | Nepali calendar is available.  |
| NODK-201  | Date widget                               | User opens Islamic/Coptic/Ethiopian or Nepali widget. User clicks on select date. User chooses a date (but do not click on OK button) Select date window remains open and user minimizes/extinguish an app User goes back to app User clicks on OK button. User has saved date and chooses Select date button again. User changes the date and minimize/extinguish and app. User opens an app again User clicks on OK button 2629 | Chosen date should be displayed on Select date window. None date should be saved. After choosing OK button the chosen date should be saved. After opening an app once again newly selected date should be displayed on Select date window. User should be able to save the new date after choosing Ok button |
| NODK-201  | Date widget                               | User goes to Date time widget User clicks on both buttons 3032  | Only one dialog is visible   |
| NODK-201  | Date widget                               | User starts form with Myanmar calendar 2662   | Myanmar calendar is available. User should be able to choose the date On the date selection window today's date should be selected as default  |
| NODK-207  | Cascading Select                          | User starts form with cascading select where column headers start with a number AUTOMATED 1182  | User is able to fill this form. User does not sees unexpected error  |
| NODK-208  | URL widget                                | User starts form with URL Widget 1221   | User is able to open URL Widget. App does not crash.   |
| NODK-210  | Annotate widget                           | User clicks on device back button during marking on a photo 1494  | User sees Save/Ignore dialog with icons  |
| NODK-210  | Annotate widget                           | User edits photo in horizontal/vertical orientation 1558  | Widget recognizes photo orientation and editing view is fitted to this orientation.  |
| NODK-210  | Annotate widget                           | User starts form with image widget with appearance="annotate new" 108   | Choose Image is not available for appearance="annotate new"  |
| NODK-210  | Annotate widget                           | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  | User sees permission dialog  |
| NODK-210  | Annotate widget                           | User clicks on the '+' icon to extend the menu. Options have icons User clicks again on '+' to collapse menu User clicks on '-' once again  | Options have icons 2858  |
| NODK-213  | Image widget                              | User adds photo in vertical/horizontal orientation 36   | User sees that added photo is in correct orientation   |
| NODK-213  | Image widget                              | 0   | Choose Image is not available for appearance="new"   |
| NODK-213  | Image widget                              | User adds photo from Google Drive 2151  | User is able to add image from Google Drive  |
| NODK-213  | Image widget                              | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  | User sees permission dialog  |
| NODK-213  | Image widget                              | The user starts a form with images The user chooses some image The user sees dialog "please wait a few moments" and changes device orientation 2158   | ODK Collect does not crash and image is loaded   |
| NODK-213  | Image widget                              | User sets targetSdkVersion to 24. User makes a picture User opens added image 2604  | User should be able to add an image No crashes should be visible User is able to preview added image.  |
| NODK-213  | Image widget                              | User starts form with ImageWebViewWidget and AlignedImageWidget 2800  | AlignedImageWidget and ImageWebViewWidget are removed so if we use web or align appearance an ordinary ImageWidget will be used.   |
| NODK-214  | Selfie widget                             | User adds photo to selfie widget in vertical and horizontal position 1551   | User is able to add photo. App does not crash  |
| NODK-214  | Selfie widget                             | User adds photo to selfie widget in vertical and horizontal position 1552   | Added photos are in correct orientation  |
| NODK-214  | Selfie widget                             | User starts form with appearance="new-front".   | The user is able to take a picture via front camera. Questions with appearance="selfie" also works correctly.  |
| NODK-214  | Selfie widget                             | User tap on the screen multiple times 2360  | App is not crash   |
| NODK-214  | Selfie widget                             | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  | User sees permission dialog  |
| NODK-219  | Spinner widget                            | User starts form. User opens list with answers 1935   | Spinner widget opens with start-of-list  |
| NODK-219  | Spinner widget                            | User uses dark theme. User opens popup dialog of Spinner widget 2213  | User sees that dialog is lighten   |
| NODK-224  | Ex integer widget                         | User clicks on Launch button  | The keyboard is visible just after showing an EditText field   |
| NODK-225  | Ex decimal widget                         | User clicks on Launch button 1864   | The keyboard is visible just after showing an EditText field   |
| NODK-223  | Ex string widget                          | User clicks on Launch button 1864   | The keyboard is visible just after showing an EditText field   |
| NODK-221  | Image-map widget                          | User is on question with image-map widget (single select) 1764  | User is able to select one part of image.  |
| NODK-221  | Image-map widget                          | User is on question with image-map widget (multi select)  | User is able to select few parts of image.   |
| NODK-221  | Image-map widget                          | User zooms on image   | Extra space is not visible. Zoom buttons are not visible   |
| NODK-221  | Image-map widget                          | User is on question with image-map widget   | User sees that image takes 90% of screen.  |
| NODK-221  | Image-map widget                          | User removes response and confirm 1903  | Selected parts are removed   |
| NODK-221  | Image-map widget                          | User is on question with image-mapp widget. User selects answer 1855  | Second click on answer does not unselect it for single select question. Second click on answer unselects it for multi select   |
| NODK-221  | Image-map widget                          | User is on question with body. User clicks on corpus 2107   | Element is not clickable because it does not exist in the database   |
| NODK-221  | Image-map widget                          | User opens form with readonly option in the selectMap widgets 2558  | readOnly option is supported for single select and multi select  |
| NODK-220  | Audio widget                              | User starts form with audio widget with appearance="new" 108  | Choose Sound is not available for appearance="new"   |
| NODK-220  | Audio widget                              | User records or adds sound. 2028  | User sees player. "Play Sound" button is not visible   |
| NODK-220  | Audio widget                              | User adds audio file from Google Drive 2159   | Audio file is added  |
| NODK-220  | Audio widget                              | User uses Collect with targetSdkVersion set to 23. User tries to add audio. 2366  | User sees permission dialog  |
| NODK-220  | Audio widget                              | User tries to record audio via Sony Audio Recorder app 2342   | User is able to add audio correctly  |
| NODK-222  | Video widget                              | User starts form with video widget with appearance="new" 108  | Choose Video is not available for appearance="new"   |
| NODK-222  | Video widget                              | User starts form 1985   | User is able to record video using front camera  |
| NODK-222  | Video widget                              | User adds video file from Google Drive 2159   | Video file is added  |
| NODK-222  | Video widget                              | User taps the screen multiple times 2360  | App is not crash   |
| NODK-222  | Video widget                              | User sets targetSdkVersion to 24. User records the video User opens recorded video 2599   | Video should be recorded No crash should be visible User should be able to open recorded video.  |
| NODK-222  | Video widget                              | Microphone permissions are not selected User tries to record selfie video 2565  | Dialog appears where the user is able to allow the Microphone permission   |
| NODK-227  | Rank widget                               | User opens form with rank widget. 2180  |  |
| NODK-227  | Rank widget                               | User opens form with rank widget. 2334  | User sees "Rank Items" button, after clicking on that user see list of items and he is able to change order of the items by using drag and drop. Rank is created successfully, user is able to submit the form. Hierarchy numbers are visible on the left side of the rank list.                             |
| NODK-227  | Rank widget                               | User opens form with rank widget. 2363  | Rank widget is visible as a dialog   |
| NODK-227  | Rank widget                               | User opens form with a few rank questions are in field-list 2552  | User is able to answer on all questions in form  |
| NODK-227  | Rank widget                               | User opens form with readonly option in the Rank widget 2551  | readOnly option is supported in the Rank widget  |
| NODK-227  | Rank widget                               | User rotates screen when ranking window opened. 2742  | App should not crash.  |
| NODK-227  | Rank widget                               | User opens form User scrolls on the list 2083   | Scroll on Rank list does not cause an unexpected disorder  |
| NODK-228  | SelectMultipleAutocompleteWidget          | User opens form with SelectMultipleAutocomplete widget. 2395  | User opens form with SelectMultipleAutocomplete widget. Options are separated by lines   |
| NODK-235  | General Settings - Server - Other         | User chooses in Server Settings type. Other. 2303   | Other platforms settings should appear.  |
| NODK-235  | General Settings - Server - Other         | User edits Form list path and Submission path.  | Changes are updated immediately.   |
| NODK-240  | Admin Settings - Reset application        | User goes to Admin Settings. User clicks on Reset Application. User resets some data. 1269  | Reset result' dialog does not disappear after change device orientation  |
| NODK-240  | Admin Settings - Reset application        | User changes a couple of admin settings options. User resets all settings. 1067   | Admin settings are updated   |
| NODK-240  | Admin Settings - Reset application        | User changes the language in general settings. User resets all settings.  | Language is updated immediately  |
| NODK-240  | Admin Settings - Reset application        | User clicks on "Reset application".. Pop up appears 1836  | Reset button is disabled when nothing is selected.   |
| NODK-240  | Admin Settings - Reset application        | User clicks on "Reset application". Pop up appears. User checks and unchecks options  | Focus on center is not visible   |
| NODK-243  | Admin Settings - Form Entry Settings      | User unchecks "Allow moving backwards in forms" option. 1456  | User is not able to move backwards when filling form.  |
| NODK-243  | Admin Settings - Form Entry Settings      | User selects "Defier validation until finalized" and then Admin unchecks "Allow moving backwards in forms" option. 1704   | Constraint processing option is set as "Validate upon forward swipe" and is not editable   |
| NODK-243  | Admin Settings - Form Entry Settings      | User sees dialog with buttons: Yes/No 1456  | Edit Saved Form, Save Form, Go To Prompt, Constraint processing is set to Validate upon forward swipe if user clicks on Yes  |
| NODK-243  | Admin Settings - Form Entry Settings      | User unchecks "Allow moving backwards in forms" option. User restarts a phone. 1675   | User sees question on which he finished. User is not able to moving backwards  |
| NODK-238  | General Settings - User and device identi | User opens Form Metadata. User adds Email address AUTOMATED 1308  | Email address is validated and requires @  |
| NODK-238  | General Settings - User and device identi | Username is not set in server and form metadata. AUTOMATED  | Question in form is empty  |
| NODK-238  | General Settings - User and device identi | General Settings -&#62; Server -&#62; Username is 'AAA' General Settings -&#62; User and device   |  |
| NODK-238  | General Settings - User and device identi | Identify -&#62; Form metadata: Username is not set AUTOMATED  | Username from Server is visible in form  |
| NODK-238  | General Settings - User and device identi | General Settings -&#62; Server -&#62; Username is 'BBB' AUTOMATED   |  |
| NODK-238  | General Settings - User and device identi | Identify -&#62; Form metadata: Username is 'BBB' AUTOMATED  | Username from Form metadata is visible in form   |
| NODK-238  | General Settings - User and device identi | General Settings -&#62; Server -&#62; Username is 'AAA' General Settings -&#62; User and device   |  |
| NODK-238  | General Settings - User and device identi | Identify -&#62; Form metadata: Username is 'BBB' AUTOMATED  | Username from Form metadata is visible in form   |
| NODK-239  | Admin Settings                            | User opens Admin Settings with targetSdkVersion=24 2533   | App doesn't crash.   |
| NODK-239  | Admin Settings                            | User changes device orientation on admin settings view. 1658  | App doesn't crash and screen rotated properly.   |
| NODK-241  | Admin Settings - User Settings            | User opens this settings. User does not see "Type" option 1311  | User sees "Server" option  |
| NODK-241  | Admin Settings - User Settings            | User opens User Settings, there is Server option and Submission transport, user unchecks Server checkbox 2427   | Submission transport checkbox is disabled and grayed out, user is unable to select/unselect it. User goes to general settings, there shouldn't be Server option visible  |
| NODK-241  | Admin Settings - User Settings            | User goes back to User Settings Select Server option and unselect Submission transport checkbox 2607  | When User selects Server checkbox, Submission transport should be enabled and it should remain black (not gray) User goes to General Settings/Server and there is no Submission transport section  |
| NODK-241  | Admin Settings - User Settings            | User opens 'User settings' User hides all options 2960  | All options are visible in Admin settings -&#62; General Settings' Options are not visible in 'General Settings'   |

|          |  |   |  |
|----------|--|---|--|
| NODK-241 | Admin Settings - User Settings           | User opens "User Settings" 2967   | User is able to hide only Show guidance for questions option User is able to hide all options except Show guidance for questions option Submission transport option is not listed options order follows the order in General Settings          |
| NODK-253 | Fill Blank Form - SMS                    | User fills form 2350  | SMS app or default email app opens when user clicks on Launch button   |
| NODK-253 | Fill Blank Form - SMS                    | User starts form 2385   | Clicking on Launch button moves the user to phone app. A phone number is auto-populated if the user selects a number in the first question.  |
| NODK-253 | Fill Blank Form - SMS                    | User fills form User clicks on "Launch" on "Click to email thanks" question User sends email  | Collect does not crash Email is sent correctly 2832  |
| NODK-415 | Trigger Widget                           | Guidances are always show User starts form User navigates to the hierarchy view User selects the widget from the list AUTOMATED 2881  | Unexpected error is not visible  |
| NODK-415 | Trigger Widget                           | Guidances are collapsed User starts form User navigates to the hierarchy view User selects the widget from the list AUTOMATED 2881  | Unexpected error is not visible  |
| NODK-231 | Offline mode                             | User opens "Get Blank Form" when user is offline (Aggregate)  | User sees message "No network connection available"  |
| NODK-231 | Offline mode                             | User opens "Get Blank Form" when user is offline (Google)   | User sees message "No network connection available"  |
| NODK-231 | Offline mode                             | User selects forms to send and clicks on "Send Selected" when user is offline   | User sees message "No network connection available"  |
| NODK-231 | Offline mode                             | User loses internet connection during sending forms   | User sees message  |
| NODK-231 | Offline mode                             | User loses internet connection during downloading new forms   | User sees message  |
| NODK-377 | External secondary instances             | Open external_select_10 form. AUTOMATED   | User should be able to open and fill the form.   |
| NODK-377 | External secondary instances             | Open internal_select_10 form. AUTOMATED   | User should be able to open and fill the form.   |
| NODK-230 | Fresh run                                | User installs the current production version from Play Store. User sets some settings. User upgrades User uses Collect with targetSdkVersion set to 23. User opens Collect and sees permission dialog. User clicks on DENY and then OK on dialog with information. User opens Collect again and clicks on ALLOW 644 | Settings are still set after the upgrade.  |
| NODK-230 | Fresh run                                | User uses Collect with targetSdkVersion set to 23. The user can fill a form or open some view like eg. Get Blank Form. Permission is unselected and the user returns to Collect 644   | Collect does not crash   |
| NODK-226 | Arbitrary widget                         | User adds file 2135   | Collect does not crash. User is able to continue work  |
| NODK-226 | Arbitrary widget                         | User adds file from Google Drive 2258   | User is able to add: amr, ovg, m4a, mp3, 3gp, gif, jpeg, png, jpg, pdf, doc, docx, txt, xls, xlsx, csv, xml, rtf, zip, rar files   |
| NODK-226 | Arbitrary widget                         | User opens form with readonly option in the ArbitraryWidget 2560  | File is added  |
| NODK-226 | Arbitrary widget                         | User adds files from Downloads dir 2930   | readOnly option is supported in the ArbitraryWidget  |
| NODK-245 | Fill Blank Form - Auto Send              | User uses form with auto-send attribute 1952  | User is able to add files Crash does not occur   |
| NODK-245 | Fill Blank Form - Auto Send              | User fills form with configuration: Auto Send - Off; Delete after send - Off; auto-delete="true"; auto-send="true" 791 1750   | Only auto-send attribute causes sending form. auto-submit attribute is not longer exist  |
| NODK-245 | Fill Blank Form - Auto Send              | User fills form with configuration: Auto Send - On; Delete after send - On; auto-delete="false"; auto-send="true" 791 1750  | Form is auto sent and removed from device. There is no opportunity to open sent form in "View Sent Form". Crossed eye icon is visible.   |
| NODK-245 | Fill Blank Form - Auto Send              | User fills form with configuration: Auto Send - On; Delete after send - Off; auto-delete="true"; auto-send="false" 791 1750   | Form need to be manually selected to send. User can open form in "View Sent Form". Crossed eye icon is NOT visible.  |
| NODK-245 | Fill Blank Form - Auto Send              | User fills form with configuration: Auto Send - Off; Delete after send - On; auto-delete="false"; auto-send="true" 791 1750   | Form need to be manually selected to send. There is no opportunity to open sent form in "View Sent Form". Crossed eye icon is visible.   |
| NODK-255 | Fill Blank Form - Cascading external     | User starts form and selects Washington -&#62; Kings (first on list) -&#62; Seattle/Redmond and Washington -&#62; Kings (second on list) -&#62; nothing 394   | Form is auto sent. User can open form in "View Sent Form". Crossed eye icon is NOT visible.  |
| NODK-255 | Fill Blank Form - Cascading external     | User starts form and selects Texas -&#62; Cameron -&#62; This is a test. User opens hierarchy view. 1758  | Options are not mixed  |
| NODK-251 | Fill Blank Form - Validation             | User starts form with question on one page and validation. User adds invalid answers. User skips to end and clicks Save Form and Exit AUTOMATED 2112  | In hierarchy view "This is a test" is visible instead of "test1".  |
| NODK-251 | Fill Blank Form - Validation             | User starts form with question on one page and validation. User adds invalid answers. User skips to end and clicks Save Form and Exit 2118  | The user is no longer moved to view with only one question. The user sees view which contains all questions on one page.   |
| NODK-217 | GeoPoint widget                          | User starts form with short label. User opens Index View AUTOMATED 1401   | User sees that question is highlighted in red only in the field list. There is no focus -&#62; keyboard is not visible in the field list   |
| NODK-217 | GeoPoint widget                          | User opens GeoPoint question with no appearance. User adds location. 1859 2859  | User sees short forms  |
| NODK-217 | GeoPoint widget                          | User adds location  | After opening map view delete button should be disabled. Change Location' is visible in button   |
| NODK-217 | GeoPoint widget                          | User adds location. User sees "Loading location" dialogs 2008   | Put a value of accuracy and time needed to determine it.   |
| NODK-217 | GeoPoint widget                          | User opens GeoPoint question with maps appearance. 1615 2457  | User sees that Accuracy is -&#62; 10m  |
| NODK-217 | GeoPoint widget                          | User clicks on crosshair button. User selects "Zoom to saved feature"   | User sees that option buttons occupy whole right area User is able to add answer   |
| NODK-217 | GeoPoint widget                          | User opens map on Geopoint widget   | The view zoom to show the whole area   |
| NODK-217 | GeoPoint widget                          | User adds location 2940   | User notices: autotoomz to the current location zoom to dialog is no longer available current location is not lost when rotating 2865  |
| NODK-217 | GeoPoint widget                          | User selects "Mapbox Maps SDK" 3074   | The user's location is displayed using a set of crosshairs at the location, as well as a semitransparent blue circle showing the 68% confidence radius of the location fix User sees small red circles, instead of big red or black balloons   |
| NODK-252 | Fill Blank Form - RTL language           | User opens Birds form on view with media on RTL language 2101   | When APK is built with token, nice, smoothly zoomable vector map is visible Basemaps can be changed When APK is built without the token, less nice, but still usable map is visible  |
| NODK-252 | Fill Blank Form - RTL language           | User opens "All Widgets" form with RTL language. User opens Hierarchy view 1914   | View with media is mirrored from LTR   |
| NODK-252 | Fill Blank Form - RTL language           | User changes forms language.  | Hierarchy view displays question list  |
| NODK-256 | Edit saved form                          | User clicks quickly on "Edit Saved Form" button in main menu several times 1830 Quickly click on Edit Saved form button and then click quickly again on displayed list of forms. 2657   | Arabic text should appear in right, English/Polish elements should be aligned to the left.   |
| NODK-256 | Edit saved form                          | User sees list of forms 1489  | Edit Saved Form list is not open two times Edit Saved Form should be opened and Form to Edit should open - hierarchy view should be visible.   |
| NODK-256 | Edit saved form                          | User opens view 2825  | Progress bar is visible.   |
| NODK-256 | Edit saved form                          | Language other than English is set on Collect User clicks on Sort by icon Options dialog appears 3031   | Forms are sorted alphabetically even if form names starts from lower case and upper case   |
| NODK-256 | Edit saved form                          | User uses counter external app. User clicks on launch button.   | New icons are visible for saved, finalized, failed forms   |
| NODK-288 | Counter external app                     | User uses Google Sheets. User opens Get Blank Form view. User downloads form. 1591  | Options are translated icons are visible   |
| NODK-260 | Get Blank Form - Google Sheet            | User uses Google Sheets. User opens Get Blank Form view. User sees forms with long file name 1597   | Each click on launch button is counted properly.   |
| NODK-260 | Get Blank Form - Google Sheet            | User uses Google Sheets. User opens Get Blank Form, and scroll up and down 1604   | The form and corresponding media files are downloaded  |
| NODK-260 | Get Blank Form - Google Sheet            | User uses Google Sheets. User opens Get Blank Form. User selects few checkboxes and scroll up and down 2074   | User sees that file names do not cover checkboxes  |
| NODK-260 | Get Blank Form - Google Sheet            | User sees pop up to select Google account 1386  | User sees that any new checkboxes do not show up next to folders when user scrolls   |
| NODK-260 | Get Blank Form - Google Sheet            | User sees pop up to select Google account 1626  | Selection does not disappear   |
| NODK-260 | Get Blank Form - Google Sheet            | User sees pop up to select Google account 1786  | Add Account' option is visible when Google Sheets are selected in server   |
| NODK-260 | Get Blank Form - Google Sheet            | User uses Google Sheets. User selects first form and scrolls down quickly 1779  | Pop up dialog has white background for light theme and dark background for dark theme  |
| NODK-260 | Get Blank Form - Google Sheet            | User uses Google Sheets. User opens "Get Blank Form" list. User sees list of forms. User clicks on "Shared with Me". User sees a folder. User clicks on folder. User sees content of the folder and buttons: "Go back" and "My Drive". User click on "Go back" button. 1631   | First option is selected automatically   |
| NODK-260 | Get Blank Form - Google Sheet            | User sees list of forms and folders. User clicks on "Shared with me". User sees folders and files. Click on folder. User sees content of the folder and buttons: "Go back" and "My Drive". User clicks on "My Drive" 1842   | Only the form selected by user is checked  |
| NODK-260 | Get Blank Form - Google Sheet            | User uses Google Drive as a server. User adds text to search bar and then removes it 1909   | User is moved back to view with folder   |
| NODK-260 | Get Blank Form - Google Sheet            | User uses Google Drive as a server. User adds text to search bar and then removes it 1944   | User is navigated to "My Drive"  |
| NODK-260 | Get Blank Form - Google Sheet            | User uses Google Drive as a server. User taps on Get Blank Form view. User selects any form. User taps on Download selected and immediately taps on Home button or Switch app. User opens app again. 2167   | All available forms are visible  |
| NODK-260 | Get Blank Form - Google Sheet            | User opens "Get Blank Form" view OR User clicks on "My Drive" / "Shared with me" / "Go back" 2951   | Dynamic search bar is visible for Google Drive   |
| NODK-260 | Get Blank Form - Google Sheet            | User changes the language to Slovenian in the app settings User opens the list of forms from Google Drive 3008  | There is no crash. "Do not keep activities" turned on -&#62; if user opens app and clicks on Cancel there is no crash.   |
| NODK-247 | Fill Blank Form - Repeats                | User fills form with defined title of repeats 183   | Progress dialog is visible during reading files from Google Drive  |
| NODK-247 | Fill Blank Form - Repeats                | User starts nested-repeater and adds few groups. User goes to index view. 1670  | Crash does not occur when user opens Get Blank Form with Google Drive when Slovenian language is set.  |
| NODK-247 | Fill Blank Form - Repeats                | User fills form with nested groups with "field-list" appearance 1255  | User sees last info view only once   |
| NODK-247 | Fill Blank Form - Repeats                | User starts form. User does not add group. 1798   | Backward button is not able to use on first page of forms.   |
| NODK-247 | Fill Blank Form - Repeats                | User starts form, adds few repeats. User is at the end of form. User swipes back. 278   | User sees that repeating section titles are changed  |
| NODK-247 | Fill Blank Form - Repeats                | User fills for with repeat groups User opens jump screen 2762   | User sees that group headers are the same as in form and do not have unexpected number   |
| NODK-247 | Fill Blank Form - Repeats                | User starts form where question has empty label in FormHierarchy Question is read only User opens Jump screen   | User is able to fill form with nested groups with "field-list" appearance  |
| NODK-247 | Fill Blank Form - Repeats                | User fills form and adds few groups User opens hierarchy view User clicks on Group 1 2876   | User is able to clicks backward button. Backward button is active.   |
| NODK-247 | Fill Blank Form - Repeats                | User fills both questions User hits Jump button 2876  | User is able to swipes back. Previous view appears   |
| NODK-247 | Fill Blank Form - Repeats                | User fills form User is on last view with "Save Form and Exit" and user clicks on Jump icon 2876  | Repeat groups paths are represented with "&#62;" or "1." instead of "()"   |
| NODK-247 | Fill Blank Form - Repeats                | User adds few repeat groups User fills form User reduces number of repeats User opens hierarchy view 2990   | User sees this question in jump screen 2840  |
| NODK-1   | General Settings - Server - Aggregate    | User uses ODK Aggregate   | Repeat Group '1' is not visible under 'Group 1'  |
| NODK-1   | General Settings - Server - Aggregate    | User tries to add unexpected sign before URL 1973   | Both answers are visible   |
| NODK-1   | General Settings - Server - Aggregate    | User uses dark theme. User opens Server URL dialog 2199   | Dialog with error message IS NOT visible   |
| NODK-1   | General Settings - Server - Aggregate    | User adds URL to Aggregate server which does not accept anonymous user User adds port number : 443 at the end of URL User goes to "Get Blank Form" page "Server Requires Authentication" pops up User fills username and password 2541  | Current number of repeats is visible   |
| NODK-2   | General Settings - Server - Google Sheet | User opens Server Settings and chooses Google Drive and deny permissions in Dark Mode or Android 7.1801 User chooses Google Drive, Google Sheets as Server type in General settings. User doesn't set Google account. User rotates screen when Google account pop up is opened. 2689                                | User is able to set URL User is able to set Username and Password  |
| NODK-2   | General Settings - Server - Google Sheet | User clicks on Ok button. User chooses Google account User clicks on back button User clicks multiple times on Google account User rotates screen when Google account pop up is opened. 2689  | User sees toast Dot is not saved even if user changes device orientation   |
| NODK-2   | General Settings - Server - Google Sheet | User uses Google Drive, Google Sheets   | Dropdown icon is white   |
| NODK-2   | General Settings - Server - Google Sheet | User uses Google Drive, Google Sheets   | Username and password are remembered and user does not need to fill it again   |
| NODK-2   | General Settings - Server - Google Sheet | User sees pop up to select Google account 1386  | "Get accounts permission" dialog message should display, OK button should be visible. User should see dialog message "Google account not set. To submit forms via Google Sheets you have to set up your Google account in the Server settings" |
| NODK-2   | General Settings - Server - Google Sheet | User creates new Google account. User sends form to Sheets  | User is able to go back to General Settings. Google account popup should be opened just once. Google account email address should not be grayed out after screen rotation.   |
| NODK-2   | General Settings - Server - Google Sheet | User sets Google Sheets as a server and selects a Google account. User goes device's settings and then navigate to the Google account manager. User removes the account that you set for the Google Sheets upload. User sends a submission without changing the account 2479  | User is able to set Google account and fallback Submission URL   |
| NODK-2   | General Settings - Server - Google Sheet |   | Add Account' option is visible   |
| NODK-2   | General Settings - Server - Google Sheet |   | User sees permission request User allows and form is sent with success   |
| NODK-2   | General Settings - Server - Google Sheet |   | ODK Collect does not crash The dialog "Google Account not set" appears   |

|          |  |  |   |
|----------|--|--|---|
|          |  | User goes to Settings. Server User chooses type Google Drive, Google Sheets User clicks on Google account User clicks on Deny in the permission dialog User clicks on OK on the next window User clicks on Google account again 2876   | Google account window displays<br>Widget with decimal values  |
| NODK-2   | General Settings - Server - Google Sheet | User goes to Settings. Server User chooses type Google Drive, Google Sheets User clicks on Google account User clicks on Deny in the permission dialog User clicks on OK on the next window User clicks on Google account again 2876   | Google account window displays<br>Widget with decimal values  |
| NODK-197 | Range widget                             | User fills Range Widget with type="xs:decimal" 105   | Widget with decimal values  |
| NODK-197 | Range widget                             | User fills Range Widget with type="xs:integer"   | Widget with integer values  |
| NODK-197 | Range widget                             | User fills Range Widget with appearance not specified  | Widget in horizontal position with ticks is a default appearance  |
| NODK-197 | Range widget                             | User fills Range Widget with appearance="no-ticks"   | Ticks are not visible   |
| NODK-197 | Range widget                             | User fills Range Widget with appearance="picker"   | Dialog opens. User is able to select answer   |
| NODK-197 | Range widget                             | User fills Range Widget with appearance="vertical" 1136  | Widget in vertical position with ticks  |
| NODK-197 | Range widget                             | User fills Range Widget with appearance="vertical no-ticks"  | Widget in vertical position without ticks   |
| NODK-197 | Range widget                             | User fills Range Widget with readOnly="true"()   | Edit is blocked   |
| NODK-197 | Range widget                             | User starts form with Range Widget 1260  | Default value for range widget is null  |
| NODK-197 | Range widget                             | User selects min value 1950  | Min value is visible  |
| NODK-197 | Range widget                             | User uses RTL languages 1983   | RangeWidget works as expected on RTL languages  |
| NODK-197 | Range widget                             | User adds some value different than min value 2115   | The min value is not visible for a moment   |
| NODK-197 | Range widget                             | User sees vertical range widget 1262   | Blue bar is always visible  |
| NODK-197 | Range widget                             | User starts form with RangeWidget with picker appearance User adds value 2481  | Values are bigger in medium size. It also reacts to changes font size in settings   |
| NODK-197 | Range widget                             | User sees Range picker integer widget User opens dialog  | Number Picker dialog header can be translated to other languages 2875   |
| NODK-198 | Number Widget                            | User fills form with appearance="thousands-sep" in integer, decima, stringNumber 1709  | Thousands separator is visible in answer and in hierarchy view  |
| NODK-198 | Number Widget                            | User uses device in German/French/Dutch/English 1715   | Thousands separator is visible according the locales  |
| NODK-199 | Single Select Widget                     | User starts form with images with form="image" and form="big-image" attributes 1510  | User is able to select an answer by clicking on an image only if big-image attribute is not specified, otherwise if user click on that image user is able to see it in gallery  |
| NODK-199 | Single Select Widget                     | User is on single select question with filtering. User adds filter. User changes device orientation OR minimizes app OR locks and unlocks screen   | Filtering is still visible. Filter is not cleared.  |
| NODK-199 | Single Select Widget                     | User starts form. User selects options with space. User saves form. User opens saved form. 267   | Answers with space are visible  |
| NODK-199 | Single Select Widget                     | User starts form with question Select One Search Widget 1976   | User sees separator lines   |
| NODK-199 | Single Select Widget                     | User sees radio buttons. 2230  | Radio buttons are not black on a dark theme.  |
| NODK-199 | Single Select Widget                     | User sees few options 2241   | Options are separated by a light line on dark theme (check all Select widgets)  |
| NODK-199 | Single Select Widget                     | User opens TestColorChoices form. User goes to select one question. User chooses Yes/No User rotate the screen User opens hierarchy view 2723  | An answer "Yes" should be green and answer "No" should be red. Colors should not be removed after screen rotation and they should be visible in hierarchy view  |
| NODK-199 | Single Select Widget                     |  | columns appearance - horizontal labels with buttons arranged in a number of columns determined by the screen width columns no-buttons appearance - horizontal labels without buttons arranged in a number of columns determined by the screen width columns-flex appearance - horizontal labels with buttons, packed in to fit horizontal space with minimal padding columns-n appearance - horizontal labels without buttons, packed in to fit horizontal space with minimal padding columns-n appearance - horizontal labels with buttons arranged in n columns columns-n no-buttons appearance - horizontal labels without buttons arranged in n columns compact appearance - don't include radio buttons or checkboxes compact-n appearance - compact-n should be identical to columns-n no-buttons |
| NODK-200 | Multi Select Widget                      | User starts form 3028  | User is able to filter options in multi select widget   |
| NODK-200 | Multi Select Widget                      | User fills Multi Select Widget with appearance="autocomplete" 1373   | User is able to select an answer by clicking on an image only if big-image attribute is not specified, otherwise if user click on that image user is able to see it in gallery  |
| NODK-200 | Multi Select Widget                      | User starts form with images with form="image" and form="big-image" attributes 1510  | User is able to select an answer by clicking on an image only if big-image attribute is not specified, otherwise if user click on that image user is able to see it in gallery  |
| NODK-200 | Multi Select Widget                      | User is on multi select question with filtering. User adds filter. User changes device orientation OR minimizes app OR locks and unlocks screen 1427   | Filtering is still visible. Filter is not cleared.  |
| NODK-200 | Multi Select Widget                      | User is on multiple select question with minimal appearance 1838   | Selected: text is visible only if any option is selected  |
| NODK-200 | Multi Select Widget                      | User selects at least two options. User opens hierarchy view. 1839   | Selected options from select multiple questionnaire separated by a comma in hierarchy view.   |
| NODK-200 | Multi Select Widget                      | User sees checkboxes 2230  | CheckBoxes are not black on a dark theme.   |
| NODK-200 | Multi Select Widget                      | User sees few options 2241   | Options are separated by a light line on dark theme (check all Multi widgets)   |
| NODK-200 | Multi Select Widget                      | User fills form 1964   | User sees red warning   |
| NODK-200 | Multi Select Widget                      | User starts form. User selects answer to first question 2284   | Toast does not appear   |
| NODK-200 | Multi Select Widget                      | User is on select_multi type with autocomplete appearance. User selects one option and then searches other option 2681   | Unexpected options are not selected   |
| NODK-200 | Multi Select Widget                      | User starts form 3028  | columns appearance - horizontal labels with buttons arranged in a number of columns determined by the screen width columns no-buttons appearance - horizontal labels without buttons arranged in a number of columns determined by the screen width columns-flex appearance - horizontal labels with buttons, packed in to fit horizontal space with minimal padding columns-n appearance - horizontal labels without buttons, packed in to fit horizontal space with minimal padding columns-n appearance - horizontal labels with buttons arranged in n columns columns-n no-buttons appearance - horizontal labels without buttons arranged in n columns compact appearance - don't include radio buttons or checkboxes compact-n appearance - compact-n should be identical to columns-n no-buttons |
| NODK-212 | Barcode widget                           | User opens Barcode Scanner 1304  | User sees a button which turn on a flashlight in barcode scanner widget   |
| NODK-212 | Barcode widget                           | User opens front camera Barcode scanner  | User is able to use barcode scanner in front camera.  |
| NODK-209 | Draw widget                              | User clicks on device back button during creating a draw AUTOMATED 1494  | User sees Save/ignore dialog with icons User should be able to use both dialog options.   |
| NODK-209 | Draw widget                              | User want to change color AUTOMATED 1907   | User sees new color picker  |
| NODK-209 | Draw widget                              | User clicks on the "+" icon to extend the menu. Options have icons User clicks again on "+" to collapse menu User clicks on "+" once again AUTOMATED   | Options have icons 2858   |
| NODK-218 | Bearing widget                           | User enters manually bearing reading on device without compass. 1655   | Bearing reading is entered manually when device doesn't have compass.   |
| NODK-202 | Time widget                              | User adds time to question. User changes device time zone. User returns to time question. 1309   | User opens time picker and sees a correct, default time   |
| NODK-211 | Signature widget                         | User clicks on device back button during creating a signature AUTOMATED 1494   | User sees Save/ignore dialog with icons   |
| NODK-211 | Signature widget                         | User clicks on the "+" icon to extend the menu. Options have icons User clicks again on "+" to collapse menu User clicks on "+" once again AUTOMATED   | Options have icons 2858   |
| NODK-234 | About                                    | User changes device orientation on About view 1402   | App does not crash even if user rotates the screen  |
| NODK-234 | About                                    | User opens About Activity 1802   | User sees icons. Text is visible at whole.  |
| NODK-234 | About                                    | User clicks on "Open source libraries and licences" 1926   | The view has a title "Open Source Licenses" User sees that this view is opened by WebViewActivity   |
| NODK-234 | About                                    | User clicks multiple times on each option 1917   | Views are not doubled   |
| NODK-250 | Fill Blank Form - Form with audio        | User opens form with audio. User clicks on speaker icon. 1975  | Text is highlighted but there is no background of question  |
| NODK-250 | Fill Blank Form - Form with audio        | User opens Birds form. User clicks on Speaker icon. Speaker icon is changed to Pause icon. User immediately clicks on some other Speaker icon. 1999  | Currently playing sound is paused when some other speaker icon is clicked.  |
| NODK-203 | Location widgets                         | User search a location 1336  | User is able to find location in "GPS Only" mode. User sees lower battery consumption.  |
| NODK-203 | Location widgets                         | User is on view with map. User scrolls icons. 1181   | There is no extra space between grey header and icons. Padding is removed.  |
| NODK-203 | Location widgets                         | User adds location and uses GPS. 2156  | User sees "gps" capitalized   |
| NODK-203 | Location widgets                         | User opens location dialog 54  | User sees information about number of available satellites and time elapsed in location dialog  |
| NODK-203 | Location widgets                         | User sees map with dark theme 2241   | Location icon is black (check all Location widgets with map). While polyline icon is visible  |
| NODK-203 | Location widgets                         | User starts form. User goes to 3rd question. 2081  | Question is opened with map User is able to add location  |
| NODK-203 | Location widgets                         | User starts form with GeoPointWidget with placement-map appearance 2457  | User selects location   |
| NODK-203 | Location widgets                         | Language other than English is set on device. User starts form with GeoTrace widget. User selects "Automatic Mode" 2264  | User sees that "seconds" and "minutes" words are translated   |
| NODK-203 | Location widgets                         | User opens some Geo Widget with Google map User immediately changes device orientation 2982  | User is able to continue work. Collect does not crash   |
| NODK-259 | Get Blank Form                           | User clicks quickly on "Get Blank Form" button in main menu several times 1630   | Get Blank Form list is not open two times   |
| NODK-259 | Get Blank Form                           | User opens view 2825   | New icons are visible   |
| NODK-259 | Get Blank Form                           | User opens sorting menu and select "Name, Z-A" 1791  | Option "Name, A-Z" does not have highlighted icon   |
| NODK-259 | Get Blank Form                           | User opens "Get Blank Form" view. 1937   | Menu icon (3 dots) is not visible   |
| NODK-259 | Get Blank Form                           | User goes to Get Blank Form. User clicks on Refresh. User cancels 1805   | User sees empty form list. View contains Select All / Refresh / Get selected buttons. Only Refresh button is active.  |
| NODK-259 | Get Blank Form                           | User has downloaded one form. User selects this form to download. User cancel downloading. User again downloads form 1692  | Form is downloaded with success. FileNotFoundException is not visible   |
| NODK-259 | Get Blank Form                           | User opens "Get Blank Form" and immediately cancels loading a list. 1919   | Select All button is not active   |
| NODK-259 | Get Blank Form                           | Search for any form. Tap on Clear all. Tap back button or close the search. 2039   | Clear all button displays   |
| NODK-259 | Get Blank Form                           | User downloads all forms. User opens view again. 2131  | Forms are unselected. Select All button is active. Only not downloaded forms are selected as default.   |
| NODK-259 | Get Blank Form                           | User goes to "Get Blank Form". User sees dialog "Connecting to Server". User changes device orientation 1741   | Dialog "Connecting to Server" is closed automatically when forms are loaded even if user changes device orientation   |
| NODK-289 | GET_ACCOUNT and SMS_SEND perm            | User clicks on Google account option in Server Settings User revoke permissions and tries to get forms from Google Drive User revoke permissions and tries to send a finalized form to Google Sheet  | Permission window should display.   |
| NODK-289 | GET_ACCOUNT and SMS_SEND perm            | User tries to finalize form via SMS.   | Permission window should display  |
| NODK-289 | GET_ACCOUNT and SMS_SEND perm            | User goes to General Settings &#62; Server &#62; Type: Google Drive User kills the app User reopens the app User click Send Finalized Form User selects some forms and click Send Selected A dialog appears which is asking for access to contacts User chooses Deny User sees Get account permission dialog and clicks OK | User is moved to form list in Send Finalized Form 2649  |
| NODK-289 | GET_ACCOUNT and SMS_SEND perm            | User goes to General Settings &#62; Server &#62; Type: Google Drive User kills the app User reopens the app User click Get Blank Form A dialog appears which is asking for access to contacts User chooses Deny User sees Get account permission dialog and clicks OK  | User is moved to main menu 2649   |
| NODK-326 | Form name - Replace newline by space     | User opens form. User inputs enter/newline into some of questions of the form. User goes to the form's last page User clicks on Save Form and Exit button. User sends an instance to an aggregate 2653 2833 2914   | Instance name should be present If it should be grayed out and should not be editable Newlines should not be replaced by a space Whole submission title should be visible and wrapped. Toast "Form successfully saved" should appear. Instance should have "Finalized" status The instance should be successfully saved and sent to the aggregate.  |
| NODK-326 | Form name - Replace newline by space     | User opens a random form. User goes to the last page of the form User tries to input enter/newline User minimizes an app User writes a text with an enter/newline User goes back to an app User pastes content of the clipboard into instance name field.  | User should see Save Form and Exit button User should not be able to input space/newline After pasting the clipboard newlines should be replaced by space Instance name should be present   |
| NODK-326 | Form name - Replace newline by space     | User has the saved forms User sees this form in one of the views: Edit Saved Form, Send Finalized Form, Delete Saved Form 2656   | Newlines are not visible  |
| NODK-262 | Delete Saved Form                        | User clicks quickly on "Delete Saved Form" button in main menu several times 1630 Quickly click on Delete Saved form button and then click quickly again on displayed list of forms. 2657  | Delete Saved Form list is not opened two times Delete Saved Forms should be opened and one form from the list should be selected.   |
| NODK-262 | Delete Saved Form                        |  | 1769 Progress bar is visible.   |
| NODK-262 | Delete Saved Form                        | User sees list of forms 1489   | New icons are visible Delete Saved Form / Saved Forms: saved, finalized, failed status icons Delete Saved Form / Blank Forms: blank status icon   |
| NODK-262 | Delete Saved Form                        | User sees list of forms 2825   | Forms are sorted alphabetically even if form names starts from lower case and upper case  |
| NODK-262 | Delete Saved Form                        | User has a lot of saved forms. User selects all forms and deletes them. 1258   | User sees progress dialog   |

|          |   |   |   |
|----------|---|---|---|
| NODK-262 | Delete Saved Form                       | User opens 'Blank Forms' tab. User taps on Search Icon. User searches for any form. User selects checkbox. User taps on "Clear All" and clicks on X on search bar 1854  | Unselected form stays unselected  |
| NODK-262 | Delete Saved Form                       | User opens 'Blank Forms' tab. User taps on Search Icon. User searches for any form. User selects checkbox. User sees "Clear All" button but clicks on X on search bar>Delete Saved Form   | User sees all form list. User sees "Select All" button  |
| NODK-262 | Delete Saved Form                       | User opens Blank Forms view. User clicks on search icon and adds text. User sees searched forms and clicks Select All button. User clicks on X or #&#60;- 1884  | Forms are selected on view with all forms   |
| NODK-262 | Delete Saved Form                       | User opens 'Blank Forms' tab. 1273  | User sees information about version   |
| NODK-249 | Fill Blank Form - Required question     | User fills form with required questions AUTOMATED 1827  | Red asterisk at the beginning is visible.   |
| NODK-249 | Fill Blank Form - Required question     | User starts form. User swipes on the first question. AUTOMATED  | User sees custom message  |
| NODK-248 | Fill Blank Form - Google Sheets         | User uses Google Sheets. User fills form with secondary instances, eg. Cascading Select 1444  | Only primary instance are counted in the columns  |
| NODK-248 | Fill Blank Form - Google Sheets         | User sends finalized form using spreadsheet 753   | Unnecessary columns are removed   |
| NODK-248 | Fill Blank Form - Google Sheets         | User sends finalized form with photo 442  | User is able to send photos to Google Sheets  |
| NODK-248 | Fill Blank Form - Google Sheets         | User uses Google Sheets. User send form with repeated section 1385  | Repeat section is correctly represented in Sheets   |
| NODK-248 | Fill Blank Form - Google Sheets         | User uses Google Sheets and send form with nested repeat section 2063   | Repeat sections are correctly represented in Sheets. PARENT_KEY and KEY are always visible.   |
| NODK-248 | Fill Blank Form - Google Sheets         | Do not keep activities option is turned on. User sends finalized forms to Google Sheets. User sees dialog. User minimize app. User opens app again and tries to send form again. 1777   | Submission is not doubled on Google Sheets if the user minimize app during sending and 'Do not keep activities' option is turned on   |
| NODK-248 | Fill Blank Form - Google Sheets         | User uses Google Sheets and sends form with location. 1052  | There are 3 columns for location: Point, altitude, accuracy, Values in Point are separated by comma.  |
| NODK-248 | Fill Blank Form - Google Sheets         | User starts form and adds attachments. User sends form. 2221  | Attachments are not represented as a hyperlink. Full URL is visible.  |
| NODK-248 | Fill Blank Form - Google Sheets         | User starts form and sends it to Google Sheet 2897  | Sheet for the repeated group is created and hyperlink shows correct URL.  |
| NODK-258 | View Sent Form                          | User clicks quickly on 'View Sent Form' button in main menu several times 1630 Quickly click on View Sent Form button and then click quickly again on displayed list of forms. 2657   | View Sent Form list is not open two times View Sent Form should be opened and Sent For should be opened.  |
| NODK-258 | View Sent Form                          |   | Progress bar is visible.  |
| NODK-258 | View Sent Form                          | User sees list of forms 1489  | Forms are sorted alphabetically even if form names starts from lower case and upper case  |
| NODK-258 | View Sent Form                          | User opens view 2825  | New icons are visible for visible and deleted forms   |
| NODK-258 | View Sent Form                          | User sees a long list of forms -&#62; scroll is visible A few forms are deleted User scrolls 2957   | Forms that were sent and not deleted should not be grayed out   |
| NODK-258 | View Sent Form                          | User sets the Czech language in the device Deleted submissions are visible in View Sent Forms list User clicks on some deleted submission 3006  | Collect does not crash Toast is visible in the Czech language   |
| NODK-257 | Send Finalized Form                     | User clicks quickly on 'Send Finalized Form' button in main menu several times 1630 Quickly click on Send Finalized Form button and then click quickly again on displayed list of forms. 2657   | Send Finalized Form list is not open two times. Send Finalized Form should be open and one of forms should be selected.   |
| NODK-257 | Send Finalized Form                     |   | Progress bar is visible.  |
| NODK-257 | Send Finalized Form                     | User sees list of forms 1489  | New icons are visible for saved, finalized, failed forms  |
| NODK-257 | Send Finalized Form                     | User opens view 2825  | Forms are sorted alphabetically even if form names starts from lower case and upper case  |
| NODK-257 | Send Finalized Form                     | User sends 1000 forms to ODK Aggregate 1231   | All forms were uploaded with success  |
| NODK-257 | Send Finalized Form                     | User sends 1000 forms to Google Sheets 1231   | All forms were uploaded with success  |
| NODK-257 | Send Finalized Form                     | User sees pop up to select Google account 1386  | Add Account' option is visible when Google Sheets are selected in server  |
| NODK-257 | Send Finalized Form                     | User sees pop up to select Google account 1626  | Pop up dialog has white background for white theme and dark background for dark theme   |
| NODK-257 | Send Finalized Form                     | User sees pop up to select Google account 1786  | First option is selected automatically  |
| NODK-257 | Send Finalized Form                     | User uses ODK Aggregate. User fills form with specified submission URL. User sends finalized form 576   | User sees dialog asking for credentials to specified Aggregate  |
| NODK-257 | Send Finalized Form                     | User sees 'Server Required Authentication' dialog. User does not put credentials and clicks OK button. User sets the dialog again and clicks on Cancel button 1778  | User is moved to 'Send Finalized Form' page and form is unselected. Confusing toast is not visible  |
| NODK-257 | Send Finalized Form                     | User send finalized form 1961   | Additional 'Device ID' parameter has no negative influence on submitting forms  |
| NODK-257 | Send Finalized Form                     | The user opens Send Finalized Form. Select All button is active. The user clicks on the search icon 2153  | Select All button is not changed  |
| NODK-257 | Send Finalized Form                     | The user opens Send Finalized Form. The user clicks on Select All button. The user clicks on the search icon 2171   | Previously selected forms are still selected even if the user clicks on the search icon   |
| NODK-257 | Send Finalized Form                     | Send submission via SMS option is set User tries to send the form with SMS tags Sending failed in some way (e.g. no SIM), # A I icon is visible User goes back to the main menu User taps "Send Finalized Form" 2411 User fills few submissions with SMS tag User sends all of them together 2692 2693            | Exclamation mark in bubble cloud is visible Sending failed due to no reception status should be visible (no SIM card) Sending failed due to airplane mode (airplane mode on when sending) When sending multiple submissions via SMS they should not have a temporary "failed" status they should have "queued for submission" when they are waiting to be sent All successfully sent submissions should have a "Sent as SMS on..." should be visible on View on Sent and Unsent Forms |
| NODK-257 | Send Finalized Form                     | User fills few forms User creates a filter to show only records with age 24 User sends few forms again 2443   | User is able to send form to sheet with filter Data are not lost Values are not overwritten.  |
| NODK-257 | Send Finalized Form                     | User chooses Google sheet as server and Google account and do not input submission url. (form should not have defined url submission as well) User tries to send some submissions to Google sheet.  | User should see dialog message about missing submission URL, each failed upload should have a separate line on the dialog message.  |
| NODK-257 | Send Finalized Form                     | User sends a form with a lot of attachments Submission takes more than 10 MB 2795   | Submission is sent correctly  |
| NODK-257 | Send Finalized Form                     | User chooses Google sheet as server User fills form User goes to Send Finalized Form page User manually removed form instance from odk/instances User backs to ODK and sends form   | User sees dialog with message: Error: instance XML file does not exist! 2848  |
| NODK-257 | Send Finalized Form                     | User chooses Google sheet as server User fills encrypted form User goes to Send Finalized Form page User sends form   | User sees dialog with message: Encrypted forms can't be submitted to Google Sheets. 2848  |
| NODK-257 | Send Finalized Form                     | User chooses Google sheet as server User fills form User goes to Send Finalized Form page User sends form 2888  | Form is sent with success   |
| NODK-257 | Send Finalized Form                     | User sees submissions with all statuses 2898  | Progress bar is not visible   |
| NODK-257 | Send Finalized Form                     | User fills and sends form to Google Sheet 2919  | Form is sent with success even if title is too long   |
| NODK-233 | Update / Downgrade                      | Preferences that were added or removed are properly updated 1660  |   |
| NODK-233 | Update / Downgrade                      | User updates 1708   | User sees that 'Moving backwards' option is checked after update  |
| NODK-233 | Update / Downgrade                      | User installs version with old database. User updates to current version  | User is able to use app with updated database.  |
| NODK-232 | Preferences                             | Preference change is reflected in QR code   |   |
| NODK-232 | Preferences                             | User loads collect.settings file with dark theme set 2244   | Dark theme is applied to the main menu  |
| NODK-232 | Preferences                             | Username is set in collect.settings. User applies settings from file 2326   | User opens Preloads form and sees username  |
| NODK-232 | Preferences                             | User applies settings from QR code where Username is set 2326   | User opens Preloads form and sees username  |
| NODK-232 | Preferences                             | User scans QR code settings 2353  | User is able to scan QR code  |
| NODK-237 | General Settings - Form management      | User selects Auto send - WiFi only  | User sees that finished forms are sent automatically when device is connected to WiFi Form should not be sent when cellular connection is on.   |
| NODK-237 | General Settings - Form management      | User selects Auto send - Cellular only  | User sees that finished forms are sent automatically when mobile data are turned on. Form should not be sent when wifi connection is on.  |
| NODK-237 | General Settings - Form management      | User selects Auto send - WiFi or Cellular   | User sees that finished forms are sent automatically when device is connected to internet   |
| NODK-237 | General Settings - Form management      | User sees information in notification. User clicks on it. 2179  | Dialog is visible with results  |
| NODK-237 | General Settings - Form management      | User selects 'Delete after send'  | User sees that form is deleted after send. User cannot review sent form. eye icon is visible.   |
| NODK-237 | General Settings - Form management      | User selects 'Default to finalized'   | User sees that finalize checkbox is auto-selected at the end of form and form is ready to send  |
| NODK-237 | General Settings - Form management      | User selects 'Validate upon forward swipe' in 'Constraint processing behavior'  | User sees validation toast during filling form  |
| NODK-237 | General Settings - Form management      | User selects 'Defer validation until finalized' in 'Constraint processing behavior'   | User is moved to the question with validation ONLY when user clicks on 'Save Form and Exit' button  |
| NODK-237 | General Settings - Form management      | User is able to set an image size 1217  | Photos are take in one of selected size: Original size from camera (default) / Very small / Small / Medium / Large  |
| NODK-237 | General Settings - Form management      | User sets "Show guidance for questions" as Yes - always 2007  | User sees guidance. The is not option to collapse and expand it   |
| NODK-237 | General Settings - Form management      | User sets "Show guidance for questions" as Yes - collapsed 2007   | User sees guidance. The is option to collapse and expand it. Icon is visible at whole. Hint is not doubled in Full date and time question.  |
| NODK-237 | General Settings - Form management      | User sees Hide old versions option 1694   | Option is selected as default   |
| NODK-237 | General Settings - Form management      | User tries to autosend form when app is background User tries to autosend form when app is killed User tries autosend to Google sheet and doesn't input submission URL (in is not defined in the form as well) User tries to send that submission manually User adds submission url. and fill another submission. | Form should be sent successfully. Notification should display.  |
| NODK-237 | General Settings - Form management      | 1. User input in server url of aggregate with anonymous access not allowed 2. User does not input aggregate's credentials   | Form should not be sent, status should be failed and failed notification should appear. None toast should be visible and white page should not show up. Both submissions should be sent successfully.   |
| NODK-237 | General Settings - Form management      | User fill a submission when airplane mode is on. User turns off airplane mode.  | Autosend should fail, notification should appear.   |
| NODK-237 | General Settings - Form management      | User installs Collect. User changes few settings. User exports settings to QR code and file. Other user imports settings from Qr code and file 1523   | Submission should be sent when connection is recovered.   |
| NODK-242 | Admin Settings - Import/Export Settings | User installs Collect. User changes few settings. User exports settings to QR code and file. Other user imports settings from Qr code and file 1523   | Settings are consistent with the set. There is no crash.  |
| NODK-242 | Admin Settings - Import/Export Settings | User installs Collect. User changes few settings. User resets all settings  | All settings are set as default   |
| NODK-242 | Admin Settings - Import/Export Settings | User installs Collect. User changes few settings. User exports settings to QR code without passwords. Other user imports settings from Qr code  | Settings are consistent with the set  |
| NODK-242 | Admin Settings - Import/Export Settings | User opens Import/Export Settings 1857  | User sees Share icon and Save Settings icon. Pop up menu is not visible   |
| NODK-242 | Admin Settings - Import/Export Settings | App to handle an image pick intent is not installed. User selects "Select code form SC Card" 1932   | App does not crash. User sees toast.  |
| NODK-242 | Admin Settings - Import/Export Settings | User opens Import/Export Settings few times 1879  | QR code is not regenerated when settings were not changed. The last generated QRCode is cached in the sd-card.  |
| NODK-242 | Admin Settings - Import/Export Settings | User sets largeSDkVersion to 24 User goes to Admin Settings and Import/Export settings User clicks on share icon. 2601  | An app should not crash. User should be able to share QR code (save a file or sent)   |
| NODK-242 | Admin Settings - Import/Export Settings | User scans QR code with invalid settings https://github.com/opendatakit/collect/issues/2086 User set dark mode and scans invalid QR code again. 2703 3018   | User should see a toast "QR code does not contain valid settings" Message is translated to other languages All previously selected settings should not be lost. Dark mode should not be reversed to light mode.   |
| NODK-242 | Admin Settings - Import/Export Settings | User goes to Admin Settings -&#62; Import/Export settings User clicks on SELECT CODE FROM SD CARD User chooses a big image (~16MB) 2985   | Collect does not crash  |
| NODK-216 | GeoShape widget                         | User adds points in map 2238 2659   | After opening map view delete button should be disabled. Crash does not occur   |
| NODK-216 | GeoShape widget                         | User adds one/two points in map 1124  | User sees toast   |
| NODK-216 | GeoShape widget                         | User clicks on crosshair button. User selects 'Zoom to saved feature' User clicks on Save button. User clicks on "View of Change GeoShape" button. User adds new points and moves the existing one. 2465  | The view zoom to show the whole area After Saving, map should not be visible, user should be back to the form. "View of Change GeoShape" button should be visible and geo coordinates should be visible below the button. Saved geoshape should be zoomed. New points should be successfully added and user should be able to move existing ones.   |
| NODK-216 | GeoShape widget                         | User clicks on crosshair button and selects "Zoom to current location"  | Zoom of current location should be visible.   |
| NODK-216 | GeoShape widget                         | User adds shape points to the map User does not click on Save button. User uses back button. User chooses Discard   | Dialog message "Discard changes and return to ODK?" with Cancel/Discard options should appear. User should be back from map view to form. "Start GeoShape" button should be visible.  |
| NODK-216 | GeoShape widget                         | User Starts Geoshape again and do not adds points. User doesn't click on Save button. User chooses back button  | Dialog message "Discard changes and return to ODK?" with Cancel/Discard options should not appear. User should be back to the form.   |
| NODK-216 | GeoShape widget                         | User clicks on View or Change GeoShape button. User clicks on Clear button. User clicks on Clear on confirmation dialog. User clicks on Save button.  | Clear confirmation window should appear. User should be able to save empty results. Discard changes dialog should not appear After clicking on Save button, form should display and "Start Geoshape" button should be available   |
| NODK-216 | GeoShape widget                         | Repeat all the steps for OSM maps   | The results should be all the same.   |
| NODK-216 | GeoShape widget                         | Add geoshape on Google maps. Rotate device's screen 2310  | Data should not be lost after screen rotation.  |
| NODK-216 | GeoShape widget                         | Delete saved feature. Rotate the screen again. 2492   | Deleted feature should not be restored.   |



|          |                              |  |  |
|----------|------------------------------|--|--|
| NODK-216 | GeoShape widget              | Repeat last two steps for OSM maps.  | The results should be all the same.  |
| NODK-216 | GeoShape widget              | User opens map on Geoshape widget  | User notices: autozoom to the current location zoom to dialog is no longer available current location is not lost when rotating 2865   |
| NODK-216 | GeoShape widget              | User rotates device many times quickly 2856  | Collect does not crash   |
| NODK-216 | GeoShape widget              | User adds few points User clicks on Trash icon and confirmed clearing 2890   | Backspace button is inactive   |
| NODK-216 | GeoShape widget              | User adds few points User clicks on Backspace button to remove the last point 2890   | Backspace button is visible Backspace button is active when points are added   |
| NODK-216 | GeoShape widget              | User opens map on Geoshape widget 2933 2976  | New Input method dialog with Placement by tapping option Long press and tap can be used to adding locations. Both methods can be mixed. Manually entering of points is allowed Add marker button is active even if there is no internet connection. Only Placement by tapping is available Bars with current accuracy and timed interval mapping are added   |
| NODK-216 | GeoShape widget              | User adds 2 points and tries to save 2933  | User sees message "Must have at least 3 points to create Polygon" There is no option to save as Polyline   |
| NODK-216 | GeoShape widget              | User adds location 2940  | The user's location is displayed using a set of crosshairs at the location, as well as a semitransparent blue circle showing the 68% confidence radius of the location fix User sees small red circles, instead of big red or black balloons   |
| NODK-216 | GeoShape widget              | User sets input method to "Placement by tapping" User moves the map and the current position isn't on the screen 2973  | The map stays where the user has moved it unless the crosshairs button is tapped.  |
| NODK-216 | GeoShape widget              | User sets the mapping SDK to "Google Maps" in settings User opens a geoshape or geotrace question User sets the point collection mode to "placement by tapping" User goes to a place where location is available User tries to tap in the accuracy circle to add a point 2991                  | In "placement by tapping" mode, tapping within the location accuracy circle places a point   |
| NODK-216 | GeoShape widget              | User selects 'Mapbox Maps SDK' 3074  | When APK is built with token, nice, smoothly zoomable vector map is visible Basemaps can be changed When APK is built without the token, less nice, but still usable map is visible  |
| NODK-215 | GeoTrace Widget              | User opens map view 2659 User chooses to zoom to current location.   | After opening map view delete button should be disabled. The map view should be zoomed to current location.  |
| NODK-215 | GeoTrace Widget              | User adds locations manually (Google Maps/OSM (go to step 2 first) 1459 User opens OSM maps for the first time. User scroll OSM map User taps zoom + button 20 times, slowly, 2664   | Altitude and accuracy are 0.0 when location is added manually When open OSM map user should see only one map on default view. User sees max. 2 maps. User should be able to tap zoom + button 20 times, as default zoom level is 2, and maximal is 22.   |
| NODK-215 | GeoTrace Widget              | User adds points in map User clicks on crosshair button. User selects 'Zoom to saved feature' 2238   | Crash does not occur The view zoom to show the whole area  |
| NODK-215 | GeoTrace Widget              | User uses GeoTrace automatic mode.   | User is able to zoom and save results of automatic mode.   |
| NODK-215 | GeoTrace Widget              | User selects offline basemaps 1610 User rotates the screen 2647  | Offline basemaps is selected in Layer Choice of offline basemaps should not be lost after screen rotation.   |
| NODK-215 | GeoTrace Widget              | User uses Collect with targetSdkVersion set to 23. User tries to add location. 2321  | User sees permission dialog  |
| NODK-215 | GeoTrace Widget              | User creates polyline User adds some points and save them as polygone. 2553  | User is able to save both, polyline and polygon Polygon should be closed and saved   |
| NODK-215 | GeoTrace Widget              | User chooses View or Change GeoTrace button.   | Saved feature should be zoomed.  |
| NODK-215 | GeoTrace Widget              | User deletes added features. User adds new features.   | User should be able to delete added feature and create a new one.  |
| NODK-215 | GeoTrace Widget              | User adds the feature using manual mode. (using Google maps) User rotate the screen User adds points User pauses recording of the point User rotate the screen again. 2310   | None recorded data are lost after rotating the screen  |
| NODK-215 | GeoTrace Widget              | User deletes saved feature User rotates the screen 2492  | Recorded data shouldn't be restored.   |
| NODK-215 | GeoTrace Widget              | User starts automatic mode of recording points. User rotates the screen User pauses automatic mode User rotates the screen User continues automatic mode.  | None of recorded data are lost after screen rotation.  |
| NODK-215 | GeoTrace Widget              | User deletes saved feature User rotates the screen   | Deleted feature is not restored after screen rotation  |
| NODK-215 | GeoTrace Widget              | User repeats steps from 10-13 for OSM maps.  | The results should be the same   |
| NODK-215 | GeoTrace Widget              | User opens map on Geotrace widget  | User notices: autozoom to the current location the first point is collected immediately for automatic mode zoom to dialog is no longer available current location is not lost when rotating 2865   |
| NODK-215 | GeoTrace Widget              | User opens map 2904  | Right scroll bar for buttons is visible only when it is needed   |
| NODK-215 | GeoTrace Widget              | User rotates device many times quickly 2856  | Collect does not crash   |
| NODK-215 | GeoTrace Widget              | User adds few points User clicks on Backspace button to remove the last point 2890   | Backspace button is visible Backspace button is active when points are added   |
| NODK-215 | GeoTrace Widget              | User adds few points User clicks on Trash icon and confirmed clearing 2890   | Backspace button is inactive   |
| NODK-215 | GeoTrace Widget              | User adds point User clicks on Pause User clicks on 'Zoom' button User clicks to add point 2886  | Pause button is visible  |
| NODK-215 | GeoTrace Widget              | User starts tracking location 2891   | GPS feedback and collection feedback are visible User sees red/green accuracy indication User sees number of recorder points   |
| NODK-215 | GeoTrace Widget              | User starts tracking location in automatic mode 2891   | User is able to set accuracy User is able to set NONE accuracy   |
| NODK-215 | GeoTrace Widget              | User opens map on Geotrace widget 2933 2976  | New Input method dialog with Placement by tapping option Long press and tap can be used to adding locations. Both methods can be mixed. Manually entering of points is allowed Add marker button is active even if there is no internet connection. Only Placement by tapping is available Bars with current accuracy and timed interval mapping are added Unexpected coordinates are not generated even if I saved the same Polygon few times Save as Polygon option has warning 'Save as' dialog can be scrolled |
| NODK-215 | GeoTrace Widget              | User adds location 2940  | The user's location is displayed using a set of crosshairs at the location, as well as a semitransparent blue circle showing the 68% confidence radius of the location fix User sees small red circles, instead of big red or black balloons   |
| NODK-215 | GeoTrace Widget              | User sets input method to "Placement by tapping" User moves the map and the current position isn't on the screen 2973  | The map stays where the user has moved it unless the crosshair button is tapped.   |
| NODK-215 | GeoTrace Widget              | User adds location 3078  | Save geotrace as polygon is not available  |
| NODK-215 | GeoTrace Widget              | User selects 'Mapbox Maps SDK' 3074  | When APK is built with token, nice, smoothly zoomable vector map is visible Basemaps can be changed When APK is built without the token, less nice, but still usable map is visible  |
| NODK-261 | Form and media update        | User downloads from aggregate different version of the same form. 1653   | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.  |
| NODK-261 | Form and media update        | User downloads from aggregate the same form but with other media files.  | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.  |
| NODK-261 | Form and media update        | User downloads from aggregate the same forms with different versions and different order of the same questions.  | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.  |
| NODK-261 | Form and media update        | User downloads from aggregate forms with different version and with different content of text question.  | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.  |
| NODK-261 | Form and media update        | User downloads a form with media. User removes media folder. User opens 'Get Blank Form' list 1737   | User sees information about update.  |
| NODK-261 | Form and media update        | User uses Sample-preloading-form, form with external itemsets, form with simple media files 1720   | User sees information about update only when it is expected. Forms with media files do not causes additional information about update  |
| NODK-261 | Form and media update        | User sets 'Every fifteen minutes' for 'Period form update check'. Few forms are updated on server 1668   | User sees information in notification that new version is available  |
| NODK-261 | Form and media update        | Media is updated on server   | User sees information in notification that new version is available  |
| NODK-261 | Form and media update        | User selects Automatic Download. Few forms are updated on server   | User sees information in notification that new version was downloaded  |
| NODK-261 | Form and media update        | Media is updated on server   | User sees information in notification that new version was downloaded  |
| NODK-261 | Form and media update        | Few versions of the same form is available on device. 1694   | Only the newest version is visible. Old versions are hidden.   |
| NODK-261 | Form and media update        | User unselect Form Management&#62;Hide old form versions   | Every form versions are visible on 'Fill Blank Form' view  |
| NODK-261 | Form and media update        | Notification appears 1753  | New notification icon is visible. The same icon is visible on all Android versions   |
| NODK-261 | Form and media update        | User sees information in notification. User clicks on it. 2179   | Dialog is visible with results   |
| NODK-261 | Form and media update        | User clicks on Get Blank form. Forms to download displays and the green message "This is an update to a form you have" is present. User goes back to the main menu. User clicks on Get Blank form and Cancel connection. User clicks on the Refresh button. Form list displays correctly. 2243 | The green message "This is an update to a form you have" is visible.   |
| NODK-261 | Form and media update        | User sees notifications 2200   | Notification headers: ODK auto-send results / ODK auto-download results Notification status: Failures / Success Dialog header: Download Results / Upload Results Dialog contains full cause of error   |
| NODK-261 | Form and media update        | User sees 2 notifications. Older notification is about auto send. Newest notification is about downloaded form version. User clicks on older notification 2202   | User sees correct full message   |
| NODK-318 | Read-only questions          | User goes through all-widgtsReadOnly.xml form.   | Widgets like: BearingWidget ImageWidget DrawWidget AnnotateWidget SignatureWidget AudioWidget OSMWidgets GeoWidget VideoWidget ArbitraryWidget UriWidget ExStringWidget ExIntegerWidget ExDecimalWidget ExPrinterWidget RangePickerWidget BarcodeWidget DateWidget/TimeWidget SpinnerWidget GeoTrace/GeoShape widgets and GeopointWidget with maps placement-map appearance should not have buttons in read-only version.  |
| NODK-318 | Read-only questions          | User fills form 3105   | RatingWidget is not editable   |
| NODK-318 | Read-only questions          | User fills form 3105   | Answers not editable   |
| NODK-246 | Fill Blank Form - Audit file | User loads form with audit 1340  | ODK does not crashes. User is able to use this form  |
| NODK-246 | Fill Blank Form - Audit file | User starts form. user jumps to other question 2113  | end time is included in the jump event   |
| NODK-246 | Fill Blank Form - Audit file | User adds string longer than 2 characters in text question 2111  | end screen event shows end time when followed by constraint error  |
| NODK-246 | Fill Blank Form - Audit file | User starts filling form and saves it. User opens the saved form 2136  | jump event is logged after opening saved form  |
| NODK-246 | Fill Blank Form - Audit file | User fills and sends form. User opens the form from View Sent Form list 2134   | audit.csv file is NOT affected when opening a sent form from the View Sent Form list   |
| NODK-246 | Fill Blank Form - Audit file | User starts form Form logs location coordinates in the background 2772   | Track Location option in menu is visible only when expected Audit file appears   |
| NODK-246 | Fill Blank Form - Audit file | User starts form Form logs location coordinates in the background 2772   | Events are logged location tracking enabled location tracking disabled location providers enabled location providers disabled location permissions granted location permissions not granted  |
| NODK-246 | Fill Blank Form - Audit file | User starts form Form logs location coordinates in the background 2772   | Logs contains END date for first question Latitude Longitude Accuracy  |
| NODK-246 | Fill Blank Form - Audit file | User starts form Form logs location coordinates in the background Location provider is turned off 2772   | User is informed that location is tracked User sees bar with information   |
| NODK-246 | Fill Blank Form - Audit file | User fills form User fills all answers User changes responses 3072   | User is informed that location provider is disabled User sees dialogs and is able to go to settings  |
| NODK-246 | Fill Blank Form - Audit file | User starts the form: User fills all questions User clicks on Save Form and Exit button User goes to Edit Saved Form User jumps to some question and changes answer User clicks on the device back button User clicks on Save Changes User checks audit file 3096                              | Answers are track in Audit file Changing responses are recorded  |
| NODK-246 | Fill Blank Form - Audit file | User fills text question User adds new lines, comma and text in quotes after the comma 3113  | Audit file shows proper information  |
| NODK-246 | Fill Blank Form - Audit file | User fills form Tracking location is disabled 3102   | Value in text question is represented in one cell in Audit file  |
| NODK-229 | Basic criteria               | User pre-load data into a new submission   | Answers (old-value, new-value) are added in correct places if both tracking locations and tracking changes are enabled but GPS is disabled   |
| NODK-229 | Basic criteria               | User uses external itemsets  | User is able to finish the form  |
| NODK-229 | Basic criteria               | User changes device orientation few times, quickly on views: Fill Blank Form, Edit Saved Form, View Sent Form, Get Blank Form 1412   | User is able to finish the form  |
| NODK-229 | Basic criteria               | User starts form with bunch of widgels on one page   | App does not crash. User is able to continue work  |
| NODK-229 | Basic criteria               | User starts form with bunch of widgels on one page with gps and image widget 1713  | User is able to add answer on all questions  |
| NODK-229 | Basic criteria               | Verify that ODK Collect Intents Tester app works as expected   | Selected image is always added even if location question is answered in form displayed on one page   |
| NODK-229 | Basic criteria               | User opens external app like Tester app User is able to add URL and credentials to external app App works as expected with server which accepts and not accept anonymous user 2454   | Views and forms are opened correctly   |
| NODK-229 | Basic criteria               | User opens ODK Collet Intents Tester app. User opens DOWNLOAD FORM. User adds FORM_ID and clicks on DOWNLOAD FORM button 2339  | User is able to submit only finalized forms via Tester app   |
| NODK-229 | Basic criteria               | User verify form with back to back repeats   | Form with added id is downloaded and visible in ODK Collect  |
| NODK-229 | Basic criteria               | Verify form with nested repeats User fills form and opens hierarchy view User rotates screen on hierarchy view User adds more than 12 group members 2740   | Collect works as expected  |
| NODK-229 | Basic criteria               | The app is closed in the middle of filling a form  | Collect works as expected. The screen is not changing after screen rotation. When there is more than 12 group members, they are displayed in hierarchy view starting from the first one.   |
| NODK-229 | Basic criteria               | User selects some form management settings and then updates collect version. 1660  | User sees that autosave is loaded and there is no data lost  |
| NODK-229 | Basic criteria               | User uninstalls update of Google Play services and replaced the app with the factory version 2446  | Option are NOT restored to default in updated collect version. All settings remain unchanged   |
| NODK-229 | Basic criteria               | User turns off Storage permissions in Settings (Androids -&#60;6). User opens ODK Collect Intents Tester app. User goes to Download Form. User accepts dialog.   | User is able to fill form and send it  |
| NODK-229 | Basic criteria               |  | When User opens Download Form he should see permission dialog window. After accepting the dialog, user should see Download form page. User should be able to download the form.  |

|          |                 |   |  |
|----------|-----------------|---|--|
| NODK-229 | Basic criteria  | User turns off Storage permissions in Settings again (Androids =>#60.6). User opens ODK Collect Intents Tester app. User goes to Submit Instance. User accepts dialog message.                      | When User opens Submit Instance he should see permission dialog window. After accepting the dialog, user should see Submit Instance page. User should be able to send the submission.  |
| NODK-244 | Fill Blank Form | User clicks quickly on 'Fill Blank Form' button in main menu several times 1630 Quickly click on Fill Blank Form button and then click quickly again on displayed list of forms. 2657               | Fill Blank Form list is not opened two times Fill Blank Form page should open, form should be opened.  |
| NODK-244 | Fill Blank Form | User opens 'Fill Blank Form' view 2825 3010   | New icons are visible Subtext 'Added on ...' is visible  |
| NODK-244 | Fill Blank Form | User downloaded new forms from Aggregate and Google Drive User clicks on 'Fill Blank Form' button in main menu 2807   | Fill Blank Form page opens New forms are visible   |
| NODK-244 | Fill Blank Form |   | Progress bar is visible. 1769  |
| NODK-244 | Fill Blank Form | User clicks quickly on some form several times 1630   | Form is not open two times   |
| NODK-244 | Fill Blank Form | User saves/ignores changes or finish form 2229 AUTOMATED  | User is always moved to main menu view   |
| NODK-244 | Fill Blank Form | User sees list of all forms 1264  | Forms are sorted alphabetically even if form names starts from lower case and upper case   |
| NODK-244 | Fill Blank Form | User sorts forms by the newest date 1555  | Forms are sorted correctly. The most recent forms are visible as a first.  |
| NODK-244 | Fill Blank Form | User clicks on device back button during filling form AUTOMATED   | User sees ODK Collect dialog with Save/Ignore options and icons  |
| NODK-244 | Fill Blank Form | User manually changes something in xml file of loaded form 1357   | User is able to open second version of this form and fills it without problem  |
| NODK-244 | Fill Blank Form | User fills form where widgets are read-only 1319  | Read-only strings have black color   |
| NODK-244 | Fill Blank Form | User clicks on search icon on header (magnifier) 1287 AUTOMATED   | Search view is in the app bar itself. Additional space is not occupied.  |
| NODK-244 | Fill Blank Form | User is on view with 'Save Form and Exit' button. User edits name and changes device orientation. 1219  | Name changed by user is visible even if user changes device orientation on minimizes ODK   |
| NODK-244 | Fill Blank Form | User uses navigation buttons. User is on first question. User changes device orientation.   | Backward button is not clickable on first question in form if user changes device orientation  |
| NODK-244 | Fill Blank Form | User doesn't see form which contains invalid URL address on form list. 1672 AUTOMATED   | Form which contains invalid URL address is not displayed on fill blank form list.  |
| NODK-244 | Fill Blank Form | User uses swipe to fill form. User adds navigation button during filling form. 1574 AUTOMATED   | User sees navigation button even if buttons were turned on during filling form.  |
| NODK-244 | Fill Blank Form | User opens specific forms where value has a different type than expected 1560 AUTOMATED   | App does not crashes   |
| NODK-244 | Fill Blank Form | User opens big form   | Form is loaded correctly   |
| NODK-244 | Fill Blank Form | User fills form with images on group with appearance="field-list". User removes added image. 1824   | Blank space is not visible   |
| NODK-244 | Fill Blank Form | User starts form. User fills K050003_05. User goes to next view. 1695 AUTOMATED   | User sees California   |
| NODK-244 | Fill Blank Form | User fills form and adds some media : video, photo, audio. User saves form. User edits form and update media. User ignore last changes. User opens form again 2049                                  | Media files added as a first in form are still visible.  |
| NODK-244 | Fill Blank Form | User starts form with random(). User fills it few times and sends. 2144   | User sees that values are really random for the same device  |
| NODK-244 | Fill Blank Form | User starts form. User is on n1 question. User opens Index View. 2147   | n1 question is visible as a first  |
| NODK-244 | Fill Blank Form | User fills predicate-warning form AUTOMATED 2524  | User should not see any dialogs when filling the form  |
| NODK-244 | Fill Blank Form | User fills different-search-appearances.xml form 2501 2502  | Search textbox is not displayed if search() appearance is set  |
| NODK-244 | Fill Blank Form | User fills form where search() expression contains other appearance name 2590   | User is able to select one option  |
| NODK-244 | Fill Blank Form | User fills form with empty field-list group 1833  | User is able to finish form  |
| NODK-244 | Fill Blank Form | User starts form with Groups User goes to jump screen 2764  | Groups are visible in jump screen  |
| NODK-244 | Fill Blank Form | User starts form User does not add repeat groups User opens 'Jump Screen' User clicks on 'Go Up' button or arrow icon. User is moved to view with only 'Group Name' User changes device orientation | User is still on the same view 2816  |
| NODK-244 | Fill Blank Form | User starts form User does not add repeat groups User opens 'Jump Screen' User clicks on 'Go to End' button User sees 'Save Form and Exit' button User opens 'Jump Screen'                          | User is moved to view with only 'Group Name' 2816  |
| NODK-244 | Fill Blank Form | User starts form User opens 'Jump Screen'   | "up" icon is always first on the right. 2816   |
| NODK-244 | Fill Blank Form | User fills forms  | App does not crash 2829  |
| NODK-244 | Fill Blank Form | Fill the form, text and numeric questions, finalize it. Go to odk folder Open last_save.xml Go back to Collect and fill another submission Edit the suggested answers, finalize the form. 2882      | Formname-media folder should be created. In the folder, last_save.xml file should be visible. In the file there should be the content of last saved submission. When new submission opened answer's from the last submissions should be visible. Open last saved.xml, the content should be updated. |
| NODK-244 | Fill Blank Form | Delete the last saved.xml Go back to collect, fill the form. Go to odk folder, media folder   | Answers should not be suggested, form should be empty. Last saved.xml should be recreated with the content of the newly filled submission.   |
| NODK-244 | Fill Blank Form | Fill the form, save not finalize. Open new submission Finalize the submission 2882  | You should be able to edit the submission and view the content of last saved.xml Answers from last submissions should be visible. You should not be able to edit the submission and view the content of last_save.xml of finalized encrypted submission.   |
| NODK-244 | Fill Blank Form | User fills form 2845  | value next to SelectOneWidget external: is visible   |
| NODK-244 | Fill Blank Form | Language other than English is set on Collect User clicks on Sort by icon Options dialog appears 3031   | Options are translated icons are visible   |
| NODK-244 | Fill Blank Form | User uses Central as a server User fills all question in form User sends submission 3038  | All attachments are available on Central   |
| NODK-244 | Fill Blank Form | User fills form 3052  | Next question appears only if visible questions have answers   |

| Test Summary                               | Step  | Expected Result  |
|--|---|--|
| Offline mode                               | User opens 'Get Blank Form' when user is offline (Aggregate)  | User sees message 'No network connection available'  |
| Offline mode                               | User opens 'Get Blank Form' when user is offline (Google)   | User sees message 'No network connection available'  |
| Offline mode                               | User selects forms to send and clicks on 'Send Selected' when user is offline   | User sees message 'No network connection available'  |
| Offline mode                               | User loses internet connection during sending forms   | User sees message  |
| Offline mode                               | User loses internet connection during downloading new forms   | User sees message  |
| Update / Downgrade                         | Preferences that were added or removed are properly updated 1660  |  |
| Update / Downgrade                         | User updates 1708   | User sees that 'Moving backwards' option is checked after update   |
| Update / Downgrade                         | User installs version with old database. User updates to current version  | User is able to use app with updated database.   |
| GET_ACCOUNT and SMS_SEND permissions       | User clicks on Google account option in Server Settings User tries to get forms from Google Drive User tries to send a finalized form to Google Sheet All cases without choosing Google account.  | Permission window should display.  |
| GET_ACCOUNT and SMS_SEND permissions       | User tries to finalize form via SMS.  | Permission window should display.  |
| Delete Saved Form                          | User clicks quickly on 'Delete Saved Form' button in main menu several times 1630   | Delete Saved Form list is not opened two times   |
| Delete Saved Form                          |   | 1769 Progress bar is visible.  |
| Delete Saved Form                          | User sees list of forms 1489  | Forms are sorted alphabetically even if form names starts from lower case and upper case   |
| Delete Saved Form                          | User has a lot of saved forms. User selects all forms and deletes them. 1258  | User sees progress dialog  |
| Delete Saved Form                          | User opens 'Blank Forms' tab. User taps on Search Icon. User searches for any form. User selects checkbox. User taps on 'Clear All' and clicks on X on search bar 1854  | Unselected form stays unselected   |
| Delete Saved Form                          | User opens 'Blank Forms' tab. User taps on Search Icon. User searches for any form. User selects checkbox. User sees 'Clear All' button but clicks on X on search bar   | User sees all form list. User sees 'Select All' button   |
| Delete Saved Form                          | User opens Blank Forms view. User clicks on search icon and adds text. User sees searched forms and clicks Select All button. User clicks on X or &#60;- 1884   | Forms are selected on view with all forms  |
| Delete Saved Form                          | User opens 'Blank Forms' tab. 1273  | User sees information about version  |
| Get Blank Form                             | User clicks quickly on 'Get Blank Form' button in main menu several times 1630  | Get Blank Form list is not open two times  |
| Get Blank Form                             | User opens sorting menu and select 'Name, Z-A' 1791   | Option 'Name, A-Z' does not have highlighted icon  |
| Get Blank Form                             | User opens 'Get Blank Form' view. 1937  | Menu icon (3 dots) is not visible  |
| Get Blank Form                             | User goes to Get Blank Form. User clicks on Refresh. User cancels 1805  | User sees empty form list. View contains Select All / Refresh / Get selected buttons. Only Refresh button is active.   |
| Get Blank Form                             | User has downloaded one form. User selects this form to download. User cancel downloading. User again downloads form 1692   | Form is downloaded with success. FileNotFoundException is not visible  |
| Get Blank Form                             | User opens 'Get Blank Form' and immediately cancels loading a list. 1919  | Select All button is not active  |
| Get Blank Form                             | Search for any form. Tap on Clear all. Tap on Select all. Tap back button or close the search. 2039   | Clear all button displays  |
| Get Blank Form                             | User downloads all forms. User opens view again. 2131   | Forms are unselected. Select All button is active. Only not downloaded forms are selected as default.  |
| Get Blank Form                             | User goes to 'Get Blank Form'. User sees dialog 'Connecting to Server'. User changes device orientation 1741  | Dialog 'Connecting to Server' is closed automatically when forms are loaded even if user changes device orientation  |
| Edit saved form                            | User clicks quickly on 'Edit Saved Form' button in main menu several times 1630   | Edit Saved Form list is not open two times   |
| Edit saved form                            |   | 1769 Progress bar is visible.  |
| Edit saved form                            | User sees list of forms 1489  | Forms are sorted alphabetically even if form names starts from lower case and upper case   |
| View Sent Form                             | User clicks quickly on 'View Sent Form' button in main menu several times 1630  | View Sent Form list is not open two times  |
| View Sent Form                             |   | 1769 Progress bar is visible.  |
| View Sent Form                             | User sees list of forms 1489  | Forms are sorted alphabetically even if form names starts from lower case and upper case   |
| Fill Blank Form - Cascading external       | User starts form and selects Washington -&#62; Kings (first on list) -&#62; Seattle/Redmond and Washington -&#62; Kings (second on list) -&#62; nothing 394   | Options are not mixed  |
| Fill Blank Form - Cascading external       | User starts form and selects Texas &#62; Cameron &#62; This is a test. User opens hierarchy view. 1758  | In hierarchy view 'This is a test' is visible instead of 'test1'.  |
| Admin Settings                             | User changes device orientation on admin settings view. 1658  | App doesn't crash and screen rotated properly.   |
| Admin Settings - Reset application         | User goes to Admin Settings. User clicks on Reset Application. User resets some data. 1269  | Reset result dialog does not disappear after change device orientation   |
| Admin Settings - Reset application         | User unchecks a couple of admin settings options. User resets all settings. 1067  | Admin settings are updated   |
| Admin Settings - Reset application         | User changes the language in general settings. User resets all settings.  | Language is updated immediately  |
| Admin Settings - Reset application         | User clicks on 'Reset application...'. Pop up appears 1836  | Reset button is disabled when nothing is selected.   |
| Admin Settings - Reset application         | User clicks on 'Reset application'. Pop up appears. User checks and unchecks options  | Focus on center is not visible   |
| Get Blank Form - Google Sheet              | User uses Google Sheets. User opens Get Blank Form view. User downloads form. 1591  | The form and corresponding media files are downloaded  |
| Get Blank Form - Google Sheet              | User uses Google Sheets. User opens Get Blank Form view. User sees forms with long file name 1597   | User sees that file names do not cover checkboxes  |
| Get Blank Form - Google Sheet              | User uses Google Sheets. User opens Get Blank Form, and scroll up and down 1604   | User sees that any new checkboxes do not show up next to folders when user scrolls   |
| Get Blank Form - Google Sheet              | User uses Google Sheets. User opens Get Blank Form. User selects few checkboxes and scroll up and down 2074   | Selection does not disappear   |
| Get Blank Form - Google Sheet              | User sees pop up to select Google account 1386  | Add Account option is visible when Google Sheets are selected in server  |
| Get Blank Form - Google Sheet              | User sees pop up to select Google account 1626  | Pop up dialog has white background for light theme and dark background for dark theme  |
| Get Blank Form - Google Sheet              | User sees pop up to select Google account 1786  | First option is selected automatically   |
| Get Blank Form - Google Sheet              | User uses Google Sheets. User selects first form and scrolls down quickly 1779  | Only the form selected by user is checked  |
| Get Blank Form - Google Sheet              | User uses Google Sheets. User opens 'Get Blank Form' list. User sees list of forms. User clicks on 'Shared with Me' User sees a folder. User clicks on folder. User sees content of the folder and buttons: 'Go back' and 'My Drive'. User click on 'Go back' button. 1631  | User is moved back to view with folder   |
| Get Blank Form - Google Sheet              | User sees list of forms and folders. User clicks on 'Shared with me'. User sees folders and files. Click on folder. User sees content of the folder and buttons: 'Go back' and 'My Drive'. User clicks on 'My Drive' 1842   | User is navigated to 'My Drive'  |
| Get Blank Form - Google Sheet              | User uses Google Drive as a server. User adds text to search bar and then removes it 1909   | All available forms are visible  |
| Get Blank Form - Google Sheet              | User uses Google Drive as a server. User adds text to search bar and then removes it 1944   | Dynamic search bar is visible for Google Drive   |
| Get Blank Form - Google Sheet              | User uses Google Drive as a server. User goes to Get Blank Form view. User selects any form. User taps on Download selected and immediately taps on Home button or Switch app. User opens app again. 2167   | There is no crash. 'Do not keep activities' turned on &#62; If user opens app and clicks on Cancel there is no crash.  |
| Admin Settings - User Settings             | User opens this settings. User does not see 'Type' option 1311  | User sees 'Server' option  |
| Admin Settings - User Settings             | User opens User Settings, there is Server option and Submission transport, user unchecks Server checkbox. 2427  | Submission transport checkbox is disabled and grayed out, user is unable to select/unselect it. User goes to general settings, there shouldn't be Server option visible. |
| Admin Settings - User Settings             | User goes back to User Settings, select Server option and unselect Submission transport checkbox.   | User goes to General Settings/Server and there is no Submission transport section.   |
| General Settings - Server - Other          | User chooses in Server Settings type: Other. 2303   | Other platforms settings should appear.  |
| General Settings - Server - Other          | User edits Form list path and Submission path.  | Changes are updated immediately.   |
| Fresh run                                  | User installs the current production version from Play Store. User sets some settings. User upgrades  | Settings are still set after the upgrade.  |
| Fresh run                                  | User uses Collect with targetSdkVersion set to 23. User opens Collect and sees permission dialog. User clicks on DENY and then OK on dialog with information. User opens Collect again and clicks on ALLOW 644  | Collect does not crash   |
| Fresh run                                  | User uses Collect with targetSdkVersion set to 23. The user can fill a form or open some view like eg. Get Blank Form. Permission is unselected and the user returns to Collect 644   | Collect does not crash. User is able to continue work  |
| General Settings - Server - SMS Submission | User opens General Settings/ Server Settings User chooses Send submissions via SMS User doesn't input phone number User clicks on back button.  | Dialog message 'Invalid phone number! Set destination phone number for SMS submissions or change your transport type' should display                                     |
| General Settings - Server - SMS Submission | User clicks on OK button. User inputs destination phone number User clicks on back button.  | User is able to go back to General Settings view.  |
| General Settings - Server - SMS Submission | User sets 'Destination phone number' 242  | Number is visible. Number is readable on dark mode   |
| General Settings - Server - SMS Submission | User finishes form and sends it   | Questions signed by odk:tag are sent via SMS   |
| General Settings - Server - SMS Submission | User is on 'Send Finalized Form' page. User selects 'Show Sent and Unsent Forms'.   | Sent submissions have correct status   |
| General Settings - Server - SMS Submission | User sets airplane mode on device   | Submissions has Failed status due to airplane mode being on  |
| General Settings - Server - SMS Submission | User sends multiple submissions at the same time  | Submissions are sent with success  |
| General Settings - Server - SMS Submission | 'User sets Send submission via SMS. User sends submission via SMS (status is Sent as SMS). User sets Send submission via WiFi. User opens 'Send Finalized Forms' and selects Show Sent and Unsent Forms (status is Sent as SMS). User sends a submission to Aggregate (status is Sent on [date]) User sets Send submission via SMS User opens Send Finalized Forms and selects Show Sent and Unsent Forms' 2372 | Status is 'Sent on [date]'   |
| General Settings - Server - SMS Submission | User opens Send submission via dialog 2371  | 'Select on send' option is available If 'Select on send' option is set, 'Send (Internet)' and 'Send (SMS)' buttons are available on Send Finalized Form page             |
| General Settings - Server - SMS Submission | The device does not have SIM card User sets Send submission via SMS The user opens Send Finalized Form page The user sees warning icons User set Send submission via Select on send The user opens Send Finalized Form page The user sees warning icons 2477  | Warning icon looks always the same in both situations  |
| Preferences                                | Preference change is reflected in QR code   |  |
| Preferences                                | User loads collect.settings file with dark theme set 2244   | Dark theme is applied to the main menu   |
| Preferences                                | Username is set in collect.settings. User applies settings from file 2326   | User opens Preloads form and sees username   |
| Preferences                                | User applies settings from QR code where Username is set 2326   | User opens Preloads form and sees username   |
| Preferences                                | User scans QR code settings 2353  | User is able to scan QR code   |
| Basic criteria                             | User pre-load data into a new submission  | User is able to finish the form  |
| Basic criteria                             | User uses external itemsets   | User is able to finish the form  |
| Basic criteria                             | User changes device orientation few times, quickly on views: Fill Blank Form, Edit Saved Form, View Sent Form, Get Blank Form 1412  | App does not crash. User is able to continue work  |
| Basic criteria                             | User starts form with bunch of widgets on one page  | User is able to add answer on all questions  |
| Basic criteria                             | User starts form with bunch of widgets on one page with gps and image widget 1713   | Selected image is always added even if location question is answered in form displayed on one page   |
| Basic criteria                             | Verify that ODK Collect Intents Tester app works as expected  | Views and forms are opened correctly   |
| Basic criteria                             | User opens external app like Tester app User is able to add URL and credentials to external app App works as expected with server which accepts and not accept anonymous user 2454  | User is able to submit only finalized forms via Tester app   |
| Basic criteria                             | User opens ODK Collect Intents Tester app. User opens DOWNLOAD FORM. User adds FORM_ID and clicks on DOWNLOAD FORM button 2339  | Form with added id is downloaded and visible in ODK Collect  |
| Basic criteria                             | Verify form with back to back repeats   | Collect works as expected  |
| Basic criteria                             | Verify form with nested repeats   | Collect works as expected  |
| Basic criteria                             | The app is closed in the middle of filling a form   | User sees that autosave is loaded and there is no data lost  |
| Basic criteria                             | User selects some form management settings and then updates collect version. 1660   | Option are NOT restored to default in updated collect version. All settings remain unchanged   |

|   |   |   |
|---|---|---|
| Basic criteria                              | User uninstalls update of Google Play services and replaced the app with the factory version 2446   | User is able to fill form and send it   |
| General Settings - Form management          | User selects Auto send - WiFi only  | User sees that finished forms are sent automatically when device is connected to WiFi   |
| General Settings - Form management          | User selects Auto send - Cellular only  | User sees that finished forms are sent automatically when mobile data are turned on   |
| General Settings - Form management          | User selects Auto send - WiFi or Cellular   | User sees that finished forms are sent automatically when device is connected to internet   |
| General Settings - Form management          | User sees information in notification. User clicks on it. 2179  | Dialog is visible with results  |
| General Settings - Form management          | User selects 'Delete after send'  | User sees that form is deleted after send. User cannot review sent form, eye icon is visible.   |
| General Settings - Form management          | User selects 'Default to finalized'   | User sees that finalize checkbox is auto-selected at the end of form and form is ready to send  |
| General Settings - Form management          | User selects 'Validate upon forward swipe' in 'Constraint processing behavior'  | User sees validation toast during filling form  |
| General Settings - Form management          | User selects 'Defer validation until finalized' in 'Constraint processing behavior'   | User is moved to the question with validation ONLY when user clicks on 'Save Form and Exit' button  |
| General Settings - Form management          | User is able to set an image size 1217  | Photos are taken in one of selected size: Original size from camera (default) / Very small / Small / Medium / Large                         |
| General Settings - Form management          | User sets "Show guidance for questions" as Yes - always 2007  | User sees guidance. The is not option to collapse and expand it   |
| General Settings - Form management          | User sets "Show guidance for questions" as Yes - collapsed 2007   | User sees guidance. The is option to collapse and expand it. Icon is visible at whole. Hint is not doubled in Full date and time question.  |
| General Settings - Form management          | User sees Hide old versions option 1694   | Option is selected as default   |
| Admin Settings - Import/Export Settings     | User installs Collect. User changes few settings. User exports settings to QR code and file. Other user imports settings from QR code and file 1523                                   | Settings are consistent with the set. There is no crash.  |
| Admin Settings - Import/Export Settings     | User installs Collect. User changes few settings. User resets all settings  | All settings are set as default   |
| Admin Settings - Import/Export Settings     | User installs Collect. User changes few settings. User exports settings to QR code without passwords. Other user imports settings from QR code  | Settings are consistent with the set  |
| Admin Settings - Import/Export Settings     | User opens Import/Export Settings 1857  | User sees Share icon and Save Settings icon. Pop up menu is not visible   |
| Admin Settings - Import/Export Settings     | App to handle an image pick intent is not installed. User selects 'Select code form SC Card' 1932   | App does not crash. User sees toast.  |
| Admin Settings - Import/Export Settings     | User opens Import/Export Settings few times 1879  | QR code is not regenerated when settings were not changed. The last generated QRCode is cached in the sd-card.                              |
| General Settings - User and device identity | User opens Form Metadata. User adds Email address 1308  | Email address is validated and requires @   |
| General Settings - User and device identity | Username is not set in server and form metadata.  | Question in form is empty   |
| General Settings - User and device identity | General Settings -&#62; Server -&#62; Username is 'AAA' General Settings -&#62; User and device identity -&#62; Form metadata: Username is not set                                    | Username from Server is visible in form   |
| General Settings - User and device identity | General Settings -&#62; Server -&#62; Username is 'AAA' General Settings -&#62; User and device identity -&#62; Form metadata: Username is 'BBB'                                      | Username from Form metadata is visible in form  |
| General Settings - User and device identity | General Settings -&#62; Server -&#62; Username is 'AAA' General Settings -&#62; User and device identity -&#62; Form metadata: Username is 'BBB'                                      | Username from Form metadata is visible in form  |
| Admin Settings - Form Entry Settings        | User unchecks "Allow moving backwards in forms" option. 1456  | User is not able to move backwards when filling form.   |
| Admin Settings - Form Entry Settings        | User selects "Defer validation until finalized" and then Admin unchecks "Allow moving backwards in forms" option. 1704  | Constraint processing option is set as "Validate upon forward swipe" and is not editable  |
| Admin Settings - Form Entry Settings        | User sees dialog with buttons: Yes/No 1456  | Edit Saved Form, Save Form, Go To Prompt, Constraint processing is set to Validate upon forward swipe if user clicks on Yes                 |
| Admin Settings - Form Entry Settings        | User unchecks "Allow moving backwards in forms" option. User starts form. User restarts a phone. 1675   | User sees question on which he finished. User is not able to moving backwards   |
| Fill Blank Form - Auto Send                 | User uses form with auto-send attribute 1952  | Only auto-send attribute causes sending form. auto-submit attribute is not longer exist   |
| Fill Blank Form - Auto Send                 | User fills form with configuration: Auto Send - Off; Delete after send - Off; auto-delete="true"; auto-send="true" 791 1750   | Form is auto sent and removed from device. There is no opportunity to open sent form in 'View Sent Form'. Crossed eye icon is visible.      |
| Fill Blank Form - Auto Send                 | User fills form with configuration: Auto Send - On; Delete after send - On; auto-delete="false"; auto-send="false" 791 1750   | Form need to be manually selected to send. User can open form in 'View Sent Form'. Crossed eye icon is NOT visible.                         |
| Fill Blank Form - Auto Send                 | User fills form with configuration: Auto Send - Off; Delete after send - Off; auto-delete="true"; auto-send="false" 791 1750  | Form need to be manually selected to send. There is no opportunity to open sent form in 'View Sent Form'. Crossed eye icon is visible.      |
| Fill Blank Form - Auto Send                 | User fills form with configuration: Auto Send - On; Delete after send - On; auto-delete="false"; auto-send="true" 791 1750  | Form is auto sent. User can open form in 'View Sent Form'. Crossed eye icon is NOT visible.   |
| Fill Blank Form                             | User clicks quickly on 'Fill Blank Form' button in main menu several times 1630   | Fill Blank Form list is not opened two times  |
| Fill Blank Form                             |   | 1769 Progress bar is visible.   |
| Fill Blank Form                             | User clicks quickly on some form several times 1630   | Form is not open two times  |
| Fill Blank Form                             | User saves/ignores changes or finish form 2229  | User is always moved to main menu view  |
| Fill Blank Form                             | User sees list of all forms 1264  | Forms are sorted alphabetically even if form names starts from lower case and upper case  |
| Fill Blank Form                             | User sorts forms by the newest date 1555  | Forms are sorted correctly. The most recent forms are visible as a first.   |
| Fill Blank Form                             | User clicks on device back button during filling form   | User sees ODK Collect dialog with Save/Ignore options and icons   |
| Fill Blank Form                             | User manually changes something in xml file of loaded form 1357   | User is able to open second version of this form and fills it without problem   |
| Fill Blank Form                             | User fills form where widgets are read-only 1319  | Read-only strings have black color  |
| Fill Blank Form                             | User clicks on search icon on header (magnifier) 1287   | Search view is in the app bar itself. Additional space is not occupied.   |
| Fill Blank Form                             | User is on view with "Save Form and Exit" button. User edits name and changes device orientation. 1219  | Name changed by user is visible even if user changes device orientation on minimizes ODK  |
| Fill Blank Form                             | User uses navigation buttons. User is on first question. User changes device orientation.   | Backward button is not clickable on first question in form if user changes device orientation   |
| Fill Blank Form                             | User doesn't see form which contains invalid URL address on form list. 1672   | Form which contains invalid URL address is not displayed on fill blank form list.   |
| Fill Blank Form                             | User uses swipe to fill form. User adds navigation button during filling form. 1574   | User sees navigation button even if buttons were turned on during filling form.   |
| Fill Blank Form                             | User opens specific forms where value has a different type than expected 1560   | App does not crashes  |
| Fill Blank Form                             | User opens big form   | Form is loaded correctly  |
| Fill Blank Form                             | User fills form with images on group with appearance="field-list". User removes added image. 1824   | Blank space is not visible  |
| Fill Blank Form                             | User starts form. User fills K050003. 05. User goes to next view. 1695  | User sees California  |
| Fill Blank Form                             | User fills form and adds some media : video, photo, audio. User saves form. User edits form and update media. User ignore last changes. User opens form again 2049                    | Media files added as a first in form are still visible.   |
| Fill Blank Form                             | User starts form with random(). User fills it few times and sends. 2144   | User sees that values are really random for the same device   |
| Fill Blank Form                             | User starts form. User is on n1 question. User opens Index View. 2147   | n1 question is visible as a first   |
| Fill Blank Form                             | User fills predicate-warming form 2524  | User sees "Action needed" dialog  |
| Fill Blank Form                             | User fills different-search-appearances.xml form 2501 2502  | Search textbox is not displayed if search() appearance is set   |
| Fill Blank Form - Audit file                | User loads form with audit 1340   | ODK does not crashes. User is able to use this form   |
| Fill Blank Form - Audit file                | User starts form, user jumps to other question 2113   | end time is included in the jump event  |
| Fill Blank Form - Audit file                | User adds string longer than 2 characters in text question 2111   | end screen event shows end time when followed by constraint error   |
| Fill Blank Form - Audit file                | User starts filling form and saves it. User opens the saved form 2136   | jump event is logged after opening saved form   |
| Fill Blank Form - Audit file                | User fills and sends form. User opens the form from View Sent Form list 2134  | audit.csv file is NOT affected when opening a sent form from the View Sent Form list  |
| Fill Blank Form - Audit file                | User starts form with question on one page and validation. User adds invalid answers. User skips to end and clicks on Save Form and Exit 2112   | The user is no longer moved to view with only one question. The user sees view which contains all questions on one page.                    |
| Fill Blank Form - Validation                | User starts form with question on one page and validation. User adds invalid answers. User skips to end and clicks on Save Form and Exit 2118   | "User sees that question is highlighted in red only in the field list. There is no focus &#62; keyboard is not visible in the field list "  |
| Fill Blank Form - Validation                | User starts form with short label. User opens Index View 1401   | User sees short forms   |
| Fill Blank Form - Form with audio           | User opens form with audio. User clicks on speaker icon. 1975   | Text is highlighted but there is no background of question  |
| Fill Blank Form - Form with audio           | User opens Birds form. User clicks on Speaker icon. Speaker icon is changed to Pause icon. User immediately clicks on some other Speaker icon. 1999                                   | Currently playing sound is paused when some other speaker icon is clicked.  |
| Fill Blank Form - Required question         | User fills form with required questions 1827  | Red asterisk at the beginning is visible.   |
| Fill Blank Form - Required question         | User starts form. User swipes on the first question.  | User sees custom message  |
| Fill Blank Form - Repeats                   | User fills attached form. User sees next/prev navigation buttons. User does not add groups. 1464  | User sees last info view only once  |
| Fill Blank Form - Repeats                   | User uses forward/backward buttons to navigate in TestRepeat form. User is on first view of this form 1722  | Backward button is not able to use on first page of forms.  |
| Fill Blank Form - Repeats                   | User starts form with defined title of repeats 183  | User sees that repeating section titles are changed   |
| Fill Blank Form - Repeats                   | User starts nested-repeater and adds few groups. User goes to index view. 1670  | User sees that group headers are the same as in form and do not have unexpected number  |
| Fill Blank Form - Repeats                   | User fills form with nested groups with 'field-list' appearance 1255  | User is able to fills form with nested groups with 'field-list' appearance  |
| Fill Blank Form - Repeats                   | User starts form. User does not add group. 1798   | User is able to clicks backward button. Backward button is active.  |
| Fill Blank Form - Repeats                   | User starts form, adds few repeats. User is at the end of form. User swipes back. 278   | User is able to swipes back. Previous view appears  |
| Fill Blank Form - RTL language              | User opens Birds form on view with media on RTL language 2101   | View with media is mirrored from LTR.   |
| Fill Blank Form - RTL language              | User opens 'All Widgets' form with RTL language. User opens Hierarchy view 1914   | Hierarchy view dispalys question list   |
| Fill Blank Form - RTL language              | User changes forms language.  | Arabic text should appear in right, English/Polish elements should be aligned to the left.  |
| Fill Blank Form - SMS                       | User fills form 2350  | SMS app or default email app opens when user clicks on Launch button  |
| Fill Blank Form - SMS                       | User starts form 2385   | Clicking on Launch button moves the user to phone app. A phone number is auto-populated if the user selects a number in the first question. |
| Fill Blank Form - Google Sheets             | User uses Google Sheets. User fills form with secondary instances, eg. Cascading Select 1444  | Only primary instance are counted in the columns  |
| Fill Blank Form - Google Sheets             | User sends finalized form using spreadsheet 753   | Unnecessary columns are removed   |
| Fill Blank Form - Google Sheets             | User sends finalized form with photo 442  | User is able to send photos to Google Sheets  |
| Fill Blank Form - Google Sheets             | User uses Google Sheets. User send form with repeated section 1385  | Repeat section is correctly represented in Sheets   |
| Fill Blank Form - Google Sheets             | User uses Google Sheets and send form with nested repeat section 2063   | Repeat sections are correctly represented in Sheets. PARENT_KEY and KEY are always visible.   |
| Fill Blank Form - Google Sheets             | Do not keep activities option is turned on. User sends finalized forms to Google Sheets. User sees dialog. User minimize app. User opens app again and tries to send form again. 1777 | Submission is not doubled on Google Sheets if the user minimize app during sending and 'Do not keep activities' option is turned on         |
| Fill Blank Form - Google Sheets             | User uses Google Sheets and sends form with location. 1052  | There are 3 columns for location: Point, altitude, accuracy. Values in Point are separated by comma.  |
| Fill Blank Form - Google Sheets             | User starts form and adds attachments. User sends form. 2221  | Attachments are not represented as a hyperlink. Full URL is visible.  |
| Counter external app                        | User uses counter external app. User clicks on launch button.   | Each click on launch button is counted properly.  |
| Send Finalized Form                         | User clicks quickly on 'Send Finalized Form' button in main menu several times 1630   | Send Finalized Form list is not open two times.   |
| Send Finalized Form                         |   | 1769 Progress bar is visible.   |
| Send Finalized Form                         | User sees list of forms 1489  | Forms are sorted alphabetically even if form names starts from lower case and upper case  |
| Send Finalized Form                         | User sends 1000 forms to ODK Aggregate 1231   | All forms were uploaded with success  |
| Send Finalized Form                         | User sends 1000 forms to Google Sheets 1231   | All forms were uploaded with success  |
| Send Finalized Form                         | User sees pop up to select Google account 1386  | Add Account' option is visible when Google Sheets are selected in server  |

|   |  |  |
|---|--|--|
| Send Finalized Form                       | User sees pop up to select Google account 1626   | Pop up dialog has white background for white theme and dark background for dark theme  |
| Send Finalized Form                       | User sees pop up to select Google account 1786   | First option is selected automatically   |
| Send Finalized Form                       | User uses ODK Aggregate. User fills form with specified submission URL. User sends finalized form 576  | User sees dialog asking for credentials to specified Aggregate   |
| Send Finalized Form                       | User sees "Server Required Authentication" dialog. User does not put credentials and clicks OK button. User sees the dialog again and clicks on Cancel button 1778   | User is moved to "Send Finalized Form" page and form is unselected. Confusing toast is not visible   |
| Send Finalized Form                       | User send finalized form 1961  | Additional "Device ID" parameter has no negative influence on submitting forms   |
| Send Finalized Form                       | The user opens Send Finalized Form. Select All button is active. The user clicks on the search icon 2153   | Select All button is not changed   |
| Send Finalized Form                       | The user opens Send Finalized Form. The user clicks on Select All button. The user clicks on the search icon 2171  | Previously selected forms are still selected even if the user clicks on the search icon  |
| Send Finalized Form                       | Send submission via SMS option is set User tries to send the form with SMS tags Sending failed in some way (e.g. no SIM), # A 1 icon is visible User goes back to the main menu User taps "Send Finalized Form" 2411   | Exclamation mark in bubble cloud is visible  |
| Send Finalized Form                       | User fills few forms User creates a filter to show only records with age 24 User sends few forms again 2443  | User is able to send form to sheet with filter Data are not lost Values are not overwritten.   |
| Form and media update                     | User downloads from aggregate different version of the same form. 1653   | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.  |
| Form and media update                     | User downloads from aggregate the same form but with other media files.  | User sees information about form updates. Form is updated successfully. There is only one version of the form in Fill Blank form but form contains all media files.                                  |
| Form and media update                     | User downloads from aggregate the same forms with different versions and different order of the same questions.  | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.  |
| Form and media update                     | User downloads from aggregate forms with different version and with different content of text question.  | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.  |
| Form and media update                     | User downloads a form with media. User removes media folder. User opens "Get Blank Form" list 1737   | User sees information about update.  |
| Form and media update                     | User uses Sample-preloading-form, form with external Itemsets, form with simple media files 1720   | User sees information about update only when it is expected. Forms with media files do not causes additional information about update  |
| Form and media update                     | User sets "Every fifteen minutes" for "Period form update check". Few forms are updated on server 1668   | User sees information in notification that new version is available  |
| Form and media update                     | Media is updated on server   | User sees information in notification that new version is available  |
| Form and media update                     | User selects Automatic Download. Few forms are updated on server   | User sees information in notification that new version was downloaded  |
| Form and media update                     | Media is updated on server   | User sees information in notification that new version was downloaded  |
| Form and media update                     | Few versions of the same form is available on device. 1694   | Only the newest version is visible. Old versions are hidden.   |
| Form and media update                     | User unselect Form Management&#62;Hide old form versions   | Every form versions are visible on "Fill Blank Form" view  |
| Form and media update                     | Notification appears 1753  | New notification icon is visible. The same icon is visible on all Android versions   |
| Form and media update                     | User sees information in notification. User clicks on it. 2179   | Dialog is visible with results   |
| Form and media update                     | User clicks on Get Blank form. Forms to download displays and the green message "This is an update to a form you have" is present. User goes back to the main menu. User clicks on Get Blank form and Cancel connection. User clicks on the Refresh button. Form list displays correctly. 2243 | The green message "This is an update to a form you have" is visible.   |
| Form and media update                     | User sees notifications 2200   | Notification headers: ODK auto-send results / ODK auto-download results Notification status: Failures / Success Dialog header: Download Results / Upload Results Dialog contains full cause of error |
| Form and media update                     | User sees 2 notifications. Older notification is about auto send. Newest notification is about downloaded form version. User clicks on older notification 2202   | User sees correct full message   |
| General Settings - Server - Aggregate     | User uses ODK Aggregate  | User is able to set URL. User is able to set Username and Password   |
| General Settings - Server - Aggregate     | User tries to add unexpected sign before URL 1973  | User sees toast Dot is not saved even if user changes device orientation   |
| General Settings - Server - Aggregate     | User uses dark theme. User opens Server URL dialog 2199  | Dropdown icon is white   |
| General Settings - Server - Aggregate     | User adds URL to Aggregate server which does not accept anonymous user User adds port number :443 at the end of URL User goes to "Get Blank Form" page "Server Requires Authentication" pops up User fills username and password 2541  | Username and password are remembered and user does not need to fill it again   |
| General Settings - Server - Google Sheets | User chooses Google Drive, Google Sheets as Server type in General settings. User doesn't set Google account. User clicks on back button.  | User should see dialog message "Google account not set. To submit forms via Google Sheets you have to set up your Google account in the Server settings"   |
| General Settings - Server - Google Sheets | User clicks on OK button. User chooses Google account User clicks on back button   | User is able to go back to General Settings.   |
| General Settings - Server - Google Sheets | User uses Google Drive, Google Sheets  | User is able to set Google account and Fallback Submission URL   |
| General Settings - Server - Google Sheets | User sees pop up to select Google account 1386   | Add Account' option is visible   |
| General Settings - Server - Google Sheets | User creates new Google account. User sends form to Sheets   | User sees permission request User allows and form is sent with success   |
| General Settings - Server - Google Sheets | User sets Google Sheets as a server and selects a Google account. User goes device's settings and then navigate to the Google account manager. User removes the account that you set for the Google Sheets upload. User sends a submission without changing the account 2479                   | ODK Collect does not crash The dialog "Google Account not set" appears   |
| General Settings - User Interface         | User changes language  | User is able to use Collect in selected language   |
| General Settings - User Interface         | User uses RTL language 1981  | User sees that Fill Blank Form, Edit Saved Form, Send Finalized Form, View Sent Form, Get Blank Form and Delete Saved Form are aligned to the right side   |
| General Settings - User Interface         | User changes the text font size  | User is able to use Collect in selected font size  |
| General Settings - User Interface         | User changes navigation to 'Use forward/backward buttons'  | User is able to use only buttons to navigate in form   |
| General Settings - User Interface         | User changes navigation to 'Use swipe and buttons'   | User is able to use buttons and swipes to navigate in form   |
| General Settings - User Interface         | User changes navigation to 'Use horizontal swipes'   | User swipes to navigate in form. Buttons are not visible   |
| General Settings - User Interface         | User chooses to shows splash screen when application starts  | User sees default or own image   |
| General Settings - User Interface         | User changes Mapping SDK to OpenStreetMap SDK 1856   | OSM Streets' is selected as the default Basemap  |
| General Settings - User Interface         | User adds offline basemaps 1610  | User is able to select it settings form both Mapping SDK. Offline basemaps are marked by '(custom, offline)'   |
| Range widget                              | User fills Range Widget with type="xs:decimal" 105   | Widget with decimal values   |
| Range widget                              | User fills Range Widget with type="xs:integer"   | Widget with integer values   |
| Range widget                              | User fills Range Widget with appearance not specified  | Widget in horizontal position with ticks is a default appearance   |
| Range widget                              | User fills Range Widget with appearance="no-ticks"   | Ticks are not visible  |
| Range widget                              | User fills Range Widget with appearance="picker"   | Dialog opens. User is able to select answer  |
| Range widget                              | User fills Range Widget with appearance="vertical" 1136  | Widget in vertical position with ticks   |
| Range widget                              | User fills Range Widget with appearance="vertical no-ticks"  | Widget in vertical position without ticks  |
| Range widget                              | User fills Range Widget with readonly="true()"   | Edit is blocked  |
| Range widget                              | User starts form with Range Widget 1260  | Default value for range widget is null   |
| Range widget                              | User selects min value 1950  | Min value is visible   |
| Range widget                              | User uses RTL languages 1983   | RangeWidget works as expected on RTL languages   |
| Range widget                              | User adds some value different than min value 2115   | The min value is not visible for a moment  |
| Range widget                              | User sees vertical range widget 1262   | Blue bar is always visible   |
| Range widget                              | User starts form with RangeWidget with picker appearance User adds value 2481  | Values are bigger in medium size. It also reacts to changes font size in settings  |
| Number Widget                             | User fills form with appearance="thousands-sep" in integer, decima, stringNumber 1709  | Thousands separator is visible in answer and in hierarchy view   |
| Number Widget                             | User uses device in German/French/Dutch/English 1715   | Thousands separator is visible according the locales   |
| Single Select Widget                      | User starts form with images with form="image" and form="big-image" attributes 1510  | User is able to select an answer by clicking on an image only if big-image attribute is not specified, otherwise if user click on that image user is able to see it in gallery                       |
| Single Select Widget                      | User is on single select question with filtering. User adds filter. User changes device orientation OR minimizes app OR locks and unlocks screen   | Filtering is still visible. Filter is not cleared.   |
| Single Select Widget                      | User starts form. User selects options with space. User saves form. User opens saved form. 267   | Answers with space are visible   |
| Single Select Widget                      | User starts form with question Select One Search Widget 1976   | User sees separator lines  |
| Single Select Widget                      | User sees radio buttons. 2230  | Radio buttons are not black on a dark theme.   |
| Single Select Widget                      | User sees few options 2241   | Options are separated by a light line on dark theme (check all Select widgets)   |
| Date widget                               | User quickly clicks the button several time 1624 1723  | User is not able to open two answer dialogs.   |
| Date widget                               | User stars form with Ethiopian calendar. 1330  | Ethiopian calendar is available  |
| Date widget                               | User stars form with Coptic calendar 1576  | Coptic calendar is available   |
| Date widget                               | User starts form with Islamic calendar 1661  | Islamic calendar is available.   |
| Date widget                               | User starts form with Gregorian calendar   | Gregorian calendar is available.   |
| Date widget                               | User starts form.  | User sees date and TIME  |
| Date widget                               | User sets only one value (date of time) to required date question and tries to go forward. 2054  | User is not able to go forward with only one value added.  |
| Date widget                               | User sets both values (date and time) to required date question and tries to go forward.   | User is able to go forward when both values are added.   |
| Time widget                               | User adds time to question. User changes device time zone. User returns to time question. 1309   | User opens time picket and sees a correct, default time  |
| Multi Select Widget                       | User fills Multi Select Widget with appearance="autocomplete" 1373   | User is able to filter options in multi select widget  |
| Multi Select Widget                       | User starts form with images with form="image" and form="big-image" attributes 1510  | User is able to select an answer by clicking on an image only if big-image attribute is not specified, otherwise if user click on that image user is able to see it in gallery                       |
| Multi Select Widget                       | User is on multi select question with filtering. User adds filter. User changes device orientation OR minimizes app OR locks and unlocks screen 1427   | Filtering is still visible. Filter is not cleared.   |
| Multi Select Widget                       | User is on multiple select question with minimal appearance 1838   | Selected.' text is visible only if any option is selected  |
| Multi Select Widget                       | User selects at least two options. User opens hierarchy view. 1839   | Selected options from select multiple questionnaire separated by a comma in hierarchy view.  |
| Multi Select Widget                       | User sees checkboxes 2230  | CheckBoxes are not black on a dark theme.  |
| Multi Select Widget                       | User sees few options 2241   | Options are separated by a light line on dark theme (check all Multi widgets)  |
| Multi Select Widget                       | User fills form 1964   | User sees red warning  |
| Multi Select Widget                       | User starts form. User selects answer to first question 2284   | Toast does not appear  |
| Barcode widget                            | User opens Barcode Scanner 1304  | User sees a button which turn on a flashlight in barcode scanner widget  |
| Barcode widget                            | User opens front camera Barcode scanner  | User is able to use barcode scanner in front camera.   |
| Draw widget                               | User clicks on device back button during creating a draw 1494  | User sees Save/ignore dialog with icons  |
| Draw widget                               | User want to change color 1907   | User sees new color picker   |
| URL widget                                | User starts form with URL Widget 1221  | User is able to open URL Widget. App does not crash.   |
| Cascading Select                          | User starts form with cascading select where column headers start with a number 1182   | User is able to fill this form. User does not sees unexpected error  |
| Signature widget                          | User clicks on device back button during creating a signature 1494   | User sees Save/ignore dialog with icons  |
| Annotate widget                           | User clicks on device back button during marking on a photo 1494   | User sees Save/ignore dialog with icons  |

|                                  |   |  |
|----------------------------------|---|--|
| Annotate widget                  | User edits photo in horizontal/vertical orientation 1558  | Widget recognizes photo orientation and editing view is fitted to this orientation.  |
| Annotate widget                  | User starts form with image widget with appearance="annotate new" 108   | Choose Image is not available for appearance="annotate new"  |
| Annotate widget                  | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  | User sees permission dialog  |
| Image widget                     | User adds photo in vertical/horizontal orientation 36   | User sees that added photo is in correct orientation   |
| Image widget                     | User starts form with image widget with appearance="new" 108  | Choose Image is not available for appearance="new"   |
| Image widget                     | User adds photo from Google Drive 2151  | User is able to add image from Google Drive  |
| Image widget                     | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  | User sees permission dialog  |
| Image widget                     | The user starts a form with images The user chooses some image The user sees dialog "please wait a few moments" and changes device orientation 2158 | ODK Collect does not crash and image is loaded   |
| Selfie widget                    | User adds photo to selfie widget in vertical and horizontal position 1551   | User is able to add photo. App does not crash  |
| Selfie widget                    | User adds photo to selfie widget in vertical and horizontal position 1552   | Added photos are in correct orientation  |
| Selfie widget                    | User starts form with appearance="new-front".   | The user is able to take a picture via front camera. Questions with appearance="selfie" also works correctly.  |
| Selfie widget                    | User tap on the screen multiple times 2360  | App is not crash   |
| Selfie widget                    | User uses Collect with targetSdkVersion set to 23. User tries to add photo. 2263  | User sees permission dialog  |
| Bearing widget                   | User enters manually bearing reading on device without compass. 1655  | Bearing reading is entered manually when device doesn't have compass.  |
| Spinner widget                   | User starts form. User opens list with answers 1935   | Spinner widget opens with start-of-list  |
| Spinner widget                   | User uses dark theme. User opens popup dialog of Spinner widget 2213  | User sees that dialog is lighten   |
| Image-map widget                 | User is on question with image-map widget (single select) 1764  | User is able to select one part of image.  |
| Image-map widget                 | User is on question with image-map widget (multi select)  | User is able to select few parts of image.   |
| Image-map widget                 | User zooms on image   | Extra space is not visible. Zoom buttons are not visible   |
| Image-map widget                 | User is on question with image-map widget   | User sees that image takes 90% of screen.  |
| Image-map widget                 | User removes response and confirm 1903  | Selected parts are removed   |
| Image-map widget                 | User is on question with image-mapp widget. User selects answer 1855  | Second click on answer does not unselect it for single select question. Second click on answer unselects it for multi select   |
| Image-map widget                 | User is on question with body. User clicks on corpus 2107   | Element is not clickable because it does not exist in the database   |
| Ex string widget                 | User clicks on Launch button 1864   | The keyboard is visible just after showing an EditText field   |
| Ex integer widget                | User clicks on Launch button  | The keyboard is visible just after showing an EditText field   |
| Ex decimal widget                | User clicks on Launch button 1864   | The keyboard is visible just after showing an EditText field   |
| Audio widget                     | User starts form with audio widget with appearance="new" 108  | Choose Sound is not available for appearance="new"   |
| Audio widget                     | User records or adds sound. 2028  | User sees player. 'Play Sound' button is not visible   |
| Audio widget                     | User adds audio file from Google Drive 2159   | Audio file is added  |
| Audio widget                     | User uses Collect with targetSdkVersion set to 23. User tries to add audio. 2366  | User sees permission dialog  |
| Rank widget                      | User opens form with rank widget. 2180  |  |
| Rank widget                      | User opens form with rank widget. 2334  | User sees "Rank items" button, after clicking on that user see list of items and he is able to change order of the items by using drag and drop. Rank is created successfully, user is able to submit the form. Hierarchy numbers are visible on the left side of the rank list. |
| Rank widget                      | User opens form with rank widget. 2363  | Rank widget is visible as a dialog   |
| Location widgets                 | User search a location 1336   | User is able to find location in 'GPS Only' mode. User sees lower battery consumption.   |
| Location widgets                 | User is on view with map. User scrolls icons. 1181  | There is no extra space between grey header and icons. Padding is removed.   |
| Location widgets                 | User adds location and uses GPS. 2156   | User sees 'gps' capitalized  |
| Location widgets                 | User opens location dialog 54   | User sees information about number of available satellites and time elapsed in location dialog   |
| Location widgets                 | User sees map with dark theme 2241  | Location icon is black (check all Location widgets with map). While polyline icon is visible Text on 'Zoom to' dialog is white   |
| Location widgets                 | User starts form. User goes to 3rd question. 2081   | Question is opened with map User is able to add location   |
| Location widgets                 | User starts form with GeoPointWidget with placement-map appearance 2457   | User selects location  |
| Location widgets                 | Language other than English is set on device. User starts form with GeoTrace widget. User selects 'Automatic Mode' 2264                             | User sees that 'seconds' and 'minutes' words are translated  |
| GeoTrace Widget                  | User adds locations manually (Google Maps/OSM) 1459   | Altitude and accuracy are 0.0 when location is added manually  |
| GeoTrace Widget                  | User adds points in map User clicks on crosshair button. User selects 'Zoom to saved feature' 2238  | Crash does not occur The view zoom to show the whole area  |
| GeoTrace Widget                  | User selects offline basemaps 1610  | Offline basemaps is selected in Layer  |
| GeoTrace Widget                  | User uses Collect with targetSdkVersion set to 23. User tries to add location. 2321   | User sees permission dialog  |
| GeoShape widget                  | User adds points in map 2238  | Crash does not occur   |
| GeoShape widget                  | User adds one/two points in map 1124  | User sees toast  |
| GeoShape widget                  | User clicks on crosshair button. User selects 'Zoom to saved feature'   | The view zoom to show the whole area   |
| GeoPoint widget                  | User opens GeoPoint question with no appearance. User adds location. 1859   | 'Change Location' is visible in button   |
| GeoPoint widget                  | User adds location  | Put a value of accuracy and time needed to determine it.   |
| GeoPoint widget                  | User adds location. User sees 'Loading location' dialogs 2008   | User sees that Accuracy is &#60; 10m   |
| GeoPoint widget                  | User opens GeoPoint question with maps appearance 1615 2457   | User sees that option buttons occupy whole right area User is able to add answer   |
| GeoPoint widget                  | User clicks on crosshair button. User selects 'Zoom to saved feature'   | The view zoom to show the whole area   |
| Video widget                     | User starts form with video widget with appearance="new" 108  | Choose Video is not available for appearance="new"   |
| Video widget                     | User starts form 1985   | User is able to record video using front camera  |
| Video widget                     | User adds video file from Google Drive 2159   | Video file is added  |
| Video widget                     | User tap the screen multiple times 2360   | App is not crash   |
| Arbitrary widget                 | User adds file 2135   | User is able to add: amr, ogg, m4a, mp3, 3gp, gif, jpeg, jpg, png, pdf, doc, docx, txt, xls, xlsx, csv, xml, rtf, zip, rar files   |
| Arbitrary widget                 | User adds file from Google Drive 2258   | File is added  |
| SelectMultipleAutocompleteWidget | User opens form with SelectMultipleAutocomplete widget. 2395  | User opens form with SelectMultipleAutocomplete widget.  |
| About                            | User changes device orientation on About view 1402  | App does not crash even if user rotates the screen   |
| About                            | User opens About Activity 1802  | User sees icons. Text is visible at whole.   |
| About                            | User clicks on 'Open source libraries and licences' 1926  | The view has a title "Open Source Licenses" User sees that this view is opened by WebViewActivity  |
| About                            | User clicks multi times on each option 1917   | Views are not doubled  |

|   | Issue   | Case   | Expected Result   | ODK COLLECT 1.16.0<br>Android 6.0<br>dark theme<br>English language | ODK COLLECT 1.16.0<br>Android 5.1<br>light theme<br>Spanish language | ODK COLLECT 1.15.0<br>Android 6.0 light<br>theme | ODK COLLECT 1.15.0<br>Android 5.1 dark<br>theme |
|---|---|--|---|---|--|--|---|
| <b>Basic criteria - need to verify before every release</b> |   |  |   |   |  |  |   |
|   | <a href="#">pre-load.zip</a>                                    | User pre-load data into a new submission   | User is able to finish the form   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">external_itemsets.zip</a>                           | User uses external itemsets  | User is able to finish the form   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1412</a>   | User changes device orientation few times, quickly on views: Fill Blank Form, Edit Saved Form, View Sent Form, Get Blank Form  | App does not crash. User is able to continue work   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">OnePageForm.xml</a>                                 | User starts form with bunch of widgets on one page   | User is able to add answer on all questions   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1713</a>   | User starts form with bunch of widgets on one page with gps and image widget   | Selected image is always added even if location question is answered in form displayed on one page  | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">collectTester</a>                                   | Verify that ODK Collect Intents Tester app works as expected   | Views and forms are opened correctly  | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#2338</a>   | User opens ODK Collect Intents Tester app. User opens DOWNLOAD FORM. User adds FORM_ID and clicks on DOWNLOAD FORM button  | Form with added id is downloaded and visible in ODK Collect   | PASS  | PASS   |  |   |
|   | <a href="#">repeatTest.xml</a>                                  | Verify form with back to back repeats  | Collect works as expected   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">nested-repeats.xml</a>                              | Verify form with nested repeats  | Collect works as expected   | PASS  | PASS   | PASS   | PASS  |
|   |   | The app is closed in the middle of filling a form  | User sees that <b>autosave</b> is loaded and there is no data lost  | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1660</a>   | User selects some form management settings and then updates collect version.   | Option are NOT restored to default in updated collect version. All settings remain unchanged  | PASS  | PASS   | PASS   | PASS  |
| <b>Check out on freshly installed app</b>                   |   |  |   |   |  |  |   |
|   |   | User installs the current production version from Play Store. User sets some settings. User upgrades   | Settings are still set after the upgrade.   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#644</a>  | User uses Collect with targetSdkVersion set to 23. User opens Collect and sees permission dialog. User clicks on DENY and then OK on dialog with information. User opens Collect again and clicks on ALLOW   | Collect does not crash  | UNEXECUTED  | UNEXECUTED   | UNEXECUTED                                       | UNEXECUTED                                      |
|   | <a href="#">#644</a>  | User uses Collect with targetSdkVersion set to 23. The user can fill a form or open some view like eg. Get Blank Form. Permission is unselected and the user returns to Collect  | Collect does not crash. User is able to continue work   | UNEXECUTED  | UNEXECUTED   | UNEXECUTED                                       | UNEXECUTED                                      |
| <b>Offline</b>  |   |  |   |   |  |  |   |
|   |   | User opens 'Get Blank Form' when user is offline (Aggregate)   | User sees message 'No network connection available'   | PASS  | PASS   | PASS   | PASS  |
|   |   | User opens 'Get Blank Form' when user is offline (Google)  | User sees message 'No network connection available'   | PASS  | PASS   | PASS   | PASS  |
|   |   | User selects forms to send and clicks on 'Send Selected' when user is offline  | User sees message 'No network connection available'   | PASS  | PASS   | PASS   | PASS  |
|   |   | User loses internet connection during sending forms  | User sees message   | PASS  | PASS   | PASS   | PASS  |
|   |   | User loses internet connection during downloading new forms  | User sees message   | PASS  | PASS   | PASS   | PASS  |
| <b>Preferences</b>  |   |  |   |   |  |  |   |
|   | <a href="#">Configure Collect on many devices with QR codes</a> | Preference change is reflected in QR code  |   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#2244</a>   | User loads collect settings file with dark theme set   | Dark theme is applied to the main menu  | PASS  | PASS   |  |   |
|   | <a href="#">preloads.xml</a>                                    | Username is set in collect settings. User applies settings from file   | User opens Preloads form and sees username  | PASS  | PASS   |  |   |
|   | <a href="#">preloads.xml</a>                                    | User applies settings from QR code where Username is set   | User opens Preloads form and sees username  | PASS  | PASS   |  |   |
|   | <a href="#">#2353</a>   | User scans QR code settings  | User is able to scan QR code  | PASS  | PASS   |  |   |
| <b>Update / Downgrade</b>                                   |   |  |   |   |  |  |   |
|   | <a href="#">#1660</a>   | Preferences that were added or removed are properly updated  |   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1708</a>   | User updates<br>User installs version with old database. User updates to current version   | User sees that 'Moving backwards' option is checked after update<br>User is able to use app with updated database.  | PASS  | PASS   | PASS   | PASS  |
| <b>About</b>  |   |  |   |   |  |  |   |
|   | <a href="#">#1402</a>   | User changes device orientation on About view  | App does not crash even if user rotates the screen  | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1802</a>   | User opens About Activity  | User sees icons. Text is visible at whole   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1926</a>   | User clicks on 'Open source libraries and licences'  | User sees that this view is opened by WebViewActivity   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1917</a>   | User clicks multi times on each option   | Views are not doubled   | PASS  | PASS   | PASS   | PASS  |
| <b>General Settings</b>                                     |   |  |   |   |  |  |   |
| <b>Server</b>   |   |  |   |   |  |  |   |
| <b>ODK Aggregate</b>  |   |  |   |   |  |  |   |
|   |   | User uses ODK Aggregate  | User is able to set URL, Username and Password  | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1973</a>   | User tries to add unexpected sign before url, eg dot before https  | User sees message and dot is not saved even if user changes device orientation  | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#2199</a>   | User uses dark theme. User opens Server URL dialog   | Dropdown icon is white  | PASS  | PASS   | PASS   | PASS  |
| <b>Google Sheets</b>  |   |  |   |   |  |  |   |
|   |   | User uses Google Drive, Google Sheets  | User is able to set Google account and Fallback Submission URL  | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1386</a>   | User sees pop up to select Google account  | 'Add Account' option is visible when Google Sheets are selected in server   | PASS  | PASS   | PASS   | PASS  |
|   |   | User creates new Google account. User sends form to Sheets.  | User sees permission request. User allows and form is sent with success   | PASS  | PASS   | PASS   | PASS  |
| <b>Other</b>  |   |  |   |   |  |  |   |
|   | <a href="#">#2303</a>   | User chooses in Server Settings type: Other.<br>User edits Form list path and Submission path.   | Other platforms settings should appear.<br>Changes are updated immediately.   | PASS  | PASS   |  |   |
| <b>SMS submission</b>                                       |   |  |   |   |  |  |   |
| <b>SMS test</b>   |   |  |   |   |  |  |   |
|   | <a href="#">#242</a>  | User sets 'Destination phone number'   | Number is visible. Number is readable on dark mode  | PASS  | PASS   |  |   |
|   | <a href="#">#242</a>  | User finishes form and sends it  | Questions signed by odk-tag are sent via SMS  | PASS  | PASS   |  |   |
|   | <a href="#">#242</a>  | User is on 'Send Finalized Form' page. User selects 'Show Sent and Unsent Forms'.  | Sent submissions have correct status  | PASS  | PASS   |  |   |
|   | <a href="#">#242</a>  | User sets airplane mode on device  | Submissions has correct status with information about Airplane mode   | PASS  | PASS   |  |   |
|   | <a href="#">#242</a>  | User sends multiple submissions at the same time<br>User sets Send submission via SMS.<br>User sends submission via SMS (status is Sent as SMS).<br>User sets Send submission via WIFI.<br>User opens 'Send Finalized Forms' and selects Show Sent and Unsent Forms (status is Sent as SMS).<br>User sends a submission to Aggregate (status is Sent on [date])<br>User sets Send submission via SMS<br>User opens Send Finalized Forms and selects Show Sent and Unsent Forms | Submissions are sent with success<br>Status is 'Sent on [date]'   | PASS  | PASS   |  |   |
| <b>User interface</b>                                       |   |  |   |   |  |  |   |
|   |   | User is able to change language  | User is able to use ODK in selected language  | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1981</a>   | User uses RTL language<br>User is able to change text font size<br>User changes navigation to 'Use forward/backward buttons'<br>User changes navigation to 'Use swipe and buttons'<br>User changes navigation to 'Use horizontal swipes'<br>User chooses to shows splash screen when application starts<br>User changes Mapping SDK for OpenStreetMap SDK  | User sees that Fill Blank Form, Edit Saved Form, Send Finalized Form, View Sent Form, Get Blank Form and Delete Saved Form are aligned to the right side<br>User is able to use ODK in selected font size<br>User is able to use only buttons to navigate in form<br>User is able to use buttons and swipes to navigate in form<br>User swipes to navigate in form. Buttons are not visible<br>User sees default or own image<br>OSM Streets is selected as the default Basemap | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1856</a>   | User adds offline basemaps   | User is able to select it settings form both Mapping SDK. Offline basemaps are marked by '(custom, offline)'  | PASS  | PASS   |  |   |
| <b>Form Management</b>                                      |   |  |   |   |  |  |   |
|   |   | User selects Auto send - WIFI only   | User sees that finished forms are sent automatically when device is connected to WIFI   | PASS  | PASS   | PASS   | PASS  |
|   |   | User selects Auto send - Cellular only   | User sees that finished forms are sent automatically when mobile data are turned on   | PASS  | PASS   | PASS   | PASS  |
|   |   | User selects Auto send - WIFI or Cellular  | User sees that finished forms are sent automatically when device is connected to internet   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#2179</a>   | User sees information in notification. User clicks on it.<br>User selects 'Delete after send'  | Dialog is visible with results<br>User sees that form is deleted after send. User cannot review sent form, eye icon is visible.   | PASS  | PASS   |  |   |
|   |   | User selects 'Default to finalized'  | User sees that finalize checkbox is auto-selected at the end of form and form is ready to send  | PASS  | PASS   | PASS   | PASS  |
|   |   | User selects 'validate upon forward swipe' in 'Constraint processing behavior'   | User sees validation toast during filling form  | PASS  | PASS   | PASS   | PASS  |
|   |   | User selects 'Defer validation until finalized' in 'Constraint processing behavior'  | User is moved to the question with validation ONLY when user clicks on 'Save Form and Exit' button  | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1217</a>   | User is able to set an image size  | Photos are take in one of selected size: Original size from camera (default) / Very small / Small / Medium / Large  | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#2007</a>   | User sets 'Show guidance for questions' as Yes - always  | User sees guidance. The is not option to collapse and expand it   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#2007</a>   | User sets 'Show guidance for questions' as Yes - collapsed   | User sees guidance. The is option to collapse and expand it. Icon is visible at whole. Hint is not doubled in Full date and time question.  | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1694</a>   | User sees Hide old versions option   | Option is selected as default   | PASS  | PASS   | PASS   | PASS  |
| <b>User and device identity</b>                             |   |  |   |   |  |  |   |
|   | <a href="#">#1308</a>   | User opens Form Metadata. User adds Email address  | Email address is validated and requires @   | PASS  | PASS   | PASS   | PASS  |
|   | <a href="#">#1545</a>   | 4 Cases from issue   |   | PASS  | PASS   | PASS   | PASS  |
| <b>Admin Settings</b>                                       |   |  |   |   |  |  |   |
|   | <a href="#">#1658</a>   | User changes device orientation on admin settings view.  | App doesn't crash and screen rotated properly.  | PASS  | PASS   | PASS   | PASS  |

| Reset application       |         |  |  |            |            |            |            |
|-------------------------|---------|--|--|------------|------------|------------|------------|
|                         | #1269   | User goes to Admin Settings. User clicks on Reset Application. User resets some data.  | Reset result dialog does not disappear after change device orientation   | PASS       | PASS       | PASS       | PASS       |
|                         | #1067   | User unchecks a couple of admin settings options. User resets all settings.  | Admin settings are updated   | PASS       | PASS       | PASS       | PASS       |
|                         | #1067   | User changes the language in general settings. User resets all settings.   | Language is updated immediately  | PASS       | PASS       | PASS       | PASS       |
|                         | #1836   | User clicks on "Reset application...". Pop up appears  | Reset button is disabled when nothing is selected.   | PASS       | PASS       | PASS       | PASS       |
|                         | #2036   | User clicks on "Reset application". Pop up appears. User checks and unchecks options   | Focus on center is not visible   | PASS       | PASS       |            |            |
| User Settings           |         |  |  |            |            |            |            |
|                         | #1311   | User opens this settings. User does not see 'Type' option  | User sees 'Server' option  | PASS       | PASS       | PASS       | PASS       |
|                         | #2427   | User opens User Settings, there is Server option and Submission transport, user unchecks Server checkbox.  | Submission transport checkbox is disabled and grayed out. User is unable to select/unselect it. User goes to general settings, there shouldn't be Server option visible.       |            |            |            |            |
|                         |         | User goes back to User Settings, select Server option and unselect Submission transport checkbox.  | User goes to General Settings/Server and there is no Submission transport section.   |            |            |            |            |
| Import/Export settings  |         |  |  |            |            |            |            |
|                         | #1523   | User installs Collect. User changes few settings. User exports settings to QR code and file. Other user imports settings from QR code and file   | Settings are consistent with the set. There is no crash.   | PASS       | PASS       | PASS       | PASS       |
|                         | #1523   | User installs Collect. User changes few settings. User resets all settings   | All settings are set as default  | PASS       | PASS       | PASS       | PASS       |
|                         | #1523   | User installs Collect. User changes few settings. User exports settings to QR code without passwords. Other user imports settings from QR code   | Settings are consistent with the set   | PASS       | PASS       | PASS       | PASS       |
|                         | #1857   | User opens Import/Export Settings  | User sees Share icon and Save Settings icon. Pop up menu is not visible  | PASS       | PASS       | PASS       | PASS       |
|                         | #1932   | App to handle an image pick intent is not installed. User selects 'Select code form Sc Card'   | App does not crash. User sees toast.   | PASS       | UNEXECUTED | PASS       | UNEXECUTED |
|                         | #1879   | User opens Import/Export Settings few times  | QR code is not regenerated when settings were not changed. The last generated QRCode is cached in the sd-card.   | PASS       | PASS       | PASS       | PASS       |
| Form Entry Settings     |         |  |  |            |            |            |            |
|                         | #1456   | User unchecks "Allow moving backwards in forms" option.  | User is not able to move backwards when filling form.  | PASS       | PASS       | PASS       | PASS       |
|                         | #1704   | User selects "Defer validation until finalized" and then Admin unchecks "Allow moving backwards in forms" option.                                | Constraint processing option is set as 'Validate upon forward swipe' and is not editable   | PASS       | PASS       | PASS       | PASS       |
|                         | #1456   | User sees dialog with buttons: Yes/No  | Edit Saved Form, Save Form, Go To Prompt, Constraint processing is set to Validate upon forward swipe if user clicks on Yes  | PASS       | PASS       | PASS       | PASS       |
|                         | #1675   | User unchecks "Allow moving backwards in forms" option. User starts form. User restarts a phone.   | User sees question on which he finished. User is not able to moving backwards  | PASS       | PASS       | PASS       | PASS       |
| Widgets                 |         |  |  |            |            |            |            |
| Range Widget            |         |  |  |            |            |            |            |
| range.xml               | #105    | User fills Range Widget with type="xs:decimal"   | Widget with decimal values   | PASS       | PASS       | PASS       | PASS       |
|                         |         | User fills Range Widget with type="xs:integer"   | Widget with integer values   | PASS       | PASS       | PASS       | PASS       |
|                         |         | User fills Range Widget with appearance not specified  | Widget in horizontal position with ticks is a default appearance   | PASS       | PASS       | PASS       | PASS       |
|                         |         | User fills Range Widget with appearance="no-ticks"   | Ticks are not visible  | PASS       | PASS       | PASS       | PASS       |
|                         |         | User fills Range Widget with appearance="pickers"  | Dialog opens. User is able to select answer  | PASS       | PASS       | PASS       | PASS       |
|                         | #1136   | User fills Range Widget with appearance="vertical"   | Widget in vertical position with ticks   | PASS       | PASS       | PASS       | PASS       |
|                         |         | User fills Range Widget with appearance="vertical no-ticks"  | Widget in vertical position without ticks  | PASS       | PASS       | PASS       | PASS       |
|                         |         | User fills Range Widget with readonly="true"   | Edit is blocked  | PASS       | PASS       | PASS       | PASS       |
|                         | #1260   | User starts form with Range Widget   | Default value for range widget is null   | PASS       | PASS       | PASS       | PASS       |
|                         | #1950   | User selects min value   | Min value is visible   | PASS       | PASS       | PASS       | PASS       |
|                         | #1983   | User uses RTL languages  | RangeWidget works as expected on RTL languages   | PASS       | PASS       | PASS       | PASS       |
|                         | #2115   | User adds some value different than min value  | The min value is not visible for a moment  | PASS       | PASS       | PASS       | PASS       |
|                         | #1262   | User sees vertical range widget  | Blue bar is always visible   | PASS       | PASS       | PASS       | PASS       |
| Text Widget             |         |  |  |            |            |            |            |
|                         | #1268   | User fills Text Widget with readonly="true" with pre-filled value  | Underline is not visible. Text is black  | UNEXECUTED | UNEXECUTED | UNEXECUTED | UNEXECUTED |
| Number Widget           |         |  |  |            |            |            |            |
| thousands-separator.xml | #1709   | User fills form with appearance="thousands-sep" in integer, decima, stringNumber   | Thousands separator is visible in answer and in hierarchy view   | PASS       | PASS       | PASS       | PASS       |
| thousands-separator.xml | #1715   | User uses device in German/French/Dutch/English  | Thousands separator is visible according the locales   | PASS       | PASS       | PASS       | PASS       |
| Single Select Widget    |         |  |  |            |            |            |            |
| form.zip                | #1510   | User starts form with images with form="image" and form="big-image" attributes   | User is able to select an answer by clicking on an image only if big-image attribute is not specified, otherwise if user click on that image user is able to see it in gallery | PASS       | PASS       | PASS       | PASS       |
| 1427select.xml          | #1427   | User is on single select question with filtering. User adds filter. User changes device orientation OR minimizes app OR locks and unlocks screen | Filtering is still visible. Filter is not cleared.   | PASS       | PASS       | PASS       | PASS       |
| selectSpace2.xml        | JS #267 | User starts form. User selects options with space. User saves form. User opens saved form.   | Answers with space are visible   | PASS       | PASS       | PASS       | PASS       |
|                         | #1976   | User starts form with question Select One Search Widget  | User sees separator lines  | PASS       | PASS       | PASS       | PASS       |
|                         | #2230   | User sees radio buttons  | Radio buttons are not black on a dark theme.   | PASS       | PASS       |            |            |
|                         | #2241   | User sees few options  | Options are separated by a light line on dark theme (check all Select widgets)   | PASS       | PASS       |            |            |
| Multi Select Widget     |         |  |  |            |            |            |            |
|                         | #1373   | User fills Multi Select Widget with appearance="autocomplete"  | User is able to filter options in multi select widget  | PASS       | PASS       | PASS       | PASS       |
| form.zip                | #1510   | User starts form with images with form="image" and form="big-image" attributes   | User is able to select an answer by clicking on an image only if big-image attribute is not specified, otherwise if user click on that image user is able to see it in gallery | PASS       | PASS       | PASS       | PASS       |
| 1427select.xml          | #1427   | User is on multi select question with filtering. User adds filter. User changes device orientation OR minimizes app OR locks and unlocks screen  | Filtering is still visible. Filter is not cleared.   | PASS       | PASS       | PASS       | PASS       |
|                         | #1838   | User is on multiple select question with minimal appearance  | Selected: text is visible only if any option is selected   | PASS       | PASS       | PASS       | PASS       |
|                         | #1839   | User selects at least two options. User opens hierarchy view.  | Selected options from select multiple questionnaire separated by a comma in hierarchy view.  | PASS       | PASS       | PASS       | PASS       |
|                         | #2230   | User sees checkboxes   | Checkboxes are not black on a dark theme.  | PASS       | PASS       |            |            |
|                         | #2241   | User sees few options  | Options are separated by a light line on dark theme (check all Multi widgets)  | PASS       | PASS       |            |            |
| multi-warning.xml       | #1964   | User fills form  | User sees red warning  | PASS       | PASS       |            |            |
| multi-warning.xml       | #2284   | User starts form. User selects answer to first question  | Toast does not appear  | PASS       | PASS       |            |            |
| Date Widget             |         |  |  |            |            |            |            |
| 1330ethiopean.xml       | #1330   | User starts form with Ethiopian calendar   | Ethiopian calendar is available  | PASS       | PASS       | PASS       | PASS       |
| 1576coptic.xml          | #1576   | User starts form with Coptic calendar  | Coptic calendar is available   | PASS       | PASS       | PASS       | PASS       |
| islamic.xml             | #1661   | User starts form with Islamic calendar   | Islamic calendar is available.   | PASS       | PASS       | PASS       | PASS       |
| gregorian.xml           |         | User starts form with Gregorian calendar   | Gregorian calendar is available.   | PASS       | PASS       | PASS       | PASS       |
| Time Widget             |         |  |  |            |            |            |            |
|                         | #1309   | User adds time to question. User changes device time zone. User returns to time question.  | User opens time picket and sees a correct, default time  | PASS       | PASS       | PASS       | PASS       |
| Location Widget         |         |  |  |            |            |            |            |
|                         | #1336   | User search a location   | User is able to find location in 'GPS Only' mode. User sees lower battery consumption.   | PASS       | PASS       | PASS       | PASS       |
|                         | #1181   | User is on view with map. User scrolls icons.  | There is no extra space between grey header and icons. Padding is removed.   | PASS       | PASS       | PASS       | PASS       |
|                         | #2156   | User adds location and uses GPS.   | User sees 'gps' capitalized  | PASS       | PASS       | PASS       | PASS       |
|                         | #54     | User opens location dialog   | User sees information about number of available satellites and time elapsed in location dialog   | PASS       | PASS       | PASS       | PASS       |
|                         | #2241   | User sees map with dark theme  | * Location icon is black (check all Location widgets with map).<br>* While polyline icon is visible<br>* Text on 'Zoom to' dialog is white                                     | PASS       | PASS       |            |            |
| placement-map.xml       | #2081   | User starts form. User goes to 3rd question.   | Question is opened with map  | PASS       | PASS       |            |            |
|                         | #2264   | Language other than English is set on device. User starts form with GeoTrace widget. User selects 'Automatic Mode'                               | User sees that 'seconds' and 'minutes' words are translated  | PASS       | PASS       |            |            |
| Cascading select        |         |  |  |            |            |            |            |
| numberinCSV.xml         | #1182   | User starts form with cascading select where column headers start with a number  | User is able to fill this form. User does not sees unexpected error  | PASS       | PASS       | PASS       | PASS       |
| URL Widget              |         |  |  |            |            |            |            |
|                         | #1221   | User starts form with URL Widget   | User is able to open URL Widget. App does not crash.   | PASS       | PASS       | PASS       | PASS       |
| Draw widget             |         |  |  |            |            |            |            |
|                         | #1404   | User clicks on device back button during creating a draw   | User sees Save/Ignore dialog with icons  | PASS       | PASS       | PASS       | PASS       |
|                         | #1907   | User want to change color  | User sees new color picker   | PASS       | PASS       | PASS       | PASS       |
| Annotate widget         |         |  |  |            |            |            |            |
|                         | #1404   | User clicks on device back button during marking on a photo  | User sees Save/Ignore dialog with icons  | PASS       | PASS       | PASS       | PASS       |
|                         | #1558   | User edits photo in horizontal/vertical orientation  | Widget recognizes photo orientation and editing view is fitted to this orientation.  | PASS       | PASS       | PASS       | PASS       |
| NewAppearance.xml       | #108    | User starts form with image widget with appearance="annotate new"  | Choose Image is not available for appearance="annotate new"  | PASS       | PASS       | PASS       | PASS       |



|   |          |  |  |            |            |            |      |
|---|----------|--|--|------------|------------|------------|------|
|   | #2263    | User uses Collect with targetSdkVersion set to 23. User tries to add photo.  | User sees permission dialog  | UNEXECUTED | UNEXECUTED |            |      |
| <b>Signature widget</b>                 | #1494    | User clicks on device back button during creating a signature  | User sees Save/Ignore dialog with icons  | PASS       | PASS       | PASS       | PASS |
| <b>Barcode widget</b>                   | #1304    | User opens Barcode Scanner   | User sees a button which turn on a flashlight in barcode scanner widget  | PASS       | PASS       | PASS       | PASS |
| <b>Image Widget</b>                     | #36      | User adds photo in vertical/horizontal orientation   | User sees that added photo is in correct orientation   | PASS       | PASS       | PASS       | PASS |
| NewAppearance.xml                       | #108     | User starts form with image widget with appearance="new"   | Choose Image is not available for appearance="new"   | PASS       | PASS       | PASS       | PASS |
|   | #2151    | User adds photo from Google Drive  | User is able to add image from Google Drive  | PASS       | PASS       | PASS       | PASS |
|   | #2263    | User uses Collect with targetSdkVersion set to 23. User tries to add photo.  | User sees permission dialog  | UNEXECUTED | UNEXECUTED |            |      |
| <b>Selfie Widget</b>                    | #1551    | User adds photo to selfie widget in vertical and horizontal position   | User is able to add photo. App does not crash  | PASS       | PASS       | PASS       | PASS |
| selfies.xml                             | #1562    | User adds photo to selfie widget in vertical and horizontal position   | Added photos are in correct orientation  | PASS       | PASS       | PASS       | PASS |
|   | #1848    | User starts form with appearance="new-front".  | The user is able to take a picture via front camera. Questions with appearance="selfie" also works correctly.  | PASS       | PASS       | PASS       | PASS |
|   | #2360    | User tap on the screen multiple times  | App is not crash   | PASS       | PASS       |            |      |
|   | #2263    | User uses Collect with targetSdkVersion set to 23. User tries to add photo.  | User sees permission dialog  | UNEXECUTED | UNEXECUTED |            |      |
| <b>GeoTrace Widget</b>                  | #1459    | User adds locations manually (Google Maps/OSM)   | Altitude and accuracy are 0.0 when location is added manually  | PASS       | PASS       | PASS       | PASS |
|   | #2238    | User adds points in map  | Crash does not occur   | PASS       | PASS       | PASS       | PASS |
|   | #1610    | User clicks on crosshair button. User selects 'Zoom to saved feature'  | The view zoom to show the whole area   | PASS       | PASS       |            |      |
|   | #2321    | User selects offline basemaps  | Offline basemaps is selected in Layer  | PASS       | PASS       |            |      |
|   | #2321    | User uses Collect with targetSdkVersion set to 23. User tries to add location.                                     | User sees permission dialog  | UNEXECUTED | UNEXECUTED |            |      |
| <b>GeoShape Widget</b>                  | #2238    | User adds points in map  | Crash does not occur   | PASS       | PASS       | PASS       | PASS |
|   | #1124    | User adds one/two points in map  | User sees toast  | PASS       | PASS       | PASS       | PASS |
|   |          | User clicks on crosshair button. User selects 'Zoom to saved feature'  | The view zoom to show the whole area   | PASS       | PASS       |            |      |
| <b>GeoPoint Widget</b>                  | #1859    | User opens GeoPoint question with no appearance. User adds location.   | Change Location is visible in button   | PASS       | PASS       | PASS       | PASS |
|   | #2008    | User adds location   | Put a value of accuracy and time needed to determine it.   | PASS       | PASS       | PASS       | PASS |
|   | #1615    | User adds location. User sees 'Loading location' dialogs   | User sees that Accuracy is < 10m   | PASS       | PASS       | PASS       | PASS |
|   | #1615    | User opens GeoPoint question with maps appearance  | User sees that option buttons occupy whole right area  | PASS       | PASS       | PASS       | PASS |
|   | #1615    | User clicks on crosshair button. User selects 'Zoom to saved feature'  | The view zoom to show the whole area   | PASS       | PASS       |            |      |
| <b>Bearing widget</b>                   | #1655    | User enters manually bearing reading on device without compass.  | Bearing reading is entered manually when device doesn't have compass.  | UNEXECUTED | PASS       | UNEXECUTED | PASS |
| <b>Image-map widget</b>                 | #1704    | User is on question with image-map widget (single select)  | User is able to select one part of image.  | PASS       | PASS       | PASS       | PASS |
| canada.xml                              |          | User is on question with image-map widget (multi select)   | User is able to select few parts of image.   | PASS       | PASS       | PASS       | PASS |
| human.xml                               |          | User zooms on image  | Extra space is not visible. Zoom buttons are not visible   | PASS       | PASS       | PASS       | PASS |
| europe.xml                              |          | User is on question with image-map widget  | User sees that image takes 90% of screen.  | PASS       | PASS       | PASS       | PASS |
| shapes.xml                              | #1903    | User removes response and confirm  | Selected parts are removed   | PASS       | PASS       | PASS       | PASS |
|   | #1855    | User is on question with image-mapp widget. User selects answer  | Second click on answer does not unselect it for single select question. Second click on answer unselects it for multi select   | PASS       | PASS       | PASS       | PASS |
|   | #2107    | User is on question with body. User clicks on corpus   | Element is not clickable because it does not exist in the database   | PASS       | PASS       | PASS       | PASS |
| <b>Video Widget</b>                     | #108     | User starts form with video widget with appearance="new"   | Choose Video is not available for appearance="new"   | PASS       | PASS       | PASS       | PASS |
| NewAppearance.xml                       | PR #1985 | User starts form   | User is able to record video using front camera  | PASS       | PASS       | PASS       | PASS |
| selfie-video.xml                        | #2159    | User adds video file from Google Drive   | Video file is added  | PASS       | PASS       |            |      |
|   | #2360    | User tap on the screen multiple times  | App is not crash   | PASS       | PASS       |            |      |
| <b>Audio Widget</b>                     | #108     | User starts form with audio widget with appearance="new"   | Choose Sound is not available for appearance="new"   | PASS       | PASS       | PASS       | PASS |
| NewAppearance.xml                       | #2028    | User records or adds sound.  | User sees player. 'Play Sound' button is not visible   | PASS       | PASS       | PASS       | PASS |
|   | #2159    | User adds audio file from Google Drive   | Audio file is added  | PASS       | PASS       |            |      |
|   | #2366    | User uses Collect with targetSdkVersion set to 23. User tries to add audio.  | User sees permission dialog  | UNEXECUTED | UNEXECUTED |            |      |
| <b>Spinner widget</b>                   | #1935    | User starts form. User opens list with answers   | Spinner widget opens with start-of-list  | PASS       | PASS       | PASS       | PASS |
| selectOneMinimal.xml                    | #2213    | User uses dark theme. User opens popup dialog of Spinner widget  | User sees that dialog is lighten   | PASS       | PASS       | PASS       | PASS |
| <b>Ex string widget</b>                 | #1864    | User clicks on Launch button   | The keyboard is visible just after showing an EditText field   | PASS       | PASS       | PASS       | PASS |
| <b>Ex integer widget</b>                | #1864    | User clicks on Launch button   | The keyboard is visible just after showing an EditText field   | PASS       | PASS       | PASS       | PASS |
| <b>Ex decimal widget</b>                | #1864    | User clicks on Launch button   | The keyboard is visible just after showing an EditText field   | PASS       | PASS       | PASS       | PASS |
| <b>Arbitrary file Widget</b>            | #2135    | User adds file   | User is able to add: amr, ogg, m4a, mp3, 3gp, gif, jpeg, jpg, png, pdf, doc, docx, txt, xls, xlsx, csv, xml, rtf, zip, rar files   | PASS       | PASS       | PASS       | PASS |
| arbitraryWidget.xml                     | #2258    | User adds file from Google Drive   | File is added  | PASS       | PASS       |            |      |
| <b>Rank Widget</b>                      | #2180    | User opens form with rank widget.  | User sees "Rank items" button, after clicking on that user see list of items and he is able to change order of the items by using drag and drop. Rank is created successfully, user is able to submit the form. Hierarchy numbers are visible on the left side of the rank list. | PASS       | PASS       |            |      |
| rank.xml filter-rank.xml                | #2334    | User opens form with rank widget.  | Rank widget is visible as a dialog   | PASS       | PASS       |            |      |
|   | #2363    | User opens form with rank widget.  |  | PASS       | PASS       |            |      |
| <b>SelectMultipleAutocompleteWidget</b> | #2395    | User opens form with SelectMultipleAutocomplete widget.  | Horizontal separators are visible.   |            |            |            |      |
| SelectMultipleAutocomplete.xml          |          |  |  |            |            |            |      |
| <b>Fill Blank Form</b>                  | #1630    | User clicks quickly on 'Fill Blank Form' button in main menu several times   | Fill Blank Form list is not opened two times   | PASS       | PASS       | PASS       | PASS |
|   | PR #1769 |  | Progress bar is visible.   | PASS       | PASS       | PASS       | PASS |
| Cascading Select Form.xml               | #1444    | User uses Google Sheets. User fills form with secondary instances, eg. Cascading Select                            | Only primary instance are counted in the columns   | PASS       | PASS       | PASS       | PASS |
|   | #753     | User sends finalized form using spreadsheet  | Unnecessary columns are removed  | PASS       | PASS       | PASS       | PASS |
|   | #442     | User sends finalized form with photo   | User is able to send photos to Google Sheets   | PASS       | PASS       | PASS       | PASS |
|   | #1630    | User clicks quickly on some form several times   | Form is not open two times   | PASS       | PASS       | PASS       | PASS |
|   | #2229    | User saves/ignores changes or finish form  | User is always moved to main menu view   | PASS       | PASS       | PASS       | PASS |
|   | #1952    | User uses form with auto-send attribute  | Only auto-send attribute causes sending form. auto-submit attribute is not longer exist  |            | PASS       | PASS       | PASS |
| #1750                                   | #791     | User fills form with configuration: Auto Send - Off; Delete after send - Off; auto-delete="true"; auto-send="true" | Form is auto sent and removed from device. There is no opportunity to open sent form in 'View Sent Form'. Crossed eye icon is visible.   | PASS       | PASS       | PASS       | PASS |
| #1750                                   | #791     | User fills form with configuration: Auto Send - On; Delete after send - On; auto-delete="false"; auto-send="false" | Form need to be manually selected to send. User can open form in 'View Sent Form'. Crossed eye icon is NOT visible.  | PASS       | PASS       | PASS       | PASS |
| #1750                                   | #791     | User fills form with configuration: Auto Send - On; Delete after send - Off; auto-delete="true"; auto-send="false" | Form need to be manually selected to send. There is no opportunity to open sent form in 'View Sent Form'. Crossed eye icon is visible.   | PASS       | PASS       | PASS       | PASS |
| #1750                                   | #791     | User fills form with configuration: Auto Send - Off; Delete after send - On; auto-delete="false"; auto-send="true" | Form is auto sent. User can open form in 'View Sent Form'. Crossed eye icon is NOT visible.  | PASS       | PASS       | PASS       | PASS |
| audit-test-oxr.xml                      | #1340    | User loads form with audit   | ODK does not crashes. User is able to use this form  | PASS       | PASS       | PASS       | PASS |
| Audit.xml                               | #2113    | User starts form, user jumps to other question   | end time is included in the jump event   | PASS       | PASS       | PASS       | PASS |
| Audit.xml                               | #2111    | User adds string longer than 2 characters in text question   | end screen event shows end time when followed by constraint error  | PASS       | PASS       | PASS       | PASS |
| Audit.xml                               | #2136    | User starts filling form and saves it. User opens the saved form   | jump event is logged after opening saved form  | PASS       | PASS       | PASS       | PASS |
| Audit.xml                               | #2134    | User fills and sends form. User opens the form from View Sent Form list  | audit.csv file is NOT affected when opening a sent form from the View Sent Form list   | PASS       | PASS       | PASS       | PASS |
|   | #1264    | User sees list of all forms  | Forms are sorted alphabetically even if form names starts from lower case and upper case   | PASS       | PASS       | PASS       | PASS |
|   | #1555    | User sorts forms by the newest date  | Forms are sorted correctly. The most recent forms are visible as a first.  | PASS       | PASS       | PASS       | PASS |
|   | #1478    | User clicks on device back button during filling form  | User sees ODK Collect dialog with Save/Ignore options and icons  | PASS       | PASS       | PASS       | PASS |
|   | #1307    | User manually changes something in xml file of loaded form   | User is able to open second version of this form and fills it without problem  | PASS       | PASS       | PASS       | PASS |
|   | #1319    | User fills form where widgets are read-only  | Read-only strings have black color   | PASS       | PASS       | PASS       | PASS |
|   | #1287    | User clicks on search icon on header (magnifier)   | Search view is in the app bar itself. Additional space is not occupied.  | PASS       | PASS       | PASS       | PASS |
| TestRepeat.xml                          | #1404    | User fills attached form. User sees next/prev navigation buttons. User does not add groups.                        | User sees last info view only once   | PASS       | PASS       | PASS       | PASS |
| TestRepeat.xml                          | #1722    | User uses forward/backward buttons to navigate in TestRepeat form. User is on first view of this form              | Backward button is not able to use on first page of forms.   | PASS       | PASS       | PASS       | PASS |

|   |          |  |   |            |            |            |            |
|---|----------|--|---|------------|------------|------------|------------|
|   | #1219    | User is on view with 'Save Form and Exit' button. User edits name and changes device orientation.  | Name changed by user is visible even if user changes device orientation on minimizes ODK  | PASS       | PASS       | PASS       | PASS       |
|   | #1407    | User uses navigation buttons. User is on first question. User changes device orientation.  | Backward button is not clickable on first question in form if user changes device orientation   | PASS       | PASS       | PASS       | PASS       |
| 1560_DateData.xml                       | #1560    | User opens specific forms where value has a different type than expected   | App does not crashes  | PASS       | PASS       | PASS       | PASS       |
| 1560_IntegerData_instanceD.xml          | #1498    | User sees Forward/backward navigation buttons  | Appearance of Forward/backward navigation buttons is the same on Android versions   | UNEXECUTED | UNEXECUTED | UNEXECUTED | UNEXECUTED |
| 1560_IntegerData.xml                    | #1624    | User quickly clicks the button several time  | User is not able to open two answer dialogs   | PASS       | PASS       | PASS       | PASS       |
|   | #1723    | User quickly clicks the 'Select date' button several times   | User is not able to open two dialogs  | PASS       | PASS       | PASS       | PASS       |
| 1648.xml                                | #183     | User starts form with defined title of repeats   | User sees that repeating section titles are changed   | PASS       | PASS       | PASS       | PASS       |
|   | #1672    | User doesn't see form which contains invalid URL address on form list.   | Form which contains invalid URL address is not displayed on fill blank form list.   | PASS       | PASS       | PASS       | PASS       |
| nigeria-wards and eIMCI                 | #1670    | User opens big form<br>User starts nested-repeater and adds few groups. User goes to index view.   | Form is loaded correctly<br>User sees that group headers are the same as in form and do not have unexpected number  | PASS       | PASS       | PASS       | PASS       |
| #1255/form*.xml                         | #1255    | User fills form with nested groups with 'field-list' appearance  | User is able to fill form with nested groups with 'field-list' appearance   | PASS       | PASS       | PASS       | PASS       |
|   | #1574    | User uses swipe to fill form. User adds navigation button during filling form.   | User sees navigation button even if buttons were turned on during filling form.   | PASS       | PASS       | PASS       | PASS       |
| All widgets required.xml, requiredOnePa | #1827    | User fills form with required questions  | Red asterisk at the beginning is visible.   | PASS       | PASS       | PASS       | PASS       |
| blankSpace.xml                          | #1824    | User fills form with images on group with appearance="field-list". User removes added image.   | Blank space is not visible  | PASS       | PASS       | PASS       | PASS       |
| RepeatGroupAndGroup.xml                 | #1708    | User starts form. User does not add group.   | User is able to clicks backward button. Backward button is active.  | PASS       | PASS       | PASS       | PASS       |
| Birds.xml                               | #1976    | User opens form with audio. User clicks on speaker icon.   | Text is highlighted but there is no background of question  | PASS       | PASS       | PASS       | PASS       |
| RepeatGoogleSheets.xml and fewRepea     | #1395    | User uses Google Sheets. User send form with repeated section  | Repeat section is correctly represented in Sheets   | PASS       | PASS       | PASS       | PASS       |
| nested-indexed-repeat.xml and nRepeat   | #2083    | User uses Google Sheets and send form with nested repeat section   | Repeat sections are correctly represented in Sheets. PARENT_KEY and KEY are always visible.   | PASS       | PASS       | PASS       | PASS       |
| select_one_external.xml                 | #394     | User starts form and selects Washington -> Kings (first on list) -> Seattle/Redmond and Washington -> Kings (second on list) -> nothing  | Options are not mixed   | PASS       | PASS       | PASS       | PASS       |
| cascading_select_external_itemsets2.xr  | #1758    | User starts form and selects Texas > Cameron > This is a test. User opens hierarchy view.  | In hierarchy view 'This is a test' is visible instead of 'test1'.   | PASS       | PASS       | PASS       | PASS       |
| repeat_group_new.xml                    | JR #273  | User starts form, adds few repeats. User is at the end of form. User swipes back.  | User is able to swipes back. Previous view appears  | PASS       | PASS       | PASS       | PASS       |
| requiredJS275.xml and attributes.xml    | JR #275  | User starts form. User swipes on the first question.   | User sees custom message  | PASS       | PASS       | PASS       | PASS       |
| ShowTime.xml                            | JR #228  | User starts form.  | User sees date and TIME   | PASS       | PASS       | PASS       | PASS       |
| dateTimeTest.xml                        | #2054    | User sets only one value (date of time) to required date question and tries to go forward.   | User is not able to go forward with only one value added.   | PASS       | PASS       | PASS       | PASS       |
| dateTimeTest.xml                        | #2054    | User sets both values (date and time) to required date question and tries to go forward.   | User is able to go forward when both values are added.  | PASS       | PASS       | PASS       | PASS       |
| test1695.xml                            | #1605    | User starts form. User fills K050003, 05. User goes to next view.  | User sees California  | PASS       | PASS       | PASS       | PASS       |
|   | #2049    | User fills form and adds some media - video, photo, audio. User saves form. User edits form and update media. User ignores last changes. User opens form again                   | Media files added as a first in form are still visible.   | PASS       | PASS       | PASS       | PASS       |
| OnePageFormSubmission.xml               | #1777    | Do not keep activities option is turned on. User sends finalized forms to Google Sheets. User sees dialog. User minimize app. User opens app again and tries to send form again. | Submission is not doubled on Google Sheets if the user minimize app during sending and 'Do not keep activities' option is turned on   | PASS       | PASS       | PASS       | PASS       |
| random.xml randomTest_broken.xml        | #2144    | User starts form with random(). User fills it few times and sends.   | User sees that values are really random for the same device   | PASS       | PASS       | PASS       | PASS       |
| GeolocationSheets.xml                   | #1052    | User uses Google Sheets and sends form with location.  | There are 3 columns for location: Point, altitude, accuracy. Values in Point are separated by comma.  | PASS       | PASS       | PASS       | PASS       |
| manyQ.xml                               | #2147    | User starts form. User is on n1 question. User opens Index View.   | n1 question is visible as a first   | PASS       | PASS       | PASS       | PASS       |
| OnePageFormValid.xml                    | #2112    | User starts form with question on one page and validation. User adds invalid answers. User skips to end and clicks on Save Form and Exit   | The user is no longer moved to view with only one question. The user sees view which contains all questions on one page.  | PASS       | PASS       | PASS       | PASS       |
| OnePageFormValid.xml                    | #2118    | User starts form with question on one page and validation. User adds invalid answers. User skips to end and clicks on Save Form and Exit   | User sees that question is highlighted in red only in the field list. There is no focus > keyboard is not visible in the field list   | PASS       | PASS       | PASS       | PASS       |
| OnePageFormShort.xml                    | #1401    | User starts form with short label. User opens Index View   | User sees short forms   | PASS       | PASS       | PASS       | PASS       |
| OnePageFormSubmission.xml               | #2221    | User starts form and adds attachments. User sends form.  | Attachments are not represented as a hyperlink. Full URL is visible.  | PASS       | PASS       | PASS       | PASS       |
|   | #1909    | User opens Birds form. User clicks on Speaker icon. Speaker icon is changed to Pause icon. User immediately clicks on some other Speaker icon.                                   | Currently playing sound is paused when some other speaker icon is clicked.  | PASS       | PASS       | PASS       | PASS       |
| Birds                                   | #2101    | User opens Birds form on view with media on RTL language   | View with media is mirrored from LTR.   | PASS       | PASS       | PASS       | PASS       |
|   | #1914    | User opens 'All Widgets' form with RTL language. User opens Hierarchy view   | Hierarchy view dispays question list  | PASS       | PASS       |            |            |
| arabic.xml                              | #2330    |  | Text should appear RTL  | UNEXECUTED | UNEXECUTED |            |            |
| send-sms.xml                            | #2350    | User fills form  | SMS app or default email app opens when user clicks on Launch button<br>Clicking on Launch button moves the user to phone app. A phone number is auto-populated if the user selects a number in the first question. | PASS       | PASS       |            |            |
| dial-number.xml                         | #2385    | User starts form   |   | PASS       | PASS       |            |            |
| <b>Edit Saved Form</b>                  |          |  |   |            |            |            |            |
|   | #1630    | User clicks quickly on 'Edit Saved Form' button in main menu several times   | Edit Saved Form list is not open two times  | PASS       | PASS       | PASS       | PASS       |
|   | PR #1769 |  | Progress bar is visible.  | PASS       | PASS       | PASS       | PASS       |
|   | #1489    | User sees list of forms  | Forms are sorted alphabetically even if form names starts from lower case and upper case  | PASS       | PASS       | PASS       | PASS       |
| <b>Send Finalized Form</b>              |          |  |   |            |            |            |            |
|   | #1630    | User clicks quickly on 'Send Finalized Form' button in main menu several times   | Send Finalized Form list is not open two times  | PASS       | PASS       | PASS       | PASS       |
|   | PR #1769 |  | Progress bar is visible.  | PASS       | PASS       | PASS       | PASS       |
|   | #1489    | User sees list of forms  | Forms are sorted alphabetically even if form names starts from lower case and upper case  | PASS       | PASS       | PASS       | PASS       |
| transfer to local instance              | #1231    | User sends 1000 forms to ODK Aggregate   | All forms were uploaded with success  | PASS       | UNEXECUTED | PASS       | UNEXECUTED |
|   | #1231    | User sends 1000 forms to Google Sheets   | All forms were uploaded with success  | PASS       | UNEXECUTED | UNEXECUTED | PASS       |
|   | #1386    | User sees pop up to select Google account  | Add Account' option is visible when Google Sheets are selected in server  | PASS       | PASS       | PASS       | PASS       |
|   | #1626    | User sees pop up to select Google account  | Pop up dialog has white background for white theme and dark background for dark theme   | PASS       | PASS       | PASS       | PASS       |
|   | #1786    | User sees pop up to select Google account  | First option is selected automatically  | PASS       | PASS       | PASS       | PASS       |
| OnePageFormSubmissionGO.xml             | #576     | User uses ODK Aggregate. User fills form with specified submission URL. User sends finalized form  | User sees dialog asking for credentials to specified Aggregate  | PASS       | PASS       | PASS       | PASS       |
| OnePageFormSubmissionGO.xml             | #1778    | User sees 'Server Required Authentication' dialog. User does not put credentials and clicks OK button. User sees the dialog again and clicks on Cancel button                    | User is moved to 'Send Finalized Form' page and form is unselected. Confusing toast is not visible  | FAIL       | FAIL       | PASS       | PASS       |
|   | #1961    | User send finalized form   | Additional 'Device ID' parameter has no negative influence on submitting forms  | PASS       | PASS       | PASS       | PASS       |
|   | #2153    | The user opens Send Finalized Form. Select All button is active. The user clicks on the search icon.   | Select All button is not changed  | PASS       | PASS       | PASS       | PASS       |
|   | #2171    | The user opens Send Finalized Form. The user clicks on Select All button. The user clicks on the search icon   | Previously selected forms are still selected even if the user clicks on the search icon   | PASS       | PASS       | PASS       | PASS       |
| <b>View Sent Form</b>                   |          |  |   |            |            |            |            |
|   | #1630    | User clicks quickly on 'View Sent Form' button in main menu several times  | View Sent Form list is not open two times   | PASS       | PASS       | PASS       | PASS       |
|   | PR #1769 |  | Progress bar is visible.  | PASS       | PASS       | PASS       | PASS       |
|   | #1489    | User sees list of forms  | Forms are sorted alphabetically even if form names starts from lower case and upper case  | PASS       | PASS       | PASS       | PASS       |
| <b>Get Blank Form</b>                   |          |  |   |            |            |            |            |
|   | #1630    | User clicks quickly on 'Get Blank Form' button in main menu several times  | Get Blank Form list is not open two times   | PASS       | PASS       | PASS       | PASS       |
|   | #1701    | User opens sorting menu and select 'Name, Z-A'   | Option 'Name, A-Z' does not have highlighted icon   | PASS       | PASS       | PASS       | PASS       |
|   | #1501    | User uses Google Sheets. User opens Get Blank Form view. User downloads form.  | The form and corresponding media files are downloaded   | PASS       | PASS       | PASS       | PASS       |
|   | #1937    | User opens 'Get Blank Form' view.  | Menu icon (3 dots) is not visible   | PASS       | PASS       | PASS       | PASS       |
|   | #1597    | User uses Google Sheets. User opens Get Blank Form view. User sees forms with long file name   | User sees that file names do not cover checkboxes   | PASS       | PASS       | PASS       | PASS       |
|   | #1604    | User uses Google Sheets. User opens Get Blank Form, and scroll up and down   | User sees that any new checkboxes do not show up next to folders when user scrolls  | PASS       | PASS       | PASS       | PASS       |
|   | #2074    | User uses Google Sheets. User opens Get Blank Form. User selects few checkboxes and scroll up and down   | Selection does not disappear  | PASS       | PASS       | PASS       | PASS       |
|   | #1386    | User sees pop up to select Google account  | Add Account' option is visible when Google Sheets are selected in server  | PASS       | PASS       | PASS       | PASS       |
|   | #1626    | User sees pop up to select Google account  | Pop up dialog has white background for light theme and dark background for dark theme   | PASS       | PASS       | PASS       | PASS       |
|   | #1786    | User sees pop up to select Google account  | First option is selected automatically  | PASS       | PASS       | PASS       | PASS       |
|   | #1779    | User uses Google Sheets. User selects first form and scrolls down quickly  | Only the form selected by user is checked   | PASS       | PASS       | PASS       | PASS       |
|   | #1793    | User sees list of forms. User clicks on 'Refresh' button. User cancels that process  | User sees empty form list.  | UNEXECUTED | UNEXECUTED | UNEXECUTED | UNEXECUTED |

|                              |  |   |      |      |      |      |
|------------------------------|--|---|------|------|------|------|
| #1805                        | User goes to Get Blank Form. User clicks on Refresh. User cancels  | User sees empty form list. View contains Select All / Refresh / Get selected buttons. Only Refresh button is active.  | PASS | PASS | PASS | PASS |
| #1831                        | User uses Google Sheets. User opens 'Get Blank Form' list. User sees list of forms. User clicks on 'Shared with Me'. User sees a folder. User clicks on folder. User sees content of the folder and buttons: 'Go back' and 'My Drive'. User click on 'Go back' button. | User is moved back to view with folder  | PASS | PASS | PASS | PASS |
| #1842                        | User sees list of forms and folders. User clicks on 'Shared with me'. User sees folders and files. Click on folder. User sees content of the folder and buttons: 'Go back' and 'My Drive'. User clicks on 'My Drive'   | User is navigated to 'My Drive'   | PASS | PASS | PASS | PASS |
| #1892                        | User has downloaded one form. User selects this form to download. User cancel downloading. User again downloads form   | Form is downloaded with success. FileNotFoundException is not visible   | PASS | PASS | PASS | PASS |
| #1919                        | User opens 'Get Blank Form' and immediately cancels loading a list.  | Select All button is not active   | PASS | PASS | PASS | PASS |
| #1909                        | User uses Google Drive as a server. User adds text to search bar and then removes it   | All available forms are visible   | PASS | PASS | PASS | PASS |
| #1944                        | User uses Google Drive as a server. User adds text to search bar and then removes it   | Dynamic search bar is visible for Google Drive  | PASS | PASS | PASS | PASS |
| #2039                        | Search for any form. Tap on Clear all. Tap on Select all. Tap back button or close the search.   | Clear all button displays   | PASS | PASS | PASS | PASS |
| #2131                        | User downloads all forms. User opens view again.   | Forms are unselected. Select All button is active. Only not downloaded forms are selected as default.   | PASS | PASS | PASS | PASS |
| #2167                        | User uses Google Drive as a server. User goes to Get Blank Form view. User selects any form. User taps on Download selected and immediately taps on Home button or Switch app. User opens app again.   | There is no crash. 'Do not keep activities' turned on > If user opens app and clicks on Cancel there is no crash.   | PASS | PASS | PASS | PASS |
| #1741                        | User goes to 'Get Blank Form'. User sees dialog 'Connecting to Server'. User changes device orientation  | Dialog 'Connecting to Server' is closed automatically when forms are loaded even if user changes device orientation   | PASS | PASS | PASS | PASS |
| <b>Form and media update</b> |  |   |      |      |      |      |
| #1653                        | User downloads from aggregate different version of the same form.  | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.   | PASS | PASS | PASS | PASS |
| #1653                        | User downloads from aggregate the same form but with other media files.  | User sees information about form updates. Form is updated successfully. There is only one version of the form in Fill Blank form but form contains all media files.   | PASS | PASS | PASS | PASS |
| #1653                        | User downloads from aggregate the same forms with different versions and different order of the same questions.  | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.   | PASS | PASS | PASS | PASS |
| #1653                        | User downloads from aggregate forms with different version and with different content of text question.  | User sees information about form updates. Form is updated successfully, user can fulfill and send both version of form.   | PASS | PASS | PASS | PASS |
| #1737                        | User downloads a form with media. User removes media folder. User opens 'Get Blank Form' list  | User sees information about update.   | PASS | PASS | PASS | PASS |
| #1720                        | User uses Sample-preloading-form, form with external itemsets, form with media files   | User sees information about update only when it is expected. Forms with media files do not causes additional information about update   | PASS | PASS | PASS | PASS |
| #1668                        | User sets 'Every fifteen minutes' for 'Period form update check'. Few forms are updated on server  | User sees information in notification that new version is available   | PASS | PASS | PASS | PASS |
| #1668                        | Media is updated on server   | User sees information in notification that new version is available   | PASS | PASS | PASS | PASS |
| #1668                        | User selects Automatic Download. Few forms are updated on server   | User sees information in notification that new version was downloaded   | PASS | PASS | PASS | PASS |
| #1668                        | Media is updated on server   | User sees information in notification that new version was downloaded   | PASS | PASS | PASS | PASS |
| #1624                        | Few versions of the same form is available on device.  | Only the newest version is visible. Old versions are hidden.  | PASS | PASS | PASS | PASS |
| #1614                        | User unselect Form Management-Hide old form versions   | Every form versions are visible on 'Fill Blank Form' view   | PASS | PASS | PASS | PASS |
| #1753                        | Notification appears   | New notification icon is visible. The same icon is visible on all Android versions  | PASS | PASS | PASS | PASS |
| #2179                        | User sees information in notification. User clicks on it.  | Dialog is visible with results  | PASS | PASS |      |      |
| #2243                        | User clicks on Get Blank form. Forms to download displays and the green message "This is an update to a form you have" is present. User goes back to the main menu. User clicks on Get Blank form and displays correctly. User clicks on the Refresh button. Form list | The green message "This is an update to a form you have" is visible.  | PASS | PASS |      |      |
| #2200                        | User sees notifications  | * Notification headers: ODK auto-send results / ODK auto-download results<br>* Notification status: Failures / Success<br>* Dialog header: Download Results / Upload Results<br>* Dialog contains full cause of error | PASS | PASS |      |      |
| #2202                        | User sees 2 notifications. Older notification is about auto send. Newest notification is about downloaded form version. User clicks on older notification  | User sees correct full message  | PASS | PASS |      |      |
| <b>Delete Saved Form</b>     |  |   |      |      |      |      |
| #1630                        | User clicks quickly on 'Delete Saved Form' button in main menu several times   | Delete Saved Form list is not opened two times  | PASS | PASS | PASS | PASS |
| PR #1789                     |  | Progress bar is visible.  | PASS | PASS | PASS | PASS |
| #1489                        | User sees list of forms  | Forms are sorted alphabetically even if form names starts from lower case and upper case  | PASS | PASS | PASS | PASS |
| #1258                        | User has a lot of saved forms. User selects all forms and deletes them.  | User sees progress dialog   | PASS | PASS | PASS | PASS |
| #1854                        | User opens 'Blank Forms' tab. User taps on Search icon. User searches for any form. User selects checkbox. User taps on "Clear All" and clicks on X on search bar  | Unselected form stays unselected  | PASS | PASS | PASS | PASS |
| #1868                        | User opens 'Blank Forms' tab. User taps on Search icon. User searches for any form. User selects checkbox. User sees "Clear All" button but clicks on X on search bar  | User sees all form list. User sees "Select All" button  | PASS | PASS | PASS | PASS |
| #1884                        | User opens Blank Forms view. User clicks on search icon and adds text. User sees searched forms and clicks Select All button. User clicks on X or <  | Forms are selected on view with all forms   | PASS | PASS | PASS | PASS |
| #2173                        | User opens 'Blank Forms' tab.  | User sees information about version   | PASS | PASS |      |      |
| <b>PASS</b>                  |  |   |      |      |      |      |
| <b>FAIL</b>                  |  |   |      |      |      |      |
| <b>UNEXECUTED</b>            |  |   |      |      |      |      |