

KRR, Brachman Levesque 2004

ALL ENTRIES BY BRACHMAN LEVESQUE

[Please add New Entries \(concepts not on this list\) on a New Sheet.](#)

A

Abductive diagnosis, 275

Abductive explanation, 270

Abductive reasoning, 267

Abstract individual, 41

Abstraction space for
planning, 320

Add list for planning, 313

Admissible path, 197

Ambiguous network,
191, 199

Analogue representation,

338

Answer predicate, 62

Answer-extraction process,

62

Applicable assumption, 223

Arity, 17

Atom, 17

Atomic concept, 158

Atomic formula, 17

Attached procedure, 138

Autoepistemic logic, 228
stable expansion, 229

Automated theorem-
proving (ATP),

70

Axioms of equality, 65	
B	
Backward-chaining reasoning, 92	
Base function, 253	
Bayes' rule, 242	
Belief, 3	
Belief measure, 252	
Belief network, 246	
Belief revision, 285	
Bound variable, 18	
C	
Certainty factor, 131	
Circumscribing a predicate,	
	216
Circumscription, 216	
minimal entailment, 217	
Classification, 172	
taxonomy, 172	
Clausal formula, 51, 57	
Clause, 51	
ground, 57	
pure, 72	
subsumed, 73	
unit, 51	
Closed-world assumption,	
	210
generalized, 213	
Cognitive penetrability, 9	
Complement of a literal, 51	
Complete knowledge, 211	
Component of a concept,	
	166
Concept in description	

logic, 157	
atomic, 158	
component, 166	
defined, 160	
extension of, 161	
primitive, 160	
Concept-forming operator,	
	158
Conclusion of a default rule, 222	
Conclusion supported in a network, 189	
Conditional, 86	
Conditional independence,	
	242
Conditional planner, 321	
Conditional probability,	
	241
independence, 242	
Bayes' rule, 242	
Conflict resolution strategy,	
	126
recency, 126	
refractoriness, 127	
specificity, 126	
Conflict set, 119	
Conjunctive normal form (CNF), 50	
skolemization, 64	
Connection graph, 74	
Consistency-based diagnosis, 277	
Consistent knowledge, 211	
Constant in description	

logic, 157	
Constant symbol, 17	
Context-switching rule, 132	
Cook's theorem, 69	
Credulous extension, 199	
	377
378 Index	
Credulous reasoning, 192,	
201, 225	
Cut symbol, 105	
D	
Data-directed reasoning,	
	117
Decision theory, 250	
Deductive inference, 27	
Default logic, 222	
Default rule, 222	
conclusion, 222	
prerequisite, 222	
justification, 222	
normal, 223	
Default slot filler, 139	
Default theory, 222	
extension of, 223	
normal, 223	
Defeasible inheritance, 139,	
	191
Defined concept, 160	
Definite Horn clause, 86	
Degree curve, 253	
Delete list for planning, 313	
Dempster–Shafer theory,	
	251
belief measure, 252	

plausibility measure, 252	
Denotation of a term, 21	
Description logic, 157	
classification, 172	
equivalence, 159	
language, 157	
concept, 157	
concept-forming	
operator, 158	
constant, 157	
role, 157	
sentence, 158	
subsumption, 159	
Diagnosis	
abductive, 275	
consistency-based, 277	
differential, 277	
minimal, 277	
Differential diagnosis, 277	
Direct inference, 244	
Directional connective, 74	
Disjunctive normal form	
(DNF), 51	
Domain closure, 214	
Domain of an	
interpretation, 20	
E	
Edge in an inheritance	
network, 188	
polarity, 190	
redundant, 198	
Effect axiom, 288	
Effect of an action, 287	
Entailment in logic, 10, 23	

Equality axioms, 65	
Equivalence in logic, 50	
Equivalence in description logic, 159	
Expert system, 129	
Explanation, 268	
abductive, 270	
Explanation closure axiom,	
	292
Extension of a concept, 161	
Extension of a default theory, 223	
applicable assumption,	
	223
grounded, 227	
Extension of an inheritance network, 199	
credulous, 199	
preferred, 200	
F	
Falsity in an interpretation,	
	22
Fault model, 274	
Filler of a slot, 136	
Fluent, 286	
Focus node in inheritance,	
	191
FOL, 11, 15	
propositional subset, 18	
Formula of FOL, 17	
atomic, 17	
bound variable in, 18	
clausal, 51, 57	
free variable in, 18	

satisfaction of, 22	
sentence, 18	
substitution in, 57	
Forward filtering, 319	
Forward-chaining reasoning, 93	
Frame, 136	
generic, 136	
individual, 136	
instantiation, 137	
specialization, 137	
Frame axiom, 288	
Frame problem, 288	
Free variable, 18	
Function symbol, 16	
arity, 17	
Fuzzy control, 256	
G	
Generalized closed-world assumption, 213	
Generate and test, 104	
Generic frame, 136	
Goal regression, 315	
Goal tree, 90	
Goal-directed reasoning,	
	117
GOLOG , 297	
Ground term, literal, or clause, 57	
Grounded extension, 227	
H	
Haken's result, 69	
Herbrand base, 68	
Herbrand universe, 68	

Horn clause, 86	
definite, 86	
negative, 86	
positive, 86	
I	
Ideally skeptical reasoning,	
	201
If-added procedure,	
111, 138	
Index 379	
If-added rule, 110	
If-needed procedure, 111,	
	138
If-needed rule, 110	
If-removed procedure, 111	
If-removed rule, 110	
Incomplete knowledge, 335	
Individual frame, 136	
Inductive reasoning, 268	
Inferential distance, 196	
Influence diagram, 250	
Inheritance hierarchy, 196	
Inheritance network, 188	
admissible path, 197	
ambiguous network,	
191, 199	
conclusion supported,	
	189
credulous extension, 199	
edge, 188	
node, 188	
preferred extension, 200	
Inheritance of properties,	
	138

defeasible, 139, 191	
strict, 176, 189	
Instance of a literal, 57	
:INSTANCE-OF slot, 137	
Instantiation in frames, 137	
Intentional stance, 5	
Interpretation in FOL, 20	
denotation of a term, 21	
domain, 20	
falsity, 22	
logical model, 22	
satisfaction of a	
formula, 22	
truth, 22	
Interpretation mapping,	
	20
:IS-A slot, 137	
Iterative deepening, 320	
J	
Joint probability	
distribution, 245	
Justification of a default	
rule, 222	
K	
Knowledge, 2	
complete, 211	
consistent, 211	
incomplete, 335	
Knowledge base, 6	
Knowledge engineering, 32	
Knowledge level, 11	
Knowledge Representation,	
	4
Knowledge Representation	

Hypothesis, 6	
Knowledge-based system, 6	
L	
Legal situation, 290	
Legality testing task, 290	
Literal, 50	
complement, 51	
ground, 57	
instance, 57	
unification, 58	
Logic, 11	
Logical connective, 16	
Logical consequence, 23	
Logical entailment, 10, 23	
Logical inference, 4	
Logical model, 22	
Logical punctuation, 16	
Logical symbol, 16	
Logical variable, 16	
Logically complete reasoning, 10, 27	
Logically equivalent sentences, 50	
Logically sound reasoning,	
	10, 27
M	
Meaning postulate, 333	
Minimal diagnosis, 277	
Minimal entailment, 217	
Minimal stable expansion,	
	232
Monotonic reasoning, 209	
Most general subsumee,	
	173

Most general unifier	
(MGU), 71	
Most specific subsumer,	
	173
MYCIN , 130	
N	
Negation as failure, 108	
Negative Horn clause, 86	
Negative path, 196	
Node in an inheritance	
network, 188	
focus, 191	
preemptor, 198	
Nonlinear plan, 317	
Nonlogical symbol, 16	
Nonmonotonic reasoning,	
	209
Normal default rule, 223	
Normal default theory,	
	223
NP-complete, 69	
O	
Objective probability, 239	
Objective sentence, 230	
Ontology, 32	
OPS5, 127	
P	
Paramodulation, 73	
Partial-order planner, 317	
Path in an inheritance	
network, 189	
negative, 196	
positive, 196	
PLANNER , 111	

Planning	
abstraction space, 320	
conditional, 321	
nonlinear, 317	
operators, 312	
add list, 313	
delete list, 313	
precondition, 313	
partial-order, 317	
progressive, 314	
380 Index	
Planning (continued)	
regressive, 315	
STRIPS , 312	
world model, 312	
Planning operators, 312	
Plausibility measure, 252	
Polarity of an edge, 190	
Positive Horn clause, 86	
Positive path, 196	
Possibility distribution, 252	
Posterior probability, 243	
Precondition axiom, 288	
Precondition of a planning operator, 313	
Precondition of an action, 287	
Predicate symbol, 17	
arity, 17	
Preemption strategy, 195	
inferential distance, 196	
shortest path, 193	
specificity criterion, 196	
Preemptor node, 198	

Preferred extension, 200	
Prerequisite of a default rule, 222	
Prime implicate, 271	
Primitive concept, 160	
Prior probability, 243	
Probability measure, 240	
conditional, 241	
joint, 245	
objective, 239	
posterior, 243	
prior, 243	
subjective, 239, 243	
Production rule, 118, 119	
Production system, 118	
conflict resolution strategy, 126	
conflict set, 119	
recognize-resolve-act cycle, 119	
working memory (WM),	
	119
working memory element (WME), 119	
Progressive planner, 314	
Projection task, 289	
Proposition, 2	
Propositional attitude, 3	
Propositional subset of FOL, 18	
Propositional symbol, 17	
Pure clause, 72	
Q	
Quantifier, 16	

R	
Reasoning, 4	
abductive, 267	
backward-chaining, 92	
credulous, 192, 201, 225	
data-directed, 117	
forward-chaining, 93	
goal-directed, 117	
ideally skeptical, 201	
inductive, 268	
logical completeness of,	
	10, 27
logical soundness of,	
	10, 27
monotonic, 209	
nonmonotonic, 209	
skeptical, 192, 201, 225	
Recency for conflict	
resolution, 126	
Recognize-resolve-act	
cycle, 119	
Redundant edge, 198	
Reference class, 244	
Refractoriness, 127	
Refutation completeness,	
	53
Regressive planner, 315	
goal regression, 315	
Reification, 41	
Representation, 3	
analogue, 338	
knowledge, 4	
vivid, 337	
Residue, 342	

Resolution, 52	
answer predicate, 62	
answer-extraction	
process, 62	
derivation, 52	
refutation completeness,	
	53
resolvent, 52	
set of support strategy,	
	73
unit preference	
strategy, 73	
Resolution derivation, 52	
SLD derivation, 87	
Resolvent, 52	
Restricted role, 329	
RETE algorithm, 128	
Role in description logic,	
	157
restricted, 329	
Rule of inference, 52	
paramodulation, 73	
resolution, 52	
Rule-based system, 118	
S	
SAT solver, 71	
Satisfaction of a	
formula, 22	
variable assignment,	
	21
Satisfiable set of sentences,	
	23
Script, 149	
Semantic attachment, 341	

Sentence of description	
logic, 158	
Sentence of FOL, 18	
objective, 230	
Set of support strategy, 73	
Shortest path heuristic,	
	193
Situation calculus, 286	
legal situation, 290	
legality testing task, 290	
projection task, 289	
Skeptical reasoning, 192,	
201, 225	
Skolem constant, 64	
Skolem function, 64	
Skolemization, 64	
SLD derivation, 87	
Index 381	
Slot in a frame, 136	
filler, 136	
default filler, 139	
:INSTANCE-OF, 137	
:IS-A, 137	
SOAR , 127	
Sorted logic, 73	
Specialization in frames,	
	137
Specificity criterion, 196	
Specificity for conflict	
resolution, 126	
Stable expansion, 229	
minimal, 232	
Stable set of sentences, 228	
Strict inheritance, 176, 189	

STRIPS , 312	
Subjective probability, 239,	
	243
direct inference, 244	
reference class, 244	
Substitution in a formula,	
	57
Subsumed clause, 73	
Subsumption in	
description logic, 159	
most general subsumee,	
	173
most specific	
subsumer, 173	
Successor state axiom,	
	293
Symbol, 3	
logical, 16	
connective, 16	
punctuation, 16	
quantifier, 16	
variable, 16	
nonlogical, 16	
constant, 17	
function, 16	
predicate, 17	
propositional, 17	
Symbol level, 12	
T	
Tautology, 73	
Taxonomy of concepts,	
	172
Term in FOL, 17	
denotation of, 21	

ground, 57	
Theory resolution, 341	
residue, 342	
Truth in an interpretation,	
	22
U	
Unification of literals, 58	
Unifier, 58	
most general (MGU), 71	
Unique name assumption,	
	215
Unit clause, 51	
Unit preference strategy, 73	
V	
Vague predicate, 239, 253	
base function, 253	
degree curve, 253	
Valid sentence, 23	
tautology, 73	
Variable assignment, 21	
Vivid representation, 337	
W	
Working memory (WM),	
	119
Working memory element (WME), 119	
World model in planning,	
	312
X	
XCON , 13	