

Basin	Elevation Band % 2/24 Avg	2/24 SWF (in)	2/24 % SCA	2/24 Wd (ft)	2/24 Area (sq mi)	2/24 Surveys	2/24 Pillows	2/24 3RD(S) (in)
Upper Sacramento	5000-6000'	44	5.5	71.5	26,726	70.3	NA	6.3(1)
	6000-7000'	56	8.3	87.5	17,068	38.6	18(1)	NA
	7000-8000'	94	14.4	97.4	4,547	9.1	NA	NA
	8000-9000'	52	9.5	100.0	1,548	3.1	NA	NA
	9000-10,000'	45	9.0	100.0	1,003	2.1	NA	NA
10,000-11,000'	46	9.8	100.0	656	1.3	NA	NA	
>11,000'	42	8.7	100.0	353	0.7	NA	NA	
McCloud	5000-6000'	50	6.4	80.0	35,376	105.6	6(1)	NA
	6000-7000'	54	7.7	88.3	17,882	43.7	15(1)	NA
	7000-8000'	88	14.8	94.0	4,666	14.2	NA	NA
	8000-9000'	54	9.6	99.9	1,480	6.8	NA	NA
	9000-10,000'	55	10.0	100.0	1,068	6.1	NA	NA
10,000-11,000'	44	11.0	100.0	1,154	2.2	NA	NA	
>11,000'	40	13.4	100.0	1,597	2.2	NA	NA	
Pit	5000-6000'	30	2.0	52.1	39,483	37.1	NA	10(1)
	6000-7000'	48	4.1	63.3	109,802	499.5	NA	8.7(2)
	7000-8000'	63	6.5	79.6	48,446	238.6	NA	11.1(3)
	8000-9000'	68	8.4	93.1	9,514	21.3	NA	NA
	>10,000'	58	10.1	99.9	941	1.7	NA	NA
Sac at Bend Bridge	5000-6000'	32	2.9	40.9	16,825	110.7	NA	NA
	6000-7000'	50	4.8	57.8	15,933	62.7	NA	NA
	7000-8000'	56	6.0	79.8	7,052	16.5	NA	NA
	8000-9000'	59	11.0	96.3	2,691	4.6	NA	NA
	>10,000'	65	11.9	100.0	825	0.9	NA	NA
Feather	5000-6000'	39	4.5	99.7	130,040	631.7	5.1(1)	30.3(1)
	6000-7000'	45	5.3	65.8	147,675	522.9	9.6(1)	30.1(4)
	7000-8000'	56	6.1	72.9	36,839	144.4	8.0(1)	32.1(1)
	8000-9000'	64	8.6	90.4	2,058	4.5	NA	NA
	>10,000'	49	11.4	100.0	28,356	154.8	7.5(2)	NA
Yuba	5000-6000'	56	6.2	71.2	76,439	228.3	10(1)	14.9(1)
	6000-7000'	59	7.4	77.7	46,132	117.6	17(2)	18.6(1)
	7000-8000'	60	9.9	96.9	2,345	4.5	NA	NA
	8000-9000'	47	3.4	45.8	13,442	17.1	NA	14.1(1)
	9000-10,000'	63	6.3	75.4	32,886	278.0	9.6(1)	13.1(2)
10,000-11,000'	58	7.7	85.2	72,521	176.9	10.3(1)	11.3(4)	
11,000-12,000'	65	8.8	90.9	33,348	70.8	NA	11.6(1)	
12,000-13,000'	63	10.4	99.3	5,058	9.1	NA	NA	
Cosumnes	5000-6000'	40	3.8	47.0	5,972	29.7	NA	NA
	6000-7000'	64	6.4	74.7	6,529	24.9	NA	NA
	7000-8000'	60	6.2	65.6	2,323	7.0	NA	NA
	8000-9000'	35	2.7	45.2	7,086	49.9	0(1)	NA
	9000-10,000'	59	5.9	73.3	21,209	67.9	8.5(1)	NA
10,000-11,000'	57	7.8	88.3	37,862	91.1	13(1)	NA	
11,000-12,000'	63	8.9	94.4	37,346	89.1	15.5(1)	NA	
12,000-13,000'	63	10.0	99.8	4,614	8.6	NA	NA	
Stamatis	5000-6000'	35	2.7	45.0	5,961	29.7	NA	NA
	6000-7000'	57	5.6	71.9	46,908	138.4	7.8(1)	7.0(1)
	7000-8000'	58	7.6	89.3	61,232	151.8	9.8(1)	14.2(1)
	8000-9000'	63	8.9	96.4	54,220	118.4	17.0(1)	24.4(1)
	9000-10,000'	65	9.5	99.8	27,270	51.8	13(1)	NA
10,000-11,000'	63	9.9	100.0	6,776	14.3	NA	NA	
>11,000'	63	9.8	100.0	183	0.3	NA	NA	

† For volume totals above Shasta Lake add Upper Sac, McCloud and Pit volumes. For volume totals above Bend Bridge add Upper Sac, McCloud, Pit and Sac at Bend Bridge volumes.
 * This is a comparison to the SNOwDAS (Snow Data Assimilation System) nationwide product from the National Weather Service.

