

WooCommerce Data Dictionary

WooCommerce API		Coupon
Default Panoply Table :		woocommerce_store_domain_coupon
Field Name	Type	Description
id	integer	Unique identifier for the object.READ-ONLY
code	string	Coupon code.MANDATORY
amount	string	The amount of discount. Should always be numeric, even if setting a percentage.
date_created	date-time	The date the coupon was created, in the site's timezone.READ-ONLY
date_created_gmt	date-time	The date the coupon was created, as GMT.READ-ONLY
date_modified	date-time	The date the coupon was last modified, in the site's timezone.READ-ONLY
date_modified_gmt	date-time	The date the coupon was last modified, as GMT.READ-ONLY
discount_type	string	Determines the type of discount that will be applied. Options: percent, fixed_cart and fixed_product. Default is fixed_cart.
description	string	Coupon description.
date_expires	string	The date the coupon expires, in the site's timezone.
date_expires_gmt	string	The date the coupon expires, as GMT.
usage_count	integer	Number of times the coupon has been used already.READ-ONLY
individual_use	boolean	If true, the coupon can only be used individually. Other applied coupons will be removed from the cart. Default is false.
product_ids	array	List of product IDs the coupon can be used on.
excluded_product_ids	array	List of product IDs the coupon cannot be used on.
usage_limit	integer	How many times the coupon can be used in total.
usage_limit_per_user	integer	How many times the coupon can be used per customer.
limit_usage_to_x_items	integer	Max number of items in the cart the coupon can be applied to.
free_shipping	boolean	If true and if the free shipping method requires a coupon, this coupon will enable free shipping. Default is false.
product_categories	array	List of category IDs the coupon applies to.
excluded_product_categories	array	List of category IDs the coupon does not apply to.
exclude_sale_items	boolean	If true, this coupon will not be applied to items that have sale prices. Default is false.
minimum_amount	string	Minimum order amount that needs to be in the cart before coupon applies.
maximum_amount	string	Maximum order amount allowed when using the coupon.
email_restrictions	array	List of email addresses that can use this coupon.
used_by	array	List of user IDs (or guest email addresses) that have used the coupon.READ-ONLY
meta_data	array	Meta data. See Coupon - Meta data properties

WooCommerce Data Dictionary

WooCommerce API		Customers
Default Panoply Table :		woocommerce_store_domain_customer
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
date_created	date-time	The date the customer was created, in the site's timezone.READ-ONLY
date_created_gmt	date-time	The date the customer was created, as GMT.READ-ONLY
date_modified	date-time	The date the customer was last modified, in the site's timezone.READ-ONLY
date_modified_gmt	date-time	The date the customer was last modified, as GMT.READ-ONLY
email	string	The email address for the customer.MANDATORY
first_name	string	Customer first name.
last_name	string	Customer last name.
role	string	Customer role.READ-ONLY
username	string	Customer login name.
password	string	Customer password.WRITE-ONLY
billing	object	List of billing address data. See Customer - Billing properties
shipping	object	List of shipping address data. See Customer - Shipping properties
is_paying_customer	bool	Is the customer a paying customer?READ-ONLY
avatar_url	string	Avatar URL.READ-ONLY
meta_data	array	Meta data. See Customer - Meta data properties

WooCommerce Data Dictionary

WooCommerce API		Orders
Default Panoply Table :		woocommerce_store_domain_orders
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
parent_id	integer	Parent order ID.
number	string	Order number.READ-ONLY
order_key	string	Order key.READ-ONLY
created_via	string	Shows where the order was created.READ-ONLY
version	string	Version of WooCommerce which last updated the order.READ-ONLY
status	string	Order status. Options: pending, processing, on-hold, completed, cancelled, refunded, failed and trash. Default is pending.
currency	string	Currency the order was created with, in ISO format. Options: AED, AFN, ALL, AMD, ANG, AOA, ARS, AUD, AWG, AZN, BAM, BBD, BDT, BGN, BHD, BIF, BMD, BND, BOB, BRL, BSD, BTC, BTN, BWP, BYR, BZD, CAD, CDF, CHF, CLP, CNY, COP, CRC, CUC, CUP, CVE, CZK, DJF, DKK, DOP, DZD, EGP, ERN, ETB, EUR, FJD, FKP, GBP, GEL, GGP, GHS, GIP, GMD, GNF, GTQ, GYD, HKD, HNL, HRK, HTG, HUF, IDR, ILS, IMP, INR, IQD, IRR, IRT, ISK, JEP, JMD, JOD, JPY, KES, KGS, KHR, KMF, KPW, KRW, KWD, KYD, KZT, LAK, LBP, LKR, LRD, LSL, LYD, MAD, MDL, MGA, MKD, MMK, MNT, MOP, MRO, MUR, MVR, MWK, MXN, MYR, MZN, NAD, NGN, NIO, NOK, NPR, NZD, OMR, PAB, PEN, PGK, PHP, PKR, PLN, PRB, PYG, QAR, RON, RSD, RUB, RWF, SAR, SBD, SCR, SDG, SEK, SGD, SHP, SLL, SOS, SRD, SSP, STD, SYP, SZL, THB, TJS, TMT, TND, TOP, TRY, TTD, TWD, TZS, UAH, UGX, USD, UYU, UZS, VEF, VND, VUV, WST, XAF, XCD, XOF, XPF, YER, ZAR and ZMW. Default is USD.
date_created	date-time	The date the order was created, in the site's timezone.READ-ONLY
date_created_gmt	date-time	The date the order was created, as GMT.READ-ONLY
date_modified	date-time	The date the order was last modified, in the site's timezone.READ-ONLY
date_modified_gmt	date-time	The date the order was last modified, as GMT.READ-ONLY
discount_total	string	Total discount amount for the order.READ-ONLY
discount_tax	string	Total discount tax amount for the order.READ-ONLY
shipping_total	string	Total shipping amount for the order.READ-ONLY
shipping_tax	string	Total shipping tax amount for the order.READ-ONLY
cart_tax	string	Sum of line item taxes only.READ-ONLY
total	string	Grand total.READ-ONLY
total_tax	string	Sum of all taxes.READ-ONLY
prices_include_tax	boolean	True the prices included tax during checkout.READ-ONLY
customer_id	integer	User ID who owns the order. 0 for guests. Default is 0.
customer_ip_address	string	Customer's IP address.READ-ONLY
customer_user_agent	string	User agent of the customer.READ-ONLY
customer_note	string	Note left by customer during checkout.
billing	object	<u>Billing address. See Order - Billing properties</u>
shipping	object	<u>Shipping address. See Order - Shipping properties</u>
payment_method	string	Payment method ID.
payment_method_title	string	Payment method title.
transaction_id	string	Unique transaction ID.
date_paid	date-time	The date the order was paid, in the site's timezone.READ-ONLY
date_paid_gmt	date-time	The date the order was paid, as GMT.READ-ONLY
date_completed	date-time	The date the order was completed, in the site's timezone.READ-ONLY
date_completed_gmt	date-time	The date the order was completed, as GMT.READ-ONLY
cart_hash	string	MD5 hash of cart items to ensure orders are not modified.READ-ONLY
meta_data	array	<u>Meta data. See Order - Meta data properties</u>
line_items	array	<u>Line items data. See Order - Line items properties</u>
tax_lines	array	<u>Tax lines data. See Order - Tax lines properties</u> READ-ONLY
shipping_lines	array	<u>Shipping lines data. See Order - Shipping lines properties</u>
fee_lines	array	<u>Fee lines data. See Order - Fee lines properties</u>
coupon_lines	array	<u>Coupons line data. See Order - Coupon lines properties</u>
refunds	array	<u>List of refunds. See Order - Refunds properties</u> READ-ONLY
set_paid	boolean	Define if the order is paid. It will set the status to processing and reduce stock items. Default is false.WRITE-ONLY

WooCommerce Data Dictionary

WooCommerce API		Order Notes
Default Panoply Table :		woocommerce_store_domain_order_notes
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
author	string	Order note author.READ-ONLY
date_created	date-time	The date the order note was created, in the site's timezone.READ-ONLY
date_created_gmt	date-time	The date the order note was created, as GMT.READ-ONLY
note	string	Order note content.MANDATORY
customer_note	boolean	If true, the note will be shown to customers and they will be notified. If false, the note will be for admin reference only. Default is false.
added_by_user	boolean	If true, this note will be attributed to the current user. If false, the note will be attributed to the system. Default is false.

WooCommerce Data Dictionary

WooCommerce API		Refunds
Default Panoply Table :		woocommerce_store_domain_refunds
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
date_created	date-time	The date the order refund was created, in the site's timezone.READ-ONLY
date_created_gmt	date-time	The date the order refund was created, as GMT.READ-ONLY
amount	string	Total refund amount. Optional. If this parameter is provided, it will take precedence over line item totals, even when total of line items does not matches with this amount.
reason	string	Reason for refund.
refunded_by	integer	User ID of user who created the refund.
refunded_payment	boolean	If the payment was refunded via the API. See api_refund.READ-ONLY
meta_data	array	Meta data. See Order refund - Meta data properties
line_items	array	Line items data. See Order refund - Line items properties
api_refund	boolean	When true, the payment gateway API is used to generate the refund. Default is true.WRITE-ONLY

WooCommerce Data Dictionary

WooCommerce API		Products
Default Panoply Table :		woocommerce_store_domain_products
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
name	string	Product name.
slug	string	Product slug.
permalink	string	Product URL.READ-ONLY
date_created	date-time	The date the product was created, in the site's timezone.READ-ONLY
date_created_gmt	date-time	The date the product was created, as GMT.READ-ONLY
date_modified	date-time	The date the product was last modified, in the site's timezone.READ-ONLY
date_modified_gmt	date-time	The date the product was last modified, as GMT.READ-ONLY
type	string	Product type. Options: simple, grouped, external and variable. Default is simple.
status	string	Product status (post status). Options: draft, pending, private and publish. Default is publish.
featured	boolean	Featured product. Default is false.
catalog_visibility	string	Catalog visibility. Options: visible, catalog, search and hidden. Default is visible.
description	string	Product description.
short_description	string	Product short description.
sku	string	Unique identifier.
price	string	Current product price.READ-ONLY
regular_price	string	Product regular price.
sale_price	string	Product sale price.
date_on_sale_from	date-time	Start date of sale price, in the site's timezone.
date_on_sale_from_gmt	date-time	Start date of sale price, as GMT.
date_on_sale_to	date-time	End date of sale price, in the site's timezone.
date_on_sale_to_gmt	date-time	End date of sale price, as GMT.
price_html	string	Price formatted in HTML.READ-ONLY
on_sale	boolean	Shows if the product is on sale.READ-ONLY
purchasable	boolean	Shows if the product can be bought.READ-ONLY
total_sales	integer	Amount of sales.READ-ONLY
virtual	boolean	If the product is virtual. Default is false.
downloadable	boolean	If the product is downloadable. Default is false.
downloads	array	List of downloadable files. See Product - Downloads properties
download_limit	integer	Number of times downloadable files can be downloaded after purchase. Default is -1.
download_expiry	integer	Number of days until access to downloadable files expires. Default is -1.
external_url	string	Product external URL. Only for external products.
button_text	string	Product external button text. Only for external products.
tax_status	string	Tax status. Options: taxable, shipping and none. Default is taxable.
tax_class	string	Tax class.
manage_stock	boolean	Stock management at product level. Default is false.
stock_quantity	integer	Stock quantity.
stock_status	string	Controls the stock status of the product. Options: instock, outofstock, onbackorder. Default is instock.
backorders	string	If managing stock, this controls if backorders are allowed. Options: no, notify and yes. Default is no.
backorders_allowed	boolean	Shows if backorders are allowed.READ-ONLY
backordered	boolean	Shows if the product is on backordered.READ-ONLY
sold_individually	boolean	Allow one item to be bought in a single order. Default is false.
weight	string	Product weight.
dimensions	object	Product dimensions . See Product - Dimensions properties
shipping_required	boolean	Shows if the product need to be shipped.READ-ONLY
shipping_taxable	boolean	Shows whether or not the product shipping is taxable.READ-ONLY
shipping_class	string	Shipping class slug.
shipping_class_id	integer	Shipping class ID.READ-ONLY
reviews_allowed	boolean	Allow reviews. Default is true.
average_rating	string	Reviews average rating.READ-ONLY
rating_count	integer	Amount of reviews that the product have.READ-ONLY
related_ids	array	List of related products IDs.READ-ONLY
upsell_ids	array	List of up-sell products IDs.

cross_sell_ids	array	List of cross-sell products IDs.
parent_id	integer	Product parent ID.
purchase_note	string	Optional note to send the customer after purchase.
categories	array	List of categories. See Product - Categories properties
tags	array	List of tags. See Product - Tags properties
images	array	List of images. See Product - Images properties
attributes	array	List of attributes. See Product - Attributes properties
default_attributes	array	Defaults variation attributes. See Product - Default attributes properties
variations	array	List of variations IDs.READ-ONLY
grouped_products	array	List of grouped products ID.
menu_order	integer	Menu order, used to custom sort products.
meta_data	array	Meta data. See Product - Meta data properties

WooCommerce Data Dictionary

WooCommerce API		Product Variations
Default Panoply Table :		woocommerce_store_domain_product_variations
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
date_created	date-time	The date the variation was created, in the site's timezone.READ-ONLY
date_created_gmt	date-time	The date the variation was created, as GMT.READ-ONLY
date_modified	date-time	The date the variation was last modified, in the site's timezone.READ-ONLY
date_modified_gmt	date-time	The date the variation was last modified, as GMT.READ-ONLY
description	string	Variation description.
permalink	string	Variation URL.READ-ONLY
sku	string	Unique identifier.
price	string	Current variation price.READ-ONLY
regular_price	string	Variation regular price.
sale_price	string	Variation sale price.
date_on_sale_from	date-time	Start date of sale price, in the site's timezone.
date_on_sale_from_gmt	date-time	Start date of sale price, as GMT.
date_on_sale_to	date-time	End date of sale price, in the site's timezone.
date_on_sale_to_gmt	date-time	End date of sale price, as GMT.
on_sale	boolean	Shows if the variation is on sale.READ-ONLY
status	string	Variation status. Options: draft, pending, private and publish. Default is publish.
purchasable	boolean	Shows if the variation can be bought.READ-ONLY
virtual	boolean	If the variation is virtual. Default is false.
downloadable	boolean	If the variation is downloadable. Default is false.
downloads	array	List of downloadable files. See Product variation - Downloads properties
download_limit	integer	Number of times downloadable files can be downloaded after purchase. Default is -1.
download_expiry	integer	Number of days until access to downloadable files expires. Default is -1.
tax_status	string	Tax status. Options: taxable, shipping and none. Default is taxable.
tax_class	string	Tax class.
manage_stock	boolean	Stock management at variation level. Default is false.
stock_quantity	integer	Stock quantity.
stock_status	string	Controls the stock status of the product. Options: instock, outofstock, onbackorder. Default is instock.
backorders	string	If managing stock, this controls if backorders are allowed. Options: no, notify and yes. Default is no.
backorders_allowed	boolean	Shows if backorders are allowed.READ-ONLY
backordered	boolean	Shows if the variation is on backordered.READ-ONLY
weight	string	Variation weight.
dimensions	object	Variation dimensions. See Product variation - Dimensions properties
shipping_class	string	Shipping class slug.
shipping_class_id	string	Shipping class ID.READ-ONLY
image	object	Variation image data. See Product variation - Image properties
attributes	array	List of attributes. See Product variation - Attributes properties
menu_order	integer	Menu order, used to custom sort products.
meta_data	array	Meta data. See Product variation - Meta data properties

WooCommerce Data Dictionary

WooCommerce API		Product Categories
Default Panoply Table :		woocommerce_store_domain_product_categories
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
name	string	Category name.MANDATORY
slug	string	An alphanumeric identifier for the resource unique to its type.
parent	integer	The ID for the parent of the resource.
description	string	HTML description of the resource.
display	string	Category archive display type. Options: default, products, subcategories and both. Default is default.
image	object	<u>Image data. See Product category - Image properties</u>
menu_order	integer	Menu order, used to custom sort the resource.
count	integer	Number of published products for the resource.

WooCommerce Data Dictionary

WooCommerce API		Product Shipping Classes
Default Panoply Table :		woocommerce_store_domain_product_shipping_classes
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
name	string	Shipping class name.MANDATORY
slug	string	An alphanumeric identifier for the resource unique to its type.
description	string	HTML description of the resource.
count	integer	Number of published products for the resource.READ-ONLY

WooCommerce Data Dictionary

WooCommerce API		Product Tags
Default Panoply Table :		woocommerce_store_domain_product_tags
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
name	string	Tag name.MANDATORY
slug	string	An alphanumeric identifier for the resource unique to its type.
description	string	HTML description of the resource.
count	integer	Number of published products for the resource.READ-ONLY

WooCommerce Data Dictionary

WooCommerce API		Product Reviews
Default Panoply Table :		woocommerce_store_domain_product_reviews
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
date_created	string	The date the review was created, in the site's timezone.READ-ONLY
date_created_gmt	string	The date the review was created, as GMT.READ-ONLY
product_id	integer	Unique identifier for the product that the review belongs to.
status	string	Status of the review. Options: approved, hold, spam, unspam, trash and untrash. Defaults to approved.
reviewer	string	Reviewer name.
reviewer_email	string	Reviewer email.
review	string	The content of the review.
rating	integer	Review rating (0 to 5).
verified	boolean	Shows if the reviewer bought the product or not.

WooCommerce Data Dictionary

WooCommerce API		Tax Rates
Default Panoply Table :		woocommerce_store_domain_tax_rates
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
country	string	Country ISO 3166 code. See ISO 3166 Codes (Countries) for more details
state	string	State code.
postcode	string	Postcode/ZIP, it doesn't support multiple values. Deprecated as of WooCommerce 5.3, postcodes should be used instead.
city	string	City name, it doesn't support multiple values. Deprecated as of WooCommerce 5.3, postcodes should be used instead.
postcodes	string[]	Postcodes/ZIPs. Introduced in WooCommerce 5.3.
cities	string[]	City names. Introduced in WooCommerce 5.3.
rate	string	Tax rate.
name	string	Tax rate name.
priority	integer	Tax priority. Only 1 matching rate per priority will be used. To define multiple tax rates for a single area you need to specify a different priority per rate. Default is 1.
compound	boolean	Whether or not this is a compound rate. Compound tax rates are applied on top of other tax rates. Default is false.
shipping	boolean	Whether or not this tax rate also gets applied to shipping. Default is true.
order	integer	Indicates the order that will appear in queries.
class	string	Tax class. Default is standard.

WooCommerce Data Dictionary

WooCommerce API		Payment Gateways
Default Panoply Table :		woocommerce_store_domain_payment_gateways
Field Name	Type	Description
id	string	Payment gateway ID.READ-ONLY
title	string	Payment gateway title on checkout.
description	string	Payment gateway description on checkout.
order	integer	Payment gateway sort order.
enabled	boolean	Payment gateway enabled status.
method_title	string	Payment gateway method title.READ-ONLY
method_description	string	Payment gateway method description.READ-ONLY
method_supports	array	Supported features for this payment gateway.READ-ONLY
settings	object	Payment gateway settings. See Payment gateway - Settings properties

WooCommerce Data Dictionary

WooCommerce API		Shipping Zones
Default Panoply Table :		woocommerce_store_domain_shipping_zones
Field Name	Type	Description
id	integer	Unique identifier for the resource.READ-ONLY
name	string	Shipping zone name.MANDATORY
order	integer	Shipping zone order.

WooCommerce Data Dictionary

WooCommerce API		Shipping Zone Locations
Default Panoply Table :		woocommerce_store_domain_shipping_zone_locations
Field Name	Type	Description
code	string	Shipping zone location code.
type	string	Shipping zone location type. Options: postcode, state, country and continent. Default is country.

WooCommerce Data Dictionary

WooCommerce API		Shipping Zone Methods
Default Panoply Table :		woocommerce_store_domain_shipping_zone_methods
Field Name	Type	Description
instance_id	integer	Shipping method instance ID.READ-ONLY
title	string	Shipping method customer facing title.READ-ONLY
order	integer	Shipping method sort order.
enabled	boolean	Shipping method enabled status.
method_id	string	Shipping method ID.READ-ONLYMANDATORY
method_title	string	Shipping method title.READ-ONLY
method_description	string	Shipping method description.READ-ONLY
settings	object	Shipping method settings. See Shipping method - Settings properties