tle [1	uthor [3	itation [3	cense [4	otocolAssay [1	otocolPurpose [	ampleType [1	omments [8]

tle [1	uthor [3	itation [3	cense [4	rotocolAssay [5	rotocolPurpose [6	ampleType [7	omments [8]

tle	[1	uthor	[2	itation	[3	cense	[4	rotocolAssay	[5	rotocolPurpose	[6	ampleType	[7	omments	[8]

itle [1	uthor [	itation [3	cense [4	otocolAssay [	otocolPurpose	ampleType [	omments [8]

tle [1	uthor [	itation [3	cense [4	rotocolAssay [	rotocolPurpose [	ampleType [	omments [8]

tle [1	uthor [	itation [3	cense [4	rotocolAssay [!	rotocolPurpose]	ampleType]	omments [8]

tle [1	uthor [	itation [3	cense [4	otocolAssay [!	otocolPurpose [	ampleType [	omments [8]

itle [1	uthor [2	itation [3	cense [4	rotocolAssay [5	rotocolPurpose [	ampleType [	omments [8]

Title [1	Author [2	Citation [3	License [3	ProtocolAssay [4	ProtocolPurpose [5	SampleType [6	Comments [8]

tle [1	uthor [2	itation [3	cense [4	rotocolAssay [5	rotocolPurpose [	ampleType [	omments [8]

tle [1	uthor [2	itation [3	cense [4	otocolAssay [5	otocolPurpose [6	ampleType [7	omments [8]

tle [1	uthor [2	itation [3	cense [4	rotocolAssay [5	rotocolPurpose [6	ampleType [7	omments [8]

itle [1	1uthor [2	Citation [3	3cense [4	4rotocolAssay [5	3rotocolPurpose [6	3ampleType [7	Comments [8]

tle [1	uthor [2	itation [3	cense [4	otocolAssay [5	otocolPurpose [6	ampleType [7	omments [8]

tle [1	uthor [	itation [3	cense [4	otocolAssay [	otocolPurpose [	ampleType [	omments [8]

Title [1]	Author [2]	Citation [3]	License [4]	ProtocolAssay [5]	ProtocolPurpose [6]	SampleType [7]	Comments [8]

tle [1	uthor [2	itation [3	cense [4	otocolAssay [5	otocolPurpose [6	ampleType [7	omments [8]

tle [1	uthor [	itation [3	cense [4	rotocolAssay [	rotocolPurpose]	ampleType [	omments [8]

tle [1	uthor [2	itation [3	cense [4	rotocolAssay [	!rotocolPurpose	!ampleType [	omments [8]

tle [1	uthor [2	itation [3	cense [4	rotocolAssay [5	rotocolPurpose [6	ampleType [7	omments [8]

tle [1	uthor [2	itation [3	cense [4	otocolAssay [5	otocolPurpose [6	ampleType [7	omments [8]

| Title [1 | author [| Citation [3 | cense [4 | otocolAssay [| otocolPurpose | ampleType [| omments [8] |

itle [1	uthor [:	itation [3	cense [4	otocolAssay [!	otocolPurpose	ampleType [	omments [8]

tle	[1	uthor	Citation	[3cense	[4rotocolAssay	[!rotocolPurpose	]ampleType	Comments	[8]

tle [1	uthor [2	itation [3	cense [4	otocolAssay [5	otocolPurpose [6	ampleType [7	omments [8]

Title [1]	Author [2]	Citation [3]	License [4]	ProtocolAssay [5]	ProtocolPurpose [6]	SampleType [7]	Comments [8]

tle [1	uthor [2	itation [3	cense [4	otocolAssay [5	otocolPurpose [6	ampleType [7	omments [8]

| tle [1 | uthor [| itation [3 | cense [4 | rotocolAssay [| rotocolPurpose [| ampleType [| omments [8] |

Title [1	Author [2	Citation [3	License [4	ProtocolAssay [5	ProtocolPurpose [6	SampleType [7	Comments [8]

Title [1	author [	Citation [3	cense [4	rotocolAssay [	rotocolPurpose]	ampleType	Comments [8]

tle [1	uthor	itation [3	cense [4	rotocolAssay [	rotocolPurpose]	ampleType	omments [8]

tle [1	uthor [	itation [3	cense [4	rotocolAssay [	rotocolPurpose [	ampleType [	omments [8]

tle [1	uthor	[:itation	[3cense	[4rotocolAssay	[!rotocolPurpose	!ampleType	[7omments	[8]

[1] Title of a resource.

[2] The author of the resource; preferably use an ORCID ID, GitHub profile link, etc., if available and a text name if not.

[3] Citation (e.g. doi) that usage of data or resource should be cited with.

[4] Link to a license or name of license applicable for the resource.

[5] Main assay type that this protocol is related to, e.g. this is a prep protocol for single-cell RNA-seq assay. This is especially helpful for newly-developed or in-house assays.

[6] Brief description of the protocol purpose.

[7] Type of sample used

[8] Brief free-text comments that may also be important to understanding the resource.