Pullan.	What's needed	Why	Where previously discussed	initial Proposal	Notes	Draft Proposal	Examples	SC Proposal/ Assigned to	LVTF thoughts http://wdc. github.ioflow-vision-atty-	Comment	
2.29	Proper neeting of roles so UAUKI doesn't get confused		tore (stude connective assess 77 officers of connective asses	Jake	Close to Success Offician 4.1.1 Parsing	in content implemented using markup languages, roles are nested according to their specifications.					
	Spacing between touch targets - set a minimum number of plants between targets			Kathy Mahbir	kane usen freet lange forgets, kow der their Can beak the delige installen, conscher eenigt nich but their nay have challenge kriteeten	If the steps for police inputs is less than 4 by 44 CSA plant than these is a minimum of 4 CSA plant between targine eacopt share. Explorition: Explorition: The steps is in a sentence or black of law; Executed The steps is in a sentence or black of law; Executed Aparticular pole-sentence of the steps called and the sentence of the steps is a sentence or black of law;		Katty to datt SC https://docs.google. considecamental hacts unklashtytkasentjut/202 NYCo- ar_5504Mem?WiGoodt # Initial Drait created	need a low widoo use case. If holding device close finger gets in the way more	Constitute for law vision group. How many point in Dimension meet using and on the law-vision's the teach of the point. And can be neveral law of teach teachers and the point of the point. And can be never law of teachers and the point of points and the negative of the teachers and points run or ophic budge. If points and the negative of the research of the points and the point of the point of the negative of the research of budge and the point of the point of the second of the research of budge any event of the point that the budget of the point of the research of budget and any even of the point of the second of the research of budget and any even of the point of the second of the research of the second of the rese	
23	Cofference contract when command with a second second second second care mission contracts - the second second second second second second second second second second second second (FPMC Second second second second second second second seco			like	And conserved the first and th	Al Local series in the section in the local operand provide the section of the local operand local difference in the section of the local operand local difference in the local difference in the l		Next See, pot examples of Adaptive Spychasters to Spectra the - JAVE	LV uner the turn to indicate the main and the set of th	• 4 of for general and/or a sharing the interpretation multi-frame of the sharing of the interpretation of the sharing of t	
23	Indication of generate with earlier and a construction and and ancie mountain			like	14. Mark Markov ovaki ja ne vistova 14. Markov Markov ovaki ja ne vistova 14. Markov Markov Markov 14. Markov Markov Markov 14. Markov Markov Markov 14. Markov Markov Markov 14. Markov Markov 14. Markov Markov 14. Markov Markov 14. Markov	Men hang (another) a warding or pathol (another) and a second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the (second of the s		JAKE to dat SC	wind is to used with an	<text><text><text><text><text><text></text></text></text></text></text></text>	
Technique under 2.4.3 - 2.4.7	Focussed elements deappearing under sticky headers/footers			Lake	Bouwable beins must be visible on the screen; failure or sufficient sechnique for focus indicators	Technique		Masc	content that is focused should be fully visible.	Can this be combined with the focus management SC 2.4 37	
Technique under 2.4.3	Focus management when zooming / rotating / deleting elements			Jake	boux on a menu bens their soon in their in hamburger management check with low vision taskforce	Technique		Marco	related to LV page refresh, context (full page) vs non-context (part of page) refresh, what is best practice for each scenario. Need	Fechnique under 24.3 AP When focused content is collapsed or deleted, the focus is reset to a related component or, an the focus is on a menu ben; when the menu collapses to a hanburger menu due to zooming, the focus is reset to the hanburger menu	
13	States discernatio	Important issue for LV and COGA users, but may be seen to fail noise under usability	I have put a draft here to get some feedback begod our group. Becken at it an optimality a mobile laser tops rights. connective optimisers 509	Datiev	1. Doe 0111. Approximation of the two particle that 1/171 set of 50ck for Salver presented in the variety could preserve vary taket to produce an analysis of the two the two particle that the salver present the salver preserve that the two the two particle variables that the salver preserve that the salver particle that the salver the salver preserve that the could particle the salver takes in particle the salver particle that the salver takes in the salver preserve that the salver particle that the salver takes out the two protocols and the salver takes the salver takes the salver takes and the salver takes the salver takes the salver takes the salver takes the salver takes the salver takes the salver takes the salver takes the salver takes the salver takes indep the salver takes the salver takes takes the salver takes the salver takes the salver takes takes the salver takes the salver takes the salver takes takes the salver takes takes the salver takes the salver takes takes the salver takes takes the salver takes takes takes the salver takes takes takes the salver takes takes takes takes the salver takes	Best pactice of Level AAA- use interface composeds must be distinguishabilisation ratio from other context		Detiev - sheck if state distantable is obverted under WDAG 2.1	user stoles.	ano An anonga, such tak is in a batan butha na visual indicator that it is actionate destinate: It is now all a vasibility insue than accessibility? Regina with two vision and COOA transformers for their discussion allow segments and even of the second second second allow segments and even of the second second second action of the second second second second second second second action of the second second second second second second second action of the second second second second second second second action of the second second second second second second second action of the second second second second second second second action of the second second second second second second second second action of the second	
Silver	Provide clear indication that elements are actionable		htps://www.ak.org/Tititobie- accessibility-napping/ 4.5	Kathy Wahibin	Situati have further discussion; standard or consistency could be an evenytoin; maybe a consistence indication of administences (do not mix them) per alterapp; don't mask set content lock the same as the style used for addicate elements. Tak to Loce Vision Taskforce - almosty being taked about in LV for						
,	Open modal own urt, bad		http://withub. con/ofs/acces/itericone connect-different	Jake	More decussion					Detex: Compare my proceed answer to (pseudo)-windows opening on page load and the link to SC3.2.1 On Focus here:	
Silver	Target size for mobile/tablet screen size - targets must	Currently only at AAA	https://www.wil.org/Tikinobie- accessibility-mapping/ 3.2	Kathy Mahibis	Links in paragraphs are challenging - with responsive and reflow; candidate for Silver but may be able to do a AA for 2.2; clashing					htps://ies.wl.og/Achives/Publicivilc-wai-gi/2011klanMar6070.teni	
Silver	not be smaller than X Concurrent Mechanisme 2.1	Curseity only at AAA because you can't set all combinations	tala desertà cari Suttari i Roccurso i pod- cari Suttaria	Kin Patch	Registrations - some cases water folder of the schedule in the proper and different pack of definition content of pack to define the different pack of definition content on the pack to don't have to be an water of all and there or an obtained, they pack to the some cases and the pack of the some content of the pack to the some cases and the pack of the some content of the pack to mease or the clock cases of the pack to the some content of the mease or the clock on and opportunities of the some content of the mease or the clock on and opportunities of the some content of the mease of the clock on and opportunities of the some clock on the pack to the the the some content of the some clock on the other signature approximation of a pack and board and the pack of the some clock on the different ways a clock on the pack of the some clock of the some clock on the opportunities of the some clock of the some clock on the pack of the some clock on the pack of the some clock on the some clock on the some clock on the some clock on the some clock on and the some clock on the some clock on some clock on						
Silver	Nation Actuation 2.1	Currently level A but is restricted to motion, no other device sensors are covered	teles (rease al) org/10/00/01/Whichon advation	Kin Patch	keptoled tools) augmented reality that we may want to look at for silver						
Silver	Something to keep in mind with speech; voice fatigue, brain fatigue, micro interruptions, doverail with coga, may be something around the			Kin	need to keep these is mind for speech, this is different that most typing and interaction; users can have cheat theres, and as commands become known then less of issue. More interuptions need to watch when this compare get it a radius to the experiment, users cannot relax. On mobile, this is now a issue to a more users as using speech. Letting users user and share testing						
Silver	Let users save and share settings (save lots of time, lets people help themselves and others)			Kin	may be a AAA requirement or Silver. This would save time for trainers, allow users to have multiple settings, make setting up a computer not such a time-consuming task etc. speech example is fimal keepload shotours, but there're examples across user around.						
Silver	Let users save settings they have just changed to review and keep oriented (back butten everywhere) – increasingly important with different screen sizes and an increasing number of appa because the views look different to themis none to remember			Kin	Also desaratio hanany Romewer expects. This is national to the 22 COSA SC on not wying or uses having to menorize information.						
Silver?	Gap between label and element labeled (more an issue for the LVTF), and to be discussed with them)	Important issue for CV users		Detlev	Index recentsus autoritory dour-news to traditivistic organization default to pin-dour for pair / all balance, as mays bill in the second second second second second second second second balances a control of the table - sec of the compaction autoritory dour -news threshold balance autoritory and autoritory and autoritory	Lable gaps When core element acts as a label of another element, the gap tamesen the two is no larger than twice her within or heger of the simple formula is tablic acts. A heger Lin, the simple formula is tablic acts. A heger here are an element within a core acts. A provide the automatically by a color processing the indexing positions and dimensions of two elements to work out the pixel offine.		Detiev (unless someone from LVTF is already working on it)			
Technique	Look at the techniques, under the extension for existing WCAG 2.3 success orbena		Edension	Kathy Wahibin							
2.3 / Technique	Grouping of content			Jake	Look up to see if it is a technique for keyboard +> Not present Jake - may be mixing consider adding as new SC						
-achiniqua	veevuldate Cultarr components / widgets (pame, role, state) carousels / accordions etc. don't have existing roles in specs, buttors / sides etc.				enumper to test at 50 labels and instructions sections or 10 controls like concursit are not defined or labeled as to what it is could be under 4.527+5780, UIC is stand alone, loaking 50 "widget charmest" hereatomic Ve. Composed widgets						
2.2/ Silver?	don't cover their working If you provide biometrics, you should provide something alternative as			rad	may be already sovered under 1.1.1; but this is not author driven - this is driven by input	If bismetrics are used, an alternative is provided.				usually built into the CG (bace recognition), finger print, voice recognition Look for implementation examples, move to Silver if no examples	
22/Sher7	well - appp flutruse authentication Custom persures not presenting datust / treaking touch		Mainly a native agg issues but may be a web issue with signatures	lake	centre general - legre point and branking truch, loss ap conventions around the fact mandat, Questor' has including power di divelopint face to existent	Continu gestraes will not interfere with default of an OS gestraes a pp content transform respectively down gestra-dows and transfere with default violationer commands or mobile globel			who should manage the conflict the Jap or the user-CG-AZ	Access 4-compared to the second seco	

This is a list of Mobile SU's that hisde it	PID 2.1												
	Link	Origin Status	s Status details	Notes	Adion								
1.3.4 Orientation (AA)	https://wdit.github.ic/wcag.21/guidelines/Ronentation	MATE	2.1 AA										
2.1.4 Character Key Shortcuts (A)	brow halo other interest 21 is idelines with a state key-	MATE	21 A										
2.5.1 Painter Gestures (A)	https://wild.github.io/wcap.01/puidelines/#pointer-pesture	MATE	21 A										
2.5.2 Painter Cancellation (8)	https://wild.github.ic/wcag.21/guide/inex/t/pointer-cancel	MATE	21 A										
2.5.3 Label in Name (A)	https://witic.github.io/wcag/21/guidelines/Wabel-io-name	MATE	21 A										
2.5.4 Motion Actuation (A)	https://witz.pithub.io/wcap.21/suidelines/#motion-actuatio	MATE	2.1 A	Got in and it is level A, but it was diminished because it was restricted to motion - none of the other device sensors are covered.									
2.5.5 Target Size (AAA)	https://wild.gothub.io/woog.211pu/defines/tharpert-size	MATE	2.1 AAA	Garlin only at AAA and uses diminished because it can't be implemented access everything – anat access are different than large access. This is mally one of block calcede – when you put a big larger on a small access as people with incibility issues can click the target it clusters with people with wait to see more of the access at once to limit unoling or improve animation.									
2.5.6 Concurrent Input Mechanisms (AAA)	https://wdit.github.ic/wcag.211g.ide/ines/#concurrent-ing-	MATE	2.1 AAA	Gat in only at AAA because you can't test all combinations									
1.4.10 Reflaw	https://wild.github.io/wcas/2110/ide/ines/Reviow	LV	21 AA	You would need to determine 320 width was uses - this might be hard. The change 300 doesn't recessarily mean larger text. while I think it could apply the concerned about testability.									
1.4.13 Contant on Haver or Focus	bitos de la citada lorienza (11 loxídeines Roontent-on-hou	LV	21 44	How could this be dismissed on mobile without a keyboard interface? Onscreen keyboards don't have excape atthough in theory one could nade but how would you girt the keysbard to appen? And then the additional content might closed because focus to the on-screen keyboard!									
1.4.11 Non-Text Contrast	https://wite.github.io/weag/21/guidelines/those-text-contra	LV	21 AA	Affects mobile: displays, icons small. Yes, definately applicable IMD.									
2.1.1 Keyboard Note	bites lie in other interes 21 (sciolines Weydoard		2.1 A	Note covers mobile just a bit "This does not forbid and should not discourage providing mouse input or other input methods in addition to keyboard operation."									

Reserves	1101	Details		
And the Table second bad sectors for making	March and an all the first state of a state of the state	Contains	For Technics on 2014 lab	
2014 Weil laber: proposed best practices for models	THE NEW ALCOMAND, THE ATT A WARNEY	The following proposed techniques and best practices are missing from WCAG 2.0 for mobile web and Applications	See rectriques 2014 tab	
Mobile Accessibility: How WCAG 2.8 and Other W2C/WAI Guidelines Apply to Mobile	https://www.wil.org/TR/nobile-accessibility-mapping/	W3C First Public Working Draft 25 February 2015		Next to 48 note to the document that communicates 1 predates 2 1 and docube what make 1 is or not. We could also look at what reads to be considered dor 2 1
Mobile Extension	https://witc.github.io/Mobile-A11y-Extension/	W3C Editor's Draft 01 December 2016		
2016 Wiki Table: proposed new mobile techniques and proposed exchanges to existing techniques	https://www.wil.org/WAIGLinchile.attlp.flwiki/Technil	Working document MATE 2016	See Techniques 2016 tab	
WC4G 2 1	https://www.inclusion.com/211m.com/201mage/	I sheet working draft		
WCAG 2.1 Techniques	Mos /www.w2.org/WAI/GL/wiki/Woxg21-techniques	Working document for WCAG 2.1 techniques		
Mobile Web Best Practices 1.0	https://www.wit.org/TR/mobile.bp/			Old document may needed to be obseleted or have some note indicating it's relevance today.
Guidance on Applying WCAG 2.0 to Non-Web Information and Communications Technologies (WCAG2ICT)	Mos. Invested.org/TRivcag2(ct)			AG WG will update for 21 AAA as this is imposted for ratios mobile.
New 2.1 SC's - all			How this might affect Mobile differenti	Y CALLER OF
	1.3.4 Orientation (A&)	Mobile		
	1.3.5 Identify Input Purpose (AA)	no different for mobile		
	1.3.6 Identify Purpose (AAA)	no different for mobile		
	1.4.10 Reflow (AA)	LV .	Small screens	
	1.4.11 Non-Text Contrast (AA)	LV .	displays, icons small	
	1.4.12 Text Specing (AA)	no different for mobile		
	1.4.13 Content on Hover or Focus (AA)	LV .	Touch input	
	2.1.4 Character Key Shortouts (A)	Mobile		
	2.2.6 Timeouts (AAA)	no different for mobile		
	2.3.3 Animation from Interactions (AAA)	no different for mobile		
	2.5.1 Pointer Gestures (A)	Mobile		
	2.5.2 Pointer Cancellation (A)	Mobile		
	2.5.3 Label in Name (A)	Mobile		
	2.5.4 Motion Actuation (A)	Mobile		
	2.5.5 Target Size (AAA)	Mobile		
	2.5.6 Concurrent Input Mechanisms (AAA)	Mobile		

Note	Sitatus	Technique Title (draft)	Description	WCAG 2.8 Succe	of anilog Aa	Discussion Notes													
		1. Ensuring that images used as sortistis have sufficient size for issub (survey 428)	Images have to be above a serial size i.e.	28ed Plaine	Matter Test & Native Apps	an Jul Jerra patennik mylingeniken/2022/24 July 24 July 201													
		2 Relationship to other IVSC Mulate species	Same mobile related technologies, such as	Viled Paulice	Matter Veta & Native Apps	This matter is readed in the last as read such a factor of the active character and active character and active character and a factor of the active character and active charac													
		3. Deng internation available via makde sensors as default	Adamatically Ming in Information IT known	Automatically Ming in Information If Annual fulleral Phantise Multile Web & Native Apps															
1) Normal manual Normal manu		4. Delive houes, losse & selected	Define the house, facus, satisfied and basil	Stations Intrope:	Maker Tels E.Nather Apps	parent are not a non-bit as before about a service that a mode as 2012/2016/01/at and the base													
Image: Another interpretation of the second seco	2.1 - 2.8.5 Target Nam (AAA) and skill insures	5. Tauch Largel size (survey 428)	merged with survey #29 below	Advancy Technique 2	Multis Viels & Native Apps	Tauk Assessitis Uate at Instituting available har a look samen													
Algorithm Algor		6. Expande interactive elements by a space to facilitate activation by basish (survey #32)	Spacing requirements	Red Publice	Matter Test & Native Apps	Need to define what the space requirements would be / REVENT LATER													
Image: Another Anothe		7 Advatog elements via the taschend event (sarvey 402)	biteraulize elements should respond to the	Safeboury Technique 2	Multis Viels & Native Apps														
And set		E. Use of exhanced conhast (survey/EETT bits one may have been dropped inadvertently)	Use of enhanced contrant. Middle devices in	mailtonady a technique 1	Multiply Tool & Native Apple	Disposition Polinticity Investigation Control on Contro													
No. No. <td></td> <td>5. Provide clear indication that elements are automable (survey 42)</td> <td>Provide vacationals industries for all function</td> <td colspan="2" rowspan="4">Twobie visualizatio industrin for all buncher/films Technogue? Mobiler Web & Kalcen Apps. Dis Twobie visualization for custom franciscon and Extension Withold Web & Native Apps. Dis Specify input type for sumerical or character cultur. Dis New Touceus Oriente/Des Phalose. Dis</td> <td colspan="12">Just This means have do you have samehing is somehing you are initial with in a device. First whether samehing is initial with a samehing is somehing you are initial within hid same device. This means have do you have sails and vices. This means have a samehing is a advected by a same higher samehing is a samehing in a data and vices. This means have a samehing is a samehing in the samehing in a data and vices. This means have a samehing is a advected by a same higher samehing in a data and vices. This means have a same higher same higher same higher samehing in a data and vices. This means have a samehing in a data and vices. This means have a samehing in a data and vices. This means have a samehing in a data and vices. This means have a samehing in a data and vices. This means have a same higher s</td>		5. Provide clear indication that elements are automable (survey 42)	Provide vacationals industries for all function	Twobie visualizatio industrin for all buncher/films Technogue? Mobiler Web & Kalcen Apps. Dis Twobie visualization for custom franciscon and Extension Withold Web & Native Apps. Dis Specify input type for sumerical or character cultur. Dis New Touceus Oriente/Des Phalose. Dis		Just This means have do you have samehing is somehing you are initial with in a device. First whether samehing is initial with a samehing is somehing you are initial within hid same device. This means have do you have sails and vices. This means have a samehing is a advected by a same higher samehing is a samehing in a data and vices. This means have a samehing is a samehing in the samehing in a data and vices. This means have a samehing is a advected by a same higher samehing in a data and vices. This means have a same higher same higher same higher samehing in a data and vices. This means have a samehing in a data and vices. This means have a samehing in a data and vices. This means have a samehing in a data and vices. This means have a samehing in a data and vices. This means have a same higher s													
Image: Construction of the second s		10. Provide individuals for costan functions and genlares (survey #2)	Provide instructions for costant functions at			+ indexidence different than addressment? Same as VEEL as made under 122? But is then more the input? Indexidence and and a same a list as assessability insure F synchrone to one a content function or periater and card a same a list as assessability insure framework and that as assessability insure F synchrone to one a content function or periater and card a same a list as assessability insure framework and that asses													
Image: And and a set of the		11. Specify input type for numerical or character data (survey #0)	Specify input type for numerical or character			Descence: The general? What should be based as a present what should be based as a present to be stated as a present what should are topologies, be agreed to PHIL Exercision and the phone and and the													
American State America		 Bugsoring the sharakterials properties of the platform (e.g. zoom, larger last, saptane) (survey #0) 				Ublish for new querity. The individual of law way guerates: 18% method have do you program fits in 20% and will be well and in a state in a state of the set of law way law fit of law way law way law way law way law fit of law way law													
Image: Application of the second of		 Delog the visual heyboard to the type of data entry required (survey #C) 	ing, date plates, enail teplocard with @ up	91		Low. Earlier or Incommittee 20X02 contain it approximation and particular provides in approximation and the specific is under applications. Advance technical access or 111, or 4.127 Control have existed scatteres or 111, o													
Image: Answer in the second		14. Posláning inpatani page elemenis kelare lhe page social (survey 87)		Bed Pialize		Distancion Page scale any a full lands in device Many officent factors, streams can, brownes, chosen bright, resultion, difficult is the official or plant associability? Bed Packar (scaneting that description plant descripting plant description plant description plant description p													
Image: Market		13. Crouping elements that go together (m.g. link scan with link test) (survey #8)				consister. This came is the indexing to how BEC, I Cli south south is a state in optical proceed on the indexister by the interpret of the intege but made up to													
Image: Note that the second		10. Keeping the page barrier short to avoid unrecessary satisfing (survey #0)		Bed Palice		Departure Enrice to 87. Care and of PorKa No. Nat hope publics.													
Image: Section of Sectin of Section of Section of Section of Section of Section of		17. Placing bullons where they are easy to access (survey #10)		Bed Positie		Descence Purch Is have very specific guideters. De not plane at her split de split and une hold of the solid													
Applicable and appl		18. Postan tem teld latets above the teld increm #11		PLACEHOLDER		Linka and the set of t													
Image: Section of the section of t		19 Adaptive the levels of link levels to viewood with inscrete #521	Lot leads should be adopted to the same	* PLACEHOLDER		Database can be bend summer in 25 1.0.1 vs here the as here in an array of the second s													
Another and a state Another anoother and a state Anoother a						Description Interaction Reserved State instability and rest and re													
Instantiant Inst						Expension rate all instable significant in the project of the proj													
A part of a for a f						Back Branch Strapp													
Image:		20. Design actionable objects to lock actionable (survey #12)		PLACEHOLDER	Note This are is done, has	a blain. Janua and Alfreir and Janua dan et also at lath faller and same balk with a suggestim													
Amount of the second of the						action Impole III propile with fixed attentions such as when device is in advectional.													
American Section American Section<		21. Ensuring spaces sugged both partial and landscape mode (survey ELC)		PLACEHOLDER		have been enclosed in the second of the seco													
Image: Provide State Stat						Descence One with respective descence and an endpaired size and an													
And and sharped for an analysis of		22. Datų simplemanipalan sanomia nili samodeni interalian judienis (suomį IEI) PLACIPICIZER PLACIPICIZER		PLACEHOLDER	ADLICTOR #11 is had we much may to 223 and 243. Put is multimente an executionary within a designed state and incorporate interactions														
Image: A section (A) Reference					Association for the second														
Augusta de autoristantia Augusta Augusta Augusta Buillandia Builland		23. Altan can's la internal uning divice bullians (survey #76)	Allow users to interact using device bullant	PLACEHOLDER	PLACEHOLDER	dECLEGK Advance beildings and a 211													
A management A management A management A management A management		20. Ensuring that the interface can be used with a bluetioth bedroard however #171		PLACEHOLDER PLACEHOLDER		NEICUTOR Add rate to [CI] and register device a base of the prove													
Image: A set of the set of						Dissussion Perlaps approxiliate differentis Caudi user appropriate libropicanet duration scorered under advisory almostly and laser trist under 2.1.1.													
A magna dama dama dama dama dama dama dama da		20. Adding sharkuds to allow users to peop to sections of the page (survey #18)		PLACEHOLDER	PLACEHOLDER	RESCUTION Advances individual and a second and a													
Proceeding Proceeding <td></td> <td>20. Privating a way be usen to change but (survey #20)</td> <td></td> <td>PLACEHOLDER</td> <td>PLACEHOLDER</td> <td>Descences Reach the UAC Institute and Concern and the Concernment and the Concern and the Conc</td>		20. Privating a way be usen to change but (survey #20)		PLACEHOLDER	PLACEHOLDER	Descences Reach the UAC Institute and Concern and the Concernment and the Concern and the Conc													
A long outdown of an						Provide The International State Sta													
Augus au shawa au shaw		27. Providing support for alternative input mechanisms (survey 422)		PLACEHOLDER	PLACEHOLDER	Residue Datas													
Alexa de sou						Disposition: It gene beyond IECAD; Ideal: Uncluding a clent pacifies for not some what on an exclusing it is blocking requestor for supple with some share reargables to people with some share reargables to people with some share reargables as a lend pacifies for people with some share reargables as a lend pacifies for people with some share reargables as a lend pacifies of people with some share reargables as a lend pacifies for people with some share reargables as a lend pacifies for people with some share reargables as a lend pacifies for people with some share reargables as a lend pacifies for people with some share reargables as a lend pacifies for people with some share reargables are share reargables as a lend pacifies for people with some share reargables as a lend pacifies for people with some share reargables as a lend pacifies for people with some share reargables are													
Alease Alease<		ar namelon andres mere summer men and investor of		PLALING AND	PLALIPLALER														
A norder worder A norder worder A norder worder A norder worder w		20. Private a way for users to see what page they are on (survey #22)		PLACEHOLDER	PLACEHOLDER	Second a contrast on a data with the contrast on a contrast on a second part of a contrast on a grang of the contra RECOVERCY 2 and Recover have a second RECALABATION for the contrast one of the contrast one of the contrast one RECOVERCY 2 and Recover have a second RECALABATION for the contrast one of the													
Image: Process of the second						Decension: What is mean's "Provide restaut autoption mechanisms had wat without trackards autoption mechanisms had autop on narrow with some south 1 and 1 and page southing with head colorability provides and a source south a had corr experiment. I divid hold autoption mechanisms had autop on narrow with some south a had corr experiment.													
A manufactor A manufactor<		30. Oke vertical nanipalian (narvey 803)		RACINGUER	PLACEHOLDER	RESCUENCE day 42													
Answer Answer<		V. Receive hele with the same contents in her same factors (FW)		In ACTIVATION IN	III ACTIVICI DEI	1 Kin Jing A. J. at an and any strange contrast on the strange contrast													
A construction A constructio				- man Alaster		Dispansion: They check is in proceeding a set of the se													
Image: Process of the second		32. Provide the specificated state information in the menu ison (survey #28,24)		PLACEHOLDER	PLACEHOLDER	Results: Mail more general is juncted to find and confidence instrumed on the 13, and 14, and													
American						Descence is CETA to a splitture score score appendix a score is a splitture score value of the score appendix a score is a splitture score value of the score appendix a score is a split to a score a score appendix a score is a split to a score a score appendix a score a													
Activation Activat		an single the new lan at elements to elements (200% (servey 427)		PLALIPOLDER	PLAN PLACER	Parameters assumes assumes assumes parameters are by the parameters are parameter													
1 Analysis de sinde sin sinde sinde sinde sinde sinde sinde sinde						Name of Database Party and State Party and Sta													
N Accord and a state of the st				-		2 Edited Harves code balance & Alegadatic													
1 Anomaly and seven and se		the constructions and many account prevents are ready unsurprovated (second strat)		PLALING AND	PLALIPLALER														
	2.1	38. Ensuring that booth largets are large enough to lough accurately (survey #29)		PLACEHOLDER	PLACEHOLDER	Concerns to the set of the plane access of the													
A holy to use analyzing and						Distances Adoption space active day pace of the left state of the state of the state of the state of the left state of the left state of the state of the state of the state of the left state o													
		30. Priviling an inadize space around actionable elements (survey 402)		PLACEHOLDER	PLACEHOLDER	Patential Edukation Nove - 23 is sufficient Aultrig discussion on kinet space.													
		W Encoderable station was builting an extensional income (CI)	When your is exceeded on the stations in	ALC: NOT THE OWNER.	IN ACTIVATION FROM	Parameter Time a final memory definition and the approximate the approximate field of the approximate the appr													
Image: Non-state (Non-state) Monormal (Non-state) M		a contraction because and a contraction (state) (state)	the second state of the second s																
Bits Description of the second bits system Description of the second bits Description of the second						Pareta fasian Bregorita													
3 Audgewents the hole servery to access the hole		38. Using Elandard operating system alerts where available (survey 402)	Elandard operating system allerts must be	WPLACEHOLDER	PLACEHOLDER	Addan mare execution why													
Second seco		28 Autoration elements on the local-and event lose above) howev #221	South months must act the bissened when	INFLACENCIALER	PLACEHOLDER	concentration control networks in the family family and the set of													
E hole statisticatio por pill biole and integration for the ARCHORE MIN AND INC. Construction of THE ARCHORE MIN AND IN																			
Exaction in the Control Contro		40. Providing media melakata (survey #04)	Metalata should be provided for media	PLACEHOLDER	PLACEHOLDER	Earthaf Earling Earling and Information and Information and Information and Information and Information and Information													
11 AND REPORT AND				-	-	Dispansion: This is already a self-line field regression of 1.4.2. We should pair made sure field we have a make manyle specifically advected in make? Related in reporter with involved access to these, the topical access to these, the topical pair static advected access to these are provided access to these.													
		ri nemeli menumi menu jervel viti	man may no year adamatically unless to	# PLALIPOLDER	PLALARAGER.	Parma analysis water have been a second se													

	Source: Las of proposed techniques from 2016 mobile working document (resources tab line 6):	and a second										
Status	Technique	Status	Assigned to	Success Cr	riti Type							
	M001: Defining the hover, focus, selected and touch (regular, long) states M001 Github Repo	In Progress	Kathy W	2.1.1, 3.2.1 or	31Sufficient							
2.1 - 2.5.5 Target Size (AAA) but still issues	M002. Providing adequate touch target size / Ensuring that touch targets are large enough to touch accurately witho	ut Ready for Review	Alan Smith	2.1.1, 1.4.4, Pi	tins Advisory							
	M003: Activating elements via the touchend event M003 Github Repo	Ready for TF review	Detiev	211,321	Sufficient							
	*M004: Providing clear indication that elements are actionable / Design actionable objects to look actionable M004 C	Sit Ready for TF review	Detiev	Guidelines 2.1	f or Advisory							
	M005: Providing instructions for custom functions and gestures M005 Github Repo		Henry	332,21.1	Sufficient, Failure							
	*M006: Specifying input type for numerical or character data M006 Github Repo	Incorporate into G89	G89	1.2.1	Sufficient							
	M007: Supporting the characteristic properties of the platform (e.g. zoom, larger font, captions) M007 Github Repo	Submitted	Alan Smith	Rest Practice (or I Advisory							
	"M008: Setting the virtual keyboard to the type of data entry required M008 Github Repo	in Progress	Jon Avila	131,412	Advisory							
	"M009: Adapting the length of link texts to viewport width M001 Github Repo		Unassigned	1.4.0	Advisory							
	M010: Allowing users to interact using device buttons (e.g. arrow keys, ok button) M009 Github Repo		Unassigned	2.1.1 or Princip	ple Advisory							
	"M011: Ensuring that the interface can be used with a physical keyboard M011 Github Repo	Incorporate with G202	Unassigned	2.1.1	Sufficient							
	*M012: including shortcuts to allow users to jump to sections of the page M012 Github Repo		Unassigned	2.4.5	Advisory							
	M012: Providing a way for users to change font size M013 Github Repo		Marc J	1.4.4	Advisory							
	*M014: Ensuring that navigation works on different screen sizes M014 Github Repo		Unassigned	2.1.1	Sufficient							
	*84015: Providing a way for users to see what page they are on M015 Github Repo		Alistair Garrison	n 2.4.8	Sufficient							
	M016: Providing vertical navigation mechanisms that work without horizontal scrolling on narrow width screens M019	6 Ready for TF review	Detiev	1.4.4	Advisory							
	M017: Providing the openiclosed state information in the menu icon M017 Github Repo	In Progress	David	131,412	Sufficient							
	M018: Ensuring that menu can be zoomed to 200% M018 Github Repo		Unassigned	1.4.4	Sufficient							
	M019: Providing media metadata M019 Github Repo		Unassigned	1.2.1, 1.2.2, 1.	2.1 Advisory							
	M020: Providing instructions for form data types M020 Github Repo		Unassigned	332	Advisory							
	M021: Setting viewport meta setting to allow magnification to 200% M021 Github Repo	In Progress	Kathy W	1.4.4	Sufficient							
	M22: Spacing Between elements M022 Github Repo	REMOVED	Marc J									
	M022: Set the HTML virtual keyboard to the type of data entry required. M023 Github Repo	In Progress	Jon Avila	\$03.32	Advisory							
	M024: Set the KDS virtual keyboard to the type of data entry required. M024 Github Repo	In Progress	Jon Avila	\$03.32	Advisory							
	M025: Set the Android virtual keyboard to the type of data entry required. M025 Github Repo	in Progress	Jon Avila	\$03.32	Advaory							
	M028: M026 Github Repo	in Progress		sc								
	M027: Providing touch access for custom controls M027 Github Repo	in Progress	Detiev Flacher	SC2.5.1								
	M028: Using standard One Touch controls M028 Github Repo	in Progress	Jon A	SC								
	M029: Touch events are only triggered when touch is removed from a control M029 Github Repo	In Progress	Chris M	sc								
	M030: Multiple elements M030 Github Repo			SC2.5.4								
	Specifying a system font in web content to support platform text resize without browser or platform assistive technologies	og Proposed	A not.	sc								
	FM001 Failure of 2.5.3 Failure of 2.5.3 Modified Touch due to all content and functionality not being available by tour	ch gesture when built-in assi	istive technology is a	ac New Success	Cri Fallure							
	FM002 Failure of 2.5.1 Failure of 2.5.1 Touch: All functions available by touch are still available by touch after system	n ; in Progress	Chris M	New Success	Cri Fallure							
	FM003 Failure of 2.5.1 Component can be opened but cannot be closed with touch when a system screen reader is	is in Progress	Marc J	New Success	Cri Falure							
3	2.1 FM004 Failure of 2.5.4 Touch target is less than 44 pixels by 44 pixels. (Level A)	in Progress	Marc J	New Success	CriFalure							
3	2.1 FM005 Failure of 2.5.4 Touch target is less than 44 pixels by 44 pixels at the default viewport size. (Level A)	In Progress	Marc J	New Success	CriFalure							
	* Not yet in Technique lats											