

Home and community preventable-injury-related deaths and death rates, United States, 1999-2017

Year	Deaths	Deaths per 100,000 population
1999	52,700	18.9
2000	51,900	18.4
2001	55,000	19.3
2002	58,900	20.5
2003	62,000	21.3
2004	64,400	21.9
2005	69,800	23.5
2006	73,500	24.6
2007	77,200	25.6
2008	79,700	26.2
2009	79,800	26.0
2010	83,200	26.9
2011	89,000	28.6
2012	89,400	28.5
2013	93,000	29.4
2014	98,600	30.9
2015	106,700	33.2
2016	118,700	36.7
2017	127,300	39.1

Source: NSC estimates

Causes of preventable-injury-related deaths in home and community, United States, 2017

Cause	Deaths
Poisoning	64,600
Falls	35,500
Drowning	3,700
Choking	5,200
Fires, flames, smoke	2,700
Michanical Suffocation	1,700
All other	13,900

Source: NSC estimates

Leading causes of preventable-injury-related deaths in home and community by age group, United States, 2017

Cause	Ages 0-14	Ages 15-64	Age 65 and older
Poisoning	80	61,670	2,850
Falls	60	4,450	30,990
Chokinga	130	1,300	3,770
Drowning	670	2,330	700
Fire flames or smoke	250	1,250	1,200
Michanical Suffocation	1,170	270	260

Source: NSC estimate